

Specification Manual

Every product you'll ever need

Contents

Introduction	3	Washbasins	74	Bidets	244
Key to logos	4	Standard	75		
Sector logos	5	Medical	105	Urinals	246
Water saving	6	Countertop	109	Division	253
Rimfree®	8	Semi-recessed	112	Systems & cisterns	254
Odourwise™	10	Total install®	116	Traps & wastes	256
Twyford website	12	Accessories	117		
SpecMaster online	13	Traps & wastes	118	Fireclay	257
Twyford media library	14			Sinks	258
Key contacts	15	Furniture	122	Trough	260
Regulations & standards	16			Fittings	261
Our guarantee	18	Baths	142	Wastes & connectors	262
		Acrylic	143		
WCs	19	Steel	155	Stainless steel	263
Close coupled	20	Panels	162	Sinks & troughs	264
Back-to-wall	35	Wastes & traps	167	Hoppers	276
Wall-hung	47			WC & urinal	279
High level	57	Taps & mixers	168	Janitorial units	280
Low level	58	Standard	169	Drinking fountains	281
Squatting pan	60	Accessories	194	Fittings	284
Fittings	61	Specialised	195		
Concealed cisterns	63			Less able	285
Seats	66	Showering	225	Doc.M packs	286
		Shower enclosures	226	Support items	297
		Trays	235		
		Tray accessories	241		
		Support seats	242		
		Wastes	243		

Twyford have led the way in bathroom design for over 160 years. With outstanding quality, great looks and innovative features, Twyford offer a comprehensive range of products to suit any application.

This specification manual is designed to guide you through our entire portfolio of products, making it simple to specify the right products for each job. It's divided into product section and on each page colour coded logos indicate which sector the product is suitable for (please refer to page 5 for details). Each page contains all the appropriate product information including approvals.

Clever thinking

Twyford are constantly introducing innovative, market leading ideas to make the bathroom experience even better - like the first ever Rimfree® toilet, Proclean glass coating and the water saving Flushwise® system.

Clever technology and smart design features.

Great experience

Twyford have been leaders in bathroom design for over 160 years with a reputation for guaranteed quality and superb performance along the way.

Experienced team

The Twyford team are on top of their game - from design and production to marketing and merchandising. From customer service to after sales, we're all dedicated to delivering the very best in products, service and support.

Good looks

Twyford bathroom ranges don't just perform superbly, they look terrific too. Form and function combine to create style statements for the modern bathroom. Practical and durable, smart and stunning. The perfect solution, every time.



Key to logos



Twyford's water saving dual flush 4/2.6 litre cistern system. **Please refer to pages 6 - 7.**



A toilet that has no rim meaning there is nowhere for germs to hide and making it easier to clean. **Please refer to pages 8 - 9.**



A revolutionary development in waterless urinal technology to eliminate odours. **Please refer to page 10.**



Twyford's Proclean is a protective glass coating which aids easy cleaning of shower enclosures by preventing build-up of limescale, soap scum, stains and dirt.



The European Water Label (EWL) is designed to help easily identify water efficient products, which when installed and used correctly will use less water and save energy and money, compared to other products available in the market. Please visit the European Water Label website: **www.europeanwaterlabel.eu** for more information.



A range of Twyford products are registered for the DEFRA Enhanced Capital Allowance Schemes (ECA). Water technology list for efficient toilets. Please visit the DEFRA website: **www.eca-water.gov.uk** for more information.



TMV2 is an accreditation for thermostatic mixing valves that conform to BS-EN 1111 and 1287. Reliable thermal safety performance for domestic bath shower or bidet use.



TMV3 is a standard created for thermostatic mixing valves in healthcare and commercial areas that have enhanced thermal safety performance and comply with NHS Estates requirements specification DO8.

Our sectors



Healthcare



Education



Hotels



Commercial



Less Able



Residential



Co-operative Group HQ, Manchester

This landmark building was awarded the highest ever BREEAM rating and was officially opened by the Queen on 14th November 2013. Twyford are delighted to have been involved in this momentous development, constituting the World's most environmentally-friendly building.

Good looks & great water saving ideas

Twyford lead the way in water saving innovation throughout the bathroom. With us, it's not an afterthought - everything is designed with water use reduction in mind.

Outperforming the regulations

The problem of water scarcity is increasing globally. Current usage is unsustainable, and water saving is a key element in planning for new developments. At Twyford, we design with this in mind. It's not an afterthought, it's an inspiration. Our innovative, market leading products conform to and outperform regulations, reducing water consumption dramatically, with no compromise on functionality and style.

The European Water Label

All Twyford toilets and many other Twyford products are registered and therefore listed by the European Water Label (EWL). The European Water Label is designed to help easily identify water efficient products, which when installed and used correctly will use less water and save energy and money, compared to other products available in the market.

Please visit the European Water Label website: www.europeanwaterlabel.eu for more information.



Waterwise

Twyford were the pioneers of Flushwise®, the dual flush 4/2.6 litre technology for toilets that has since become widely adopted across the UK bathroom industry, it is for this product that Twyford received the Waterwise Marque back in 2007. The Waterwise Marque - the first scheme in the UK to highlight water efficient products. It is awarded annually to products which reduce water wastage or raise awareness of water efficiency. Please visit the Waterwise website: www.waterwise.org.uk for more information.



The Flushwise® dual flush system is now available on seven out of the company's 11 ranges covering all sectors of the market from entry level to top end with a choice of designs and price points. These are E100, E200 and Alcona.



Toilets

More than half (63%) of our daily water consumption at home originates from the bathroom and toilet.

Twyford have been leading the way in reducing toilet flush volumes. We have revolutionised the field by pioneering the unique Flushwise® dual flush push button toilet. Flushwise® toilets use 4 or 2.6 litres each flush, that's 60% less water than a standard toilet and is also available on concealed cisterns.

Taps & mixers

X50, X52, X60, X62, X70, X120 taps, mixers and shower valves can be fitted with flow regulators to reduce the rate of water flow. Turn off the tap when cleaning your teeth, soaping hands and shaving. A running tap uses up to 9 litres of water per minute.

Baths

Twyford's Celtic steel bath has a capacity of just 140 litres, that's an estimated 35% water saving compared to a typical standard size bath. The Opal acrylic 1700 x 700mm bath is also available in a water saving option, with a low volume capacity of only 130 litres to overflow.

Urinals

Our waterless urinals are able to flush at 1 litre for an energy saving water efficient solution. They have an electronic times flush and are low maintenance and easy to care for.



Clean, green & stylish

The revolutionary Rimfree® toilets are available across five best-selling Twyford collections. There's no rim so there's nowhere for germs and dirt to hide. Light on cleaning. Light on water usage. Good looking too. Simple. But brilliant.

Visit www.twyfordbathrooms.com for more details on Rimfree®

Clean

With no concealed rim, there's nowhere for germs to hide, so the toilet is not only hygienic, it's smarter and easier to clean, too.

Green

The E100 Rimfree® toilets are available with Twyford's unique Flushwise® 4 and 2.6 litre dual flush technology, using up to 60% less water than a standard toilet.

Stylish

Rimfree® toilets are available across five best-selling Twyford collections - all with cool, contemporary design and a wide range of options including washbasins, bidets and furniture, co-ordinating to create a complete look for every bathroom environment.



Twyford waterless systems



Twyford waterless systems


Urine passes through the replaceable Twyford waterless system Odourwise™ cartridge, where the malodour counteractant tackles smells immediately. Friendly bacteria in the cartridge break down the uric salts, preventing the build-ups that cause blockages and as there's no water, there's no lime scale build-up either. The valve also acts as a physical barrier to prevent odours coming back through the bowl.

With no odours, no blockages and no flooding, it creates a healthier, more hygienic and pleasant environment for the user, while saving water and money throughout the system.

1. Cartridge
2. Debris catcher
3. Hygiene seal
4. Plumbing system

Features and benefits:

- Combination of microbes penetrate uric salts (making them soluble)
- Lime scale inhibitors
- Malodour counteractants overcome unpleasant smells above the urinal bowl
- Valve is non porous
- Replaces trap with a closed system
- Speeds up continuity of the flow
- Valve also acts as a physical barrier to prevent odours coming back through the bowl
- Has anti-siphonic and natural air admittance properties
- Cartridge recyclable
- Made of virgin polypropylene
- Can be disposed of in standard waste bin



Waterless systems installation package includes:

- Waste, valve & trap
- Tap hole cover
- White cartridge
- Waste key
- Flexi hose
- Valve assembly key



Twyford website

www.twyfordbathrooms.com

The Twyford Website has a dedicated area for industry professionals, including the innovative SpecMaster online product specification tool www.specmasteronline.com for use by architects, designers, specifiers and contractors.

A central download area www.twyfordbathrooms.com/professionals-area/downloads allows users to access and download Twyford technical files including:

- Product sheets (these are the pages in this document)
- Technical drawings
- 2D Files
- 3D Files
- Certificates (approvals)
- BIM Files

Multiple filters are also available to further refine downloads.

Twyford Professionals area also includes links to information on DOP and CE Marking and lists key strategic partners.



SpecMaster online

Register today for FREE at www.specmasteronline.com

The ultimate online sanitaryware specification tool

Design and innovation are key to Twyford Bathrooms in enabling the company to meet the evolving demands of its customers and the wider market.

As a leading global bathroom manufacturer, Twyford, Part of the Geberit Group, continues to invest a significant level of resources in research and development, and this venture is a collaborative partnership with the National Building Specification (NBS), part of RIBA Enterprises. Together we have created SpecMaster, an online specification tool for architects, designers, specifiers and contractors.

Summary of key features and benefits:

- An intuitive and user-friendly tool that allows users to create and manage projects online with no software installation required
- Free registration www.specmasteronline.com
- Opportunity to share projects with colleagues securely from any internet access point
- Improved browsing and search functionality that enables accurate product choices as well as complete and compatible specifications
- Easy access to Twyford and Geberit Ceramics product portfolio, backed and powered by NBS
- Opportunity to produce and download essential specification documents and material
- Compatible with NBS standards



Twyford media library

Twyford have an online Media Library where users can browse, search and download the following:

- Product (single product images on a plain background)
- Series (roomset images)
- Logos
- Publications (brochures/leaflets)
- Inspirational (lifestyle and branding support images)

To register, please visit <http://medialibrary.sanitec.com/twyford> and complete the registration form. Once users have registered and been successfully verified, login details (user name and password) will be sent by email.

When using images from the Twyford Media Library, user discretion is advised and the source '**Twyford**' must always be mentioned.

If you have any questions about registration, the use of the material, or need further information, please email: medialibrary@twyfordbathrooms.com or call **01926 516800**.



Key Contacts

Registered office

Edgehill Drive, Warwick, Warwickshire CV34 6NH

Website

www.twyfordbathrooms.com

General enquiries

Tel: 01926 516800 Fax: 01926 400101 Email: enquiries@geberit.co.uk

Technical helpline

Tel: 01926 516800 Fax: 01926 400101 Email: technical@geberit.co.uk

To order a brochure

Tel: 0800 007 5133 Email: twyford@web-response.co.uk



Regulations & Standards

The following information gives references and sources for UK Regulations and Standards for sanitary provision in commercial and domestic buildings.

These may not be applicable in countries and regions other than the UK and may differ between England, Wales, Scotland & Northern Ireland.

The requirements for the provision of sanitary fittings are, in general, governed by the UK Building Regulations. These, in turn, relate to British and European standards. For some applications specific guidance documents may be relevant e.g. Healthcare.

Twyford has invested heavily in product development and can guarantee that the sanitary ware it supplies fully complies with regulations. All Twyford WCs pass the UK flush test (EN997 Class 2), one of the most stringent flush tests in Europe.

Building Regulations, England and Wales

The Building Regulations for England and Wales exist principally to ensure the health and safety of people in and around buildings. They also provide for access to and around buildings.

The regulations apply to most new buildings and many alterations of existing buildings, whether domestic, commercial or industrial.

The following building regulations refer to sanitary ware, further information is available at:

www.planningportal.gov.uk

- Building Regulations Part G - Sanitation, Hot water safety & Water efficiency
- Building Regulations Part H - Drainage and waste disposal
- Building Regulations Part M - Access and use of buildings

Building Regulations, Scotland

The following website is a useful source for the details of the regulations:

www.gov.scot/Topics/Built-Environment/Building/Building-standards

Building Control Northern Ireland

The following website is a useful source for the details of the regulations:

www.buildingcontrol-ni.com/regulations

Water Regulations

The Water Supply (Water Fittings) Regulations 1999 are applicable to England and Wales. In Scotland they are known as The Water Byelaws and are there to protect the public water supply from waste, misuse, undue consumption and contamination.

LABC (Local Authority Building Control)

LABC represents all local authority building control teams in England and Wales. Members work cooperatively with building owners, home owners, architects, plan drawers, developers, building contractors and other professionals to ensure buildings are safe, healthy and efficient to meet the standards set by the building regulations.

Twyford utilises the LABC registration scheme for approval and compliance of our disabled washroom facilities according to Part M of the building regulations. This ensures acceptance by all local authorities and makes the building approval process easier.

Healthcare (Health Building Notes)

Issued by the Department of Health, Health Building Notes give best practice guidance on the design and planning of new healthcare buildings and on the adaptation/extension of existing facilities.

They provide information to support the briefing and design processes for individual projects in the NHS building programme.

HBN 00-10 Part C / HTM64

This Health Building Note (HBN) outlines the policy and performance requirements for sanitary assemblies used in healthcare facilities. These requirements are a set of essential standards of quality and safety that sanitary assemblies must comply with. It supersedes Health Technical Memorandum 64 (England only).

For further information visit: www.gov.uk/dh and search for 'health building notes' and 'health technical memoranda' to open the full series.

Code for sustainable homes

Following the technical housing standards review, in March 2015 the government issued a written ministerial statement withdrawing the code for sustainable homes, aside from the management of legacy cases.

Legacy cases are:

- those where residential developments are legally contracted to apply a code policy (e.g. affordable housing funded through the National Affordable Housing Programme 2015 to 2018, or earlier programme)
- where planning permission has been granted subject to a condition stipulating discharge of a code level, and developers are not appealing the condition nor seeking to have it removed or varied

In these instances only it is possible to continue to register code cases and conduct code assessments.

The code for sustainable homes was the national standard for the sustainable design and construction of new homes. It aimed to reduce carbon emissions and promote higher standards of sustainable design above the current minimum standards set out by the building regulations

The code used a 1 to 6 star system to rate the overall sustainability performance of a new home against 9 different categories of sustainability.

BREEAM (Building Research Establishment Environmental Assessment Methodology)

First published by the Building Research Establishment (BRE) in 1990, BREEAM is the world's longest established method of assessing, rating, and certifying the sustainability of buildings.

BREEAM works to raise awareness amongst owners, occupiers, designers and operators of the benefits of taking a sustainability approach. It helps them to successfully cost and effectively adopt sustainable solutions, and provides market recognition of their achievements.

BREEAM assessment covers a range of criteria including Energy and Water.

Regarding water the aim of the assessment is to reduce the consumption of potable water for sanitary use in new buildings from all sources through the use of water efficient components and water recycling systems including WCs, Urinals, Taps & Showers.

For more information visit: www.breeam.com

Our guarantee

Lifetime Shower enclosures and bath screens, Twyford shower trays.

25 years Ceramic products (excluding accessories and fittings), steel and acrylic baths.

5 years Taps and mixers from the following ranges: X50, X52, X60, X62, X70 and X120.

2 years Accessories and fittings, all wooden products, bath panels, plastic and metal fittings including seats, taps (excluding those listed under 5 year guarantee), cistern fittings, electronic components and ceramic bathroom accessories.

This guarantee covers products manufactured or supplied by Twyford Bathrooms under the Twyford brand name and installed in the United Kingdom and the Republic of Ireland. Should a claim be made, under the guarantee, we ask that the following conditions are met:

- Proof of purchase should be supplied at the time of the claim, if there is no proof of purchase supplied then the claim will be refused.
- Product should have been fitted in accordance with our installation instructions, UK Water Regulations 1999 and general good plumbing practice.
- We need to ensure that the product has been maintained and cared for in accordance with our Cleaning and Maintenance Instructions. Note mildew, limescale effects and corrosion are not covered under the guarantee.
- We cannot accept responsibility for the failure of a product if it has been modified, misused, neglected or wilfully or accidentally damaged. This also includes the general effects of wear and tear through usage.

- We must be given reasonable opportunity to inspect the product in the installed situation, if removed the product must not be destroyed but should be retained for inspection. Photographic evidence of the product in the installed situation may be requested.
- If our on-site investigation determines the reported issue is not a manufacturing fault or a materials defect, a call out charge may be applied. This will be advised at the time of your claim.
- Our policy is one of continuous improvement. If the product has failed under the terms of the guarantee and a replacement is offered, but identical goods are no longer available, a mutual agreement will be sought.
- This guarantee applies only to the single product in question and not to the whole bathroom suite. This guarantee does not extend to cover consequential loss or damage which could not be reasonably foreseen at the time the product was purchased.

For further information contact our Customer Services Team on:

T: 01926 516 800

E: enquiries@geberit.co.uk

F: 01926 400 101

This guarantee is effective for all our products under the aforementioned parameters and is non-transferable. It is offered to customers acquiring our products as consumers, not in the course of a trade or business. This guarantee does not in any way affect the statutory or other rights of a consumer.



WCs



environmentally friendly 4/2.6 litre dual flush
co-ordinating alcona range



Alcona flushwise WC suite, horizontal outlet



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

wc pan

Horizontal outlet

AR1148WH

Bottom outlet

AR1145WH

Flushwise® fitted cistern assembly with fittings:

Dual 4/2.6L flush, push button **AR2342WH**

(note: Cistern can be adjusted to 6/4L, standard flush.)

seat and cover

Plastic hinges

AR7810WH

Bottom fix stainless steel hinge

AR7815WH

With soft closing mechanism

AR7853WH

wc outlet connector

P trap outlet connector

WF1240WH

S or turned P trap connector

WF1241WH

Bottom outlet connector

WF1224XX

material

Vitreous china.

colour

White WH.

fixings

WC screwed to floor.

note

Variation in drainage systems may necessitate increasing the flush volume to ensure efficient drainline carry, this can be done post installation up to 6/4 litre max.

AWARDED

THE WATERWISE MARQUE

Best design WC for water reduction.



Hotels



Commercial



Residential

Twyford




Geberit Group

avalon ho

ergonomically designed cistern lever
raised seating position for ease of use



Avalon close coupled washdown WC suite, horizontal outlet



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

wc pan

Horizontal outlet **AV1168WH**
close coupled cistern and fittings, 6L: **AV2611WH**
BSIO, chrome plated lever **AV2711WH**
BSIO, with cover clip

seat and cover

25mm, chrome plated hinges **AV7840WH**

seat ring

Seat 25mm ring only **AV7881WH**
Seat 25mm ring only **AV7881BE**
Cover only **AV7842WH**

trap

P trap outlet connector **WF1240WH**
S or turned P trap connector **WF1241WH**

material

Vitreous china.

colour

White WH.

fixings

Install pan to floor fixing **SR1020XX**
Cistern screwed to wall.



Hotels



Healthcare



Commercial



Residential



Less Able

Twyford


Geberit Group

avalon rimless ho

raised seating position for ease of use
4 litre flush to meet BREEAM specifications
fully shrouded to aid easy cleaning outside



Avalon rimless close coupled washdown WC suite, horizontal outlet



to specify/order:

Please use the product reference shown below.

wc pan

Horizontal outlet **AV1968WH**
Close coupled cistern and fittings 4 or 6L:

BSIO, chrome plated spatula lever **AV2661WH**

BSIO, chrome plated spatula lever and cover clip **AV2668WH**

seat and cover

With stainless steel top fix hinges and stability buffers:

Grey **AV7865GY**

Blue **AV7865BE**

With stainless steel, bar hinge, top fix and stability buffers:

White **AV7875WH**

seat ring

With stainless steel bar hinge, top fix and stability buffers:

White **AV7886WH**

Grey **AV7886GY**

Blue **AV7886BE**

Red **AV7886RD**

seat cover

Cover only **AV7842WH**

trap

P trap outlet connector **WF1240WH**

S or turned P trap connector **WF1241WH**

material

Vitreous china.

colour

White WH.

fixings

WC screwed to floor, cistern screwed to wall and fixed on wall brackets.

All fixings supplied.

note

Seat options supplied with stability buffers and standard front buffers.

Cistern is pre-set at 6 litres, to flush at 4 litres remove the blue plug from syphon.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford


Geberit Group

E100 premium round

available in round or square design
varied seat selection including quick release



E100 close coupled washdown WC suite, horizontal outlet



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

wc pan

Premium, horizontal outlet **E11248WH**

*Premium, vertical outlet **E11245WH**

*Close coupled round cistern & fittings:

4/2.6L BSIO, push button **E12590WH**

seat and cover - round

Plastic hinges **E17810WH**

Metal hinges:

Bottom fix **E17815WH**

Top fix **E17861WH**

Soft closing mechanism **E17851WH**

seat and cover - quick release

Metal hinges:

Soft closing mechanism, round **E17857WH**

quick release family seat and cover

Top fix hinge:

Soft closing mechanism **E17868WH**

wc outlet connector

P trap outlet connector **WF1240WH**

S or turned P trap connector **WF1241WH**

fixings

WC screwed to floor, cistern screwed to wall.

WC fixings supplied.

material

Vitreous china.

colours

White WH.

note

*This cistern flushes on 6/4 litres when used
in conjunction with the e100 Premium,
vertical outlet pan.



Hotels



Commercial



Residential

Twyford


Geberit Group

E100 premium square

available in round or square design
varied seat selection including quick release



E100 close coupled washdown WC suite, horizontal outlet



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

wc pan

Premium, horizontal outlet **E11248WH**

*Premium, vertical outlet **E11245WH**

*Close coupled square cistern & fittings:

4/2.6L BSIO, push button **E12490WH**

seat and cover - round

Plastic hinges **E17810WH**

Metal hinges:

Bottom fix **E17815WH**

Top fix **E17861WH**

Soft closing mechanism **E17851WH**

seat and cover - quick release

Metal hinges:

Soft closing mechanism, round **E17857WH**

quick release family seat and cover

Top fix hinge:

Soft closing mechanism **E17868WH**

wc outlet connector

P trap outlet connector

WF1240WH

S or turned P trap connector

WF1241WH

fixings

WC screwed to floor, cistern screwed to wall.

WC fixings supplied.

material

Vitreous china.

colours

White WH.

note

*This cistern flushes on 6/4 litres when used
in conjunction with the e100 Premium,
vertical outlet pan.



Hotels



Commercial



Residential

Twyford


Geberit Group

E100 rimfree® premium square

environmentally friendly 4/2.6 litre dual flush
no rim means there's nowhere for germs to hide



E100 premium rimfree®, horizontal outlet, rimfree®



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

wc pan

Premium rimfree, Horizontal outlet **E11548WH**

Close coupled square cistern

& fittings, 4/2.6L BSIO, push button **E12490WH**

seat and cover

Metal hinges:

Top fix

E17866WH

Soft closing mechanism

E17856WH

seat and cover - quick release

Metal hinges:

Soft closing mechanism, square

E17858WH

wc outlet connector

P trap outlet connector

WF1240WH

S or turned P trap connector

WF1241WH

material

Vitreous china.

colour

White WH.

fixings

WC screwed to floor. cistern screwed to wall.

WC fixings supplied.



Hotels



Commercial



Residential

Twyford


Geberit Group

E100 standard round

available in round or square design
varied seat selection including quick release



E100 close coupled washdown WC suite, horizontal outlet



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

wc pan

Standard, horizontal outlet **E11148WH**

*Standard, bottom outlet **E11145WH**

*Close coupled round cistern & fittings:

4/2.6L BSIO, push button **E12590WH**

seat and cover - round

Plastic hinges **E17810WH**

Metal hinges:

Bottom fix **E17815WH**

Top fix **E17861WH**

Soft closing mechanism **E17851WH**

seat and cover - quick release

Metal hinges:

Soft closing mechanism, round **E17857WH**

quick release family seat and cover

Top fix hinge:

Soft closing mechanism **E17868WH**

wc outlet connector

P trap outlet connector **WF1240WH**

S or turned P trap connector **WF1241WH**

Bottom outlet connector **WF1224XX**

fixings

WC screwed to floor. cistern screwed to wall.

WC fixings supplied.

material

Vitreous china.

colours

White WH.

note

*This cistern flushes on 6/4 litres when used in conjunction with the E100 Standard, bottom outlet pan.



Hotels



Commercial



Residential

Twyford


Geberit Group

E100 standard square

available in round or square design
varied seat selection including quick release



E100 close coupled washdown WC suite, horizontal outlet



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

wc pan

Standard, horizontal outlet **E11148WH**

*Standard, bottom outlet **E11145WH**

*Close coupled square cistern & fittings:

4/2.6L BSIO, push button **E12490WH**

seat and cover - round

Plastic hinges **E17810WH**

Metal hinges:

Bottom fix **E17815WH**

Top fix **E17861WH**

Soft closing mechanism **E17851WH**

seat and cover - quick release

Metal hinges:

Soft closing mechanism, round **E17857WH**

quick release family seat and cover

Top fix hinge:

Soft closing mechanism **E17868WH**

wc outlet connector

P trap outlet connector

WF1240WH

S or turned P trap connector

WF1241WH

Bottom outlet connector

WF1224XX

fixings

WC screwed to floor, cistern screwed to wall.
WC fixings supplied.

material

Vitreous china.

colours

White WH.

note

*This cistern flushes on 6/4 litres when used in conjunction with the E100 Standard, bottom outlet pan.



Hotels



Commercial



Residential

Twyford


Geberit Group

E100 square raised lever

available in round or square design
varied seat selection including quick release
increased pan height for more comfortable rising



E100 close coupled washdown WC suite, horizontal outlet



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

wc pan

Extra height, horizontal outlet **E11348WH**

Close coupled square cistern & fittings:

6L BSIO, lever **E12611WH**

seat and cover - round

Metal hinges:

Bottom fix **E17815WH**

Soft closing mechanism **E17851WH**

seat and cover - quick release

Metal hinges:

Soft closing mechanism, round **E17857WH**

quick release family seat and cover

Top fix hinge:

Soft closing mechanism **E17868WH**

wc outlet connector

P trap outlet connector

WF1240WH

S or turned P trap connector

WF1241WH

fixings

WC screwed to floor. cistern screwed to wall.
WC fixings supplied.

material

Vitreous china.

colours

White WH.



Hotels



Commercial



Residential



Less Able

Twyford


Geberit Group

E100 round raised height

available in round or square design
varied seat selection including quick release
increased pan height for more comfortable rising



E100 close coupled washdown WC suite, horizontal outlet



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

wc pan

Extra height, horizontal outlet **E11348WH**

Close coupled round cistern & fittings:

4/2.6L BSIO, push button **E12590WH**

seat and cover - round

Metal hinges:

Bottom fix **E17815WH**

Soft closing mechanism **E17851WH**

seat and cover - quick release

Metal hinges:

Soft closing mechanism, round **E17857WH**

quick release family seat and cover

Top fix hinge:

Soft closing mechanism **E17868WH**

quick release family seat and cover

Top fix hinge:

Soft closing mechanism **E17868WH**

wc outlet connector

P trap outlet connector

WF1240WH

S or turned P trap connector

WF1241WH

fixings

WC screwed to floor, cistern screwed to wall.

WC fixings supplied.

material

Vitreous china.

colours

White WH.



Hotels



Commercial



Residential



Less Able

Twyford


Geberit Group

E100 square raised height

available in round or square design
varied seat selection including quick release
increased pan height for more comfortable rising



E100 close coupled washdown WC suite, horizontal outlet



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

wc pan

Extra height, horizontal outlet **E11348WH**

Close coupled square cistern & fittings:

4/2.6L BSIO, push button **E12490WH**

seat and cover - round

Metal hinges:

Bottom fix **E17815WH**

Soft closing mechanism **E17851WH**

seat and cover - quick release

Metal hinges:

Soft closing mechanism, round **E17857WH**

quick release family seat and cover

Top fix hinge:

Soft closing mechanism **E17868WH**

wc outlet connector

P trap outlet connector

WF1240WH

S or turned P trap connector

WF1241WH

fixings

WC screwed to floor. cistern screwed to wall.
WC fixings supplied.

material

Vitreous china.

colours

White WH.



Hotels



Commercial



Residential



Less Able

Twyford

Geberit Group

option ho


choice of dual flush button or lever cisterns



Option close coupled washdown WC suite, horizontal outlet, with push button cistern



Option close coupled washdown WC suite, horizontal outlet, with lever cistern



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

wc pan

Horizontal outlet

OT1148WH

Close coupled cistern and fittings:
dual flush 6/4L BSIO, push button

OT2396WH

Close coupled cistern and fittings:
dual flush 6/4L BSIO,
chrome plated lever

OT2421WH

Close coupled cistern and fittings:
6L BSIO, chrome plated lever

OT2361WH

seat and cover

Stainless steel hinges

OT7815WH

Plastic hinges

ST2810WH

wc outlet connector

P trap outlet connector

WF1240WH

S or turned P trap connector

WF1241WH

material

Vitreous china.

colour

White WH.

fixings

WC screwed to floor. cistern screwed to wall.



Hotels



Commercial



Residential

Twyford


Geberit Group

sola rimless ho

4 litre flush to meet BREEAM specifications
fully shrouded to aid easy cleaning outside
rimless design to aid easy cleaning inside



Sola rimless close coupled washdown WC suite, horizontal outlet



to specify/order:

Please use the product reference shown below.

wc pan

Horizontal outlet

SA1968WH

*Close coupled cistern and fittings 4 or 6L:

BSIO, chrome plated spatula lever* **AV2661WH**

BSIO, chrome plated spatula lever
and cover clip

AV2668WH

seat and cover

With stainless steel top fix hinges
and stability buffers:

Grey

AV7865GY

Blue

AV7865BE

With stainless steel, bar hinge, top fix
and stability buffers:

White

AV7875WH

seat ring

With stainless steel bar hinge, top fix
and stability buffers:

White

AV7886WH

Grey

AV7886GY

Blue

AV7886BE

Red

AV7886RD

trap

P trap outlet connector

WF1240WH

S or turned P trap connector

WF1241WH

material

Vitreous china.

colour

White WH.

fixings

WC screwed to floor, cistern screwed to wall
and fixed on wall brackets.

All fixings supplied.

note

Seat options supplied with stability buffers
and standard front buffers.

Cistern is pre-set at 6 litres, to flush at 4 litres
remove the blue plug from syphon.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial

Twyford


Geberit Group

sola school rimless 300 ho

4 litre flush to meet BREEAM specifications
fully shrouded outside & rimless to aid easy cleaning
left or right hand lever positioning



Sola school rimless 300 close coupled washdown WC suite



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

wc pan

WC pan, horizontal outlet

SA1512WH

*Close coupled cistern and fittings 4 or 6L:

BSIO, chrome plated spatula lever*

AV2661WH

BSIO, chrome plated spatula lever*

and cover clip

AV2668WH

seat

Open front seat ring with top fix
stainless steel hinged:

White

SA1304WH

Blue

SA1304BE

wc outlet connector

P trap outlet connector

WF1240WH

S or turned P trap connector

WF1241WH

material

Vitreous china.

colour

White WH.

fixings

WC screwed to floor with fixings provided.

Cistern screwed to wall.

note

*Cistern is pre-set at 6 litres, to flush at 4 litres
remove the blue plug from syphon.



Education

Twyford

Geberit Group

sola school rimless 350 ho

4 litre flush to meet BREEAM specifications
fully shrouded outside & rimless to aid easy cleaning
left or right hand lever positioning



Sola school rimless 350 close coupled washdown WC suite

to specify/order:

Please use the product reference shown below.

wc pan

WC pan, horizontal outlet

SA1514WH

*Close coupled cistern and fittings 4 or 6L:

BSIO, chrome plated spatula lever*

AV2661WH

BSIO, chrome plated spatula lever*

and cover clip

AV2668WH

seat

Full seat ring with top fix

stainless steel hinges:

White

SA1306WH

Blue

SA1306BE

wc outlet connector

P trap outlet connector

WF1240WH

S or turned P trap connector

WF1241WH

material

Vitreous china.

colour

White WH.


fixings

WC screwed to floor with fixings provided.

Cistern screwed to wall.

note

*Cistern is pre-set at 6 litres, to flush at 4 litres remove the blue plug from syphon.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Education


Twyford
Geberit Group

alcona btw

environmentally friendly 4/2.6 litre dual flush
soft closing mechanism seat option available



Alcona back-to-wall WC suite



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

wc pan

Horizontal outlet

AR1438WH

concealed cisterns

Refer to concealed cisterns matrix for list of lever cisterns. For push button cisterns please visit www.geberit.co.uk.

seat and cover

Plastic hinges

AR7810WH

Bottom fix stainless steel hinge

AR7815WH

With soft closing mechanism

AR7853WH

wc outlet connector

P trap outlet connector

WF1240WH

S or turned P trap connector

WF1241WH

material

Vitreous china.

colours

White WH.

fixings

WC screwed to floor, and sealed to wall and floor using silicone building sealant (not provided).
cistern screwed to wall. Fittings supplied.



Hotels



Education



Commercial



Residential

Twyford


Geberit Group

avalon btw

raised seating position for ease of use
fully concealed plumbing



Avalon back-to-wall WC suite



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

wc pan

Horizontal outlet

AV1168WH

concealed cisterns

Refer to concealed cisterns matrix for list of lever cisterns. For push button cisterns please visit www.geberit.co.uk.

seat and cover

Seat and cover
with chrome plated hinges

AV7840WH

seat ring

25mm Seat ring

AV7881WH

25mm Seat ring

AV7881BE

Cover only

AV7842WH

trap

P trap outlet connector

WF1240WH

S or turned P trap connector

WF1241WH

material

Vitreous china.

colour

White WH.

fixings

Install pan to floor fixing

SR1020XX

(note: 2 required)

Seal to wall using silicone building sealant
(not provided). Cistern screwed to wall.



Hotels



Healthcare



Commercial



Less Able

Twyford


Geberit Group

avalon rimless btw

raised seating position for ease of use
4 litre flush to meet BREEAM specifications
fully shrouded pan with enclosed seat holes



Avalon rimless back-to-wall washdown WC suite, horizontal outlet



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

wc pan

Avalon rimless, horizontal outlet **AV1968WH**

concealed cisterns

Refer to concealed cisterns matrix for list of lever cisterns. For push button cisterns please visit www.geberit.co.uk.

seat ring

With stainless steel bar hinge, top fix and stability buffers:

White **AV7886WH**
Grey **AV7886GY**
Blue **AV7886BE**
Red **AV7886RD**

seat and cover

With stainless steel top fix hinges and stability buffers:

Grey **AV7865GY**
Blue **AV7865BE**

With stainless steel, bar hinge, top fix and stability buffers:

White **AV7875WH**

wc outlet connector

P trap outlet connector **WF1240WH**
S or turned P trap connector **WF1241WH**

approvals

HBN 00-10 C, code WC H

material

Vitreous china.

colour

White WH.

fixings

Screwed to floor with fixings provided.
Seal to wall and floor using silicone building sealant (not provided).



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford




Geberit Group

avalon rimless 700 btw

raised seating position for ease of use
fully shrouded outside & rimless to aid easy cleaning
extended projection to meet HTM64 requirements



Avalon rimless 700mm projection back-to-wall WC pan



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

wc pan

Avalon rimless 700mm projection,
horizontal outlet

AV1498WH

concealed cisterns

Refer to concealed cisterns matrix for list of
lever cisterns. For push button cisterns please
visit www.geberit.co.uk.

extended flushpipe

Extended flushpipe
Required when installing with a Push Button
(valve) cistern

CF6426WH

seat ring

With stainless steel bar hinge, top fix
and stability buffers:

White
Grey
Blue
Red

AV7886WH

AV7886GY

AV7886BE

AV7886RD

seat and cover

With stainless steel top fix hinges
and stability buffers:

Grey
Blue

AV7865GY

AV7865BE

With stainless steel, bar hinge, top fix
and stability buffers:

White

AV7875WH

wc outlet connector

P trap outlet connector
S or turned P trap connector

WF1240WH

WF1241WH

fixings

Screwed to floor with fixings provided.
Seal to wall and floor using silicone building
sealant (not provided).

approvals

HBN 00-10 C, Code WC HD

material

Vitreous china.

colour

White WH.



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford


Geberit Group

avalon rimless 750 btw

raised seating position for ease of use
fully shrouded outside & rimless to aid easy cleaning
extended projection to meet Doc.M requirements



Avalon rimless 750mm projection back-to-wall WC pan and extension



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

wc pan and extension

Avalon rimless 700mm projection,

horizontal outlet

AV1498WH

Avalon 50mm extension

AV6900WH

concealed cisterns

Refer to concealed cisterns matrix for list of lever cisterns. For push button cisterns please visit www.geberit.co.uk.

extended flushpipe

Extended flushpipe

CF6426WH

Required when installing with a Push Button (valve) cistern

seat ring

With stainless steel bar hinge, top fix and stability buffers:

White

AV7886WH

Grey

AV7886GY

Blue

AV7886BE

Red

AV7886RD

seat and cover

With stainless steel top fix hinges and stability buffers:

Grey

AV7865GY

Blue

AV7865BE

With stainless steel, bar hinge, top fix and stability buffers:

White

AV7875WH

wc outlet connector

P trap outlet connector

WF1240WH

S or turned P trap connector

WF1241WH

fixings

Screwed to floor with fixings provided.

Seal to wall and floor using silicone building sealant (not provided).

approvals

Doc.M of the Building Regulations (Extension)

material

Vitreous china and resin stone

colour

White WH.



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford


Geberit Group

delphic btw

suitable for high or low level concealed cistern
fully concealed plumbing



Delphic back-to-wall washdown WC suite, P trap outlet



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

wc pan

P trap, bottom inlet

WC1742WH

concealed cisterns

Refer to concealed cisterns matrix for list of lever cisterns. For push button cisterns please visit www.geberit.co.uk.

bs seat and cover

Stainless steel, bottom fix hinges

ST6882WH

Stainless steel, bottom fix hinges

ST6882BK

bs seat ring only

Stainless steel bottom fix hinges

ST6881WH

Stainless steel bottom fix hinges

ST6881BE

inlet restriction

Inlet restriction washer

CF9104XX

flushpipe

Flushpipe 560 x 405mm
(For high level installation)

CF6220WH

approvals

- (ii) P. S.A. Method of Building.
- (iii) Home Office Prison Department

material

Vitreous china.

colour

White WH.

fixings

WC screwed to floor, and sealed to wall and floor using silicone building sealant (not provided).
Cistern screwed to wall.



Commercial

Twyford


Geberit Group

E100 btw

varied seat selection including quick release
compatible with environmentally friendly
4/2.6 litre dual flush concealed cistern



E100 back-to-wall WC suite



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

wc pan

Horizontal outlet

E11488WH

concealed cisterns

Refer to concealed cisterns matrix for list of
lever cisterns. For push button cisterns please
visit www.geberit.co.uk.

seat and cover - round

Plastic hinges

E17810WH

Metal hinges:

Bottom fix

E17815WH

Top fix

E17861WH

Soft closing mechanism

E17851WH

seat and cover - quick release

Metal hinges:

Soft closing mechanism, round

E17857WH

quick release family seat and cover

Top fix hinge:

Soft closing mechanism

E17868WH

wc outlet connector

P trap outlet connector

WF1240WH

S or turned P trap connector

WF1241WH

fixings

WC screwed to floor, and sealed to wall and
floor using silicone building sealant (not provided).
WC fixings supplied.

material

Vitreous china.

colours

White WH.



Hotels



Education



Commercial



Residential

Twyford


Geberit Group

E100 rimfree® square btw

capable of flushing on environmentally friendly 4/2.6 litre dual flush,
no rim means there's nowhere for germs to hide,
fully shrouded to wall, concealed fixings



E100 rimfree® square back-to-wall WC Suite, horizontal outlet



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

wc pan

Rimfree horizontal outlet

E11588WH

concealed cisterns

Refer to concealed cisterns matrix for list of lever cisterns. For push button cisterns please visit www.geberit.co.uk.

seat and cover

Metal hinges:

Top fix

E17866WH

Soft closing mechanism

E17856WH

seat and cover - quick release

Metal hinges:

Soft closing mechanism, square

E17858WH

wc outlet connector

P trap outlet connector

WF1240WH

S or turned P trap connector

WF1241WH

material

Vitreous china.

colour

White WH.

fixings

Screwed to floor with fixings provided.

Seal to wall and floor using silicone building sealant (not provided).



Hotels



Commercial



Residential

Twyford


Geberit Group

moda btw

fully shrouded to wall, concealed fixings
capable of flushing on environmentally
friendly 4/2.6 litre dual flush



Moda back-to-wall washdown WC suite, horizontal outlet



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

wc pan

Horizontal outlet

MD1438WH

concealed cisterns

Refer to concealed cisterns matrix for list of
lever cisterns. For push button cisterns please
visit www.geberit.co.uk.

seat and cover

Bottom fix stainless

steel hinge

With soft closing mechanism

MD7815WH

MD7851WH

wc outlet connector

P trap outlet connector

S or turned P trap connector

WF1240WH

WF1241WH

material

Vitreous china.

colour

White WH.

fixings

WC screwed to floor with fixings provided.

Seal to wall and floor using silicone
building sealant (not provided).



Hotels



Education



Commercial



Residential

Twyford


Geberit Group

sola rimless btw

4 litre flush to meet BREEAM specifications
fully shrouded outside to aid easy cleaning
rimless design to aid easy cleaning inside



Sola rimless back-to-wall washdown WC suite, horizontal outlet



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

wc pan

Sola rimless, horizontal outlet

SA1968WH

concealed cisterns

Refer to concealed cisterns matrix for list of lever cisterns. For push button cisterns please visit www.geberit.co.uk.

seat ring

With stainless steel bar hinge, top fix and stability buffers:

White
Grey
Blue
Red

AV7886WH
AV7886GY
AV7886BE
AV7886RD

seat and cover

With stainless steel top fix hinges and stability buffers:

Grey
Blue

AV7865GY
AV7865BE

With stainless steel, bar hinge, top fix and stability buffers:

White

AV7875WH

wc outlet connector

P trap outlet connector
S or turned P trap connector

WF1240WH
WF1241WH

material

Vitreous china.

colour

White WH.

fixings

Screwed to floor with fixings provided.
Seal to wall and floor using silicone building sealant (not provided).



Hotels



Healthcare



Education



Commercial



Residential

Twyford


Geberit Group

sola school rimless 300 btw

4 litre flush to meet BREEAM specifications
fully shrouded outside to aid easy cleaning
rimless design to aid easy cleaning inside



Sola school rimless 300 back-to-wall washdown WC suite



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

wc pan

WC pan, horizontal outlet

SA1512WH

concealed cisterns

Refer to concealed cisterns matrix for list of lever cisterns. For push button cisterns please visit www.geberit.co.uk.

seat

Open front seat ring with top fix stainless steel hinges:

White

SA1304WH

Blue

SA1304BE

wc outlet connector

P trap outlet connector

WF1240WH

S or turned p trap connector

WF1241WH

material

Vitreous china.

colour

White WH.

fixings

WC screwed to floor with fixings provided.



Education

Twyford


Geberit Group

sola school rimless 350 btw

4 litre flush to meet BREEAM specifications
fully shrouded outside to aid easy cleaning
rimless design to aid easy cleaning inside



Sola school rimless 350 back-to-wall washdown WC suite



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

wc pan

WC pan, horizontal outlet

SA1514WH

concealed cisterns

Refer to concealed cisterns matrix for list of lever cisterns. For push button cisterns please visit www.geberit.co.uk.

seat

Full seat ring with top fix
stainless steel hinges:

White

SA1306WH

Blue

SA1306BE

wc outlet connector

P trap outlet connector

WF1240WH

S or turned p trap connector

WF1241WH

material

Vitreous china.

colour

White WH.

fixings

WC screwed to floor with fixings provided.



Education

Twyford

Geberit Group

alcona wall-hung

co-ordinatingalcona range
capable of flushing on environmentally friendly 4/2.6 litre dual flush
optional soft closing mechanism seat



Alcona wall-hung washdown WC suite, horizontal outlet

to specify/order:

Please use the product reference shown below.

wc pan

Horizontal outlet

AR1738WH

concealed cisterns

Refer to concealed cisterns matrix for list of lever cisterns. For push button cisterns please visit www.geberit.co.uk.

seat and cover

Plastic hinges

AR7810WH

Bottom fix stainless steel hinge

AR7815WH

With soft closing mechanism

AR7853WH

supporting bracket

Supporting bracket and fixing kit

SR8138XX

wc outlet connector

P trap outlet connector

WF1240WH

S or turned P trap connector

WF1241WH

material


Vitreous china.

colours

White WH.

fixings

Supporting brackets screwed to floor for non load bearing walls, up to 100mm thick.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford


Geberit Group

E100 rimfree® 700 wall-hung

extended projection to meet HTM64 requirement
no rim means it's easy to clean with nowhere for germs to hide
achieves an environmentally friendly 4/2.6 litre dual flush



E100 rimfree®, 700mm projection, wall-hung



to specify/order:

Please use the product reference shown below.

wc pan

Rimfree 700mm projection
horizontal outlet

E11906WH

concealed cisterns

Refer to concealed cisterns matrix for list of
lever cisterns. For push button cisterns please
visit www.geberit.co.uk.

extended flushpipe

Extended flushpipe

CF6426WH

Required when installing with a Push Button
(valve) cistern

seat ring

Metal hinges: Top fix

E17885WH

quick release family seat and cover

Top fix hinge:

Soft closing mechanism

E17868WH

seat ring

With stainless steel bar hinge, top fix
and stability buffers:

White

AV7886WH

Grey

AV7886GY

Blue

AV7886BE

Red

AV7886RD

seat and cover

With stainless steel top fix hinges
and stability buffers:

Grey

AV7865GY

Blue

AV7865BE

With stainless steel, bar hinge, top fix
and stability buffers:

White

AV7875WH

supporting bracket

Bracket

SR8138XX

wc outlet connector

P trap outlet connector

WF1240WH

S or turned P trap connector

WF1241WH

fixings

Supporting brackets screwed to floor for non
load bearing walls up to 100mm thick.

approvals

HBN 00-10 C, code WC HD

material

Vitreous china.

colour

White WH.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford


Geberit Group

E100 700 wall-hung

extended projection for ease of use/access
increased height for more comfortable rising



E100 700mm projection wall-hung



to specify/order:

Please use the product reference shown below.

wc pan

700mm projection, horizontal outlet **E11706WH**

concealed cisterns

Refer to concealed cisterns matrix for list of lever cisterns. For push button cisterns please visit www.geberit.co.uk.

extended flushpipe

Extended flushpipe **CF6426WH**
Required when installing with a Push Button (valve) cistern

seat ring

Metal hinges:
Top fix **E17885WH**

quick release family seat and cover

Top fix hinge:
Soft closing mechanism **E17868WH**

seat ring

With stainless steel bar hinge, top fix and stability buffers:

White **AV7886WH**
Grey **AV7886GY**
Blue **AV7886BE**
Red **AV7886RD**

seat and cover

With stainless steel top fix hinges and stability buffers:

Grey **AV7865GY**
Blue **AV7865BE**

With stainless steel, bar hinge, top fix and stability buffers:

White **AV7875WH**

fixings

Supporting bracket and fixing kit **SR8138XX**

Supporting brackets screwed to floor for non load bearing walls up to 100mm thick.

wc outlet connector

P trap outlet connector **WF1240WH**
S or turned P trap connector **WF1241WH**

material

Vitreous china.

colour

White WH.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential



Less Able

Twyford


Geberit Group

E100 750 wall-hung

extended projection for ease of use/access
increased height for more comfortable rising



E100 750mm projection wall-hung WC pan and extension



to specify/order:

Please use the product reference shown below.

wc pan and extension

700mm projection,
horizontal outlet
E100 50mm extension

E11706WH
E16900WH

concealed cisterns

Refer to concealed cisterns matrix for list of lever cisterns. For push button cisterns please visit www.geberit.co.uk.

extended flushpipe

Extended flushpipe
Required when installing with a Push Button (valve) cistern

CF6426WH

seat ring

Metal hinges: Top fix

E17885WH

quick release family seat and cover

Top fix hinge:
Soft closing mechanism

E17868WH

seat ring

With stainless steel bar hinge, top fix and stability buffers:

White
Grey
Blue
Red

AV7886WH
AV7886GY
AV7886BE
AV7886RD

seat and cover

With stainless steel top fix hinges and stability buffers:

Grey
Blue

AV7865GY
AV7865BE

With stainless steel, bar hinge, top fix and stability buffers:

White

AV7875WH

fixings

Supporting bracket and fixing kit
Supporting brackets screwed to floor for non load bearing walls up to 100mm thick.

SR8138XX

approvals

Doc.M of the Building Regulations (Extension)

wc outlet connector

P trap outlet connector
S or turned P trap connector

WF1240WH
WF1241WH

material

Vitreous china and resin stone.

colour

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential



Less Able

Twyford

Geberit Group


50

E100 rimfree® 750 wall-hung

extended projection to meet Doc.M requirement
no rim means it's easy to clean with nowhere for germs to hide
achieves an environmentally friendly 4/2.6 litre dual flush



E100 rimfree®, 750mm projection wall-hung WC pan and extension



to specify/order:

Please use the product reference shown below.

wc pan and extension

Rimfree 700mm projection

horizontal outlet

E100 50mm extension

E11906WH

E16900WH

concealed cisterns

Refer to concealed cisterns matrix for list of lever cisterns. For push button cisterns please visit www.geberit.co.uk.

extended flushpipe

Extended flushpipe

CF6426WH

Required when installing with a Push Button (valve) cistern

seat ring

Metal hinges: Top fix

E17885WH

quick release family seat and cover

Top fix hinge:

Soft closing mechanism

E17868WH

seat ring

With stainless steel bar hinge, top fix and stability buffers:

White

AV7886WH

Grey

AV7886GY

Blue

AV7886BE

Red

AV7886RD

seat and cover

With stainless steel top fix hinges and stability buffers:

Grey

AV7865GY

Blue

AV7865BE

With stainless steel, bar hinge, top fix and stability buffers:

White

AV7875WH

supporting bracket

Bracket

SR8138XX

wc outlet connector

P trap outlet connector

WF1240WH

S or turned P trap connector

WF1241WH

fixings

Supporting brackets screwed to floor for non load bearing walls up to 100mm thick.

approvals

Doc.M of the Building Regulations (Extension)

material

Vitreous china and resin stone.

colour

White WH.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford


Geberit Group

E100 rimfree® round wall-hung

rimfree® - no rim, easy to clean and nowhere for germs to hide
achieves an environmentally friendly 4/2.6 litre dual flush



E100 rimfree® wall-hung WC suite, horizontal outlet



to specify/order:

Please use the product reference shown below.

wc pan

Horizontal outlet

E11798WH

concealed cisterns

Refer to concealed cisterns matrix for list of lever cisterns. For push button cisterns please visit www.geberit.co.uk.

seat ring

Metal hinges:

Top fix

E17885WH

With stainless steel bar hinge, top fix

and stability buffers:

White

AV7886WH

Grey

AV7886GY

Blue

AV7886BE

Red

AV7886RD

seat and cover - round

Plastic hinges

E17810WH

Metal hinges:

Bottom fix

E17815WH

Soft closing mechanism

E17851WH

seat and cover - quick release

Metal hinges:

Soft closing mechanism, round

E17857WH

quick release family seat and cover

Top fix hinge:

Soft closing mechanism

E17868WH

fixings

Supporting bracket and fixing kit

SR8138XX

Supporting brackets screwed to floor for non load bearing walls, up to 100mm thick.

wc outlet connector

P trap outlet connector

WF1240WH

S or turned P trap connector

WF1241WH

material

Vitreous china.

colours

White WH.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford

Geberit Group

E100 rimfree® square wall-hung

rimfree® - no rim, easy to clean and nowhere for germs to hide
achieves an environmentally friendly 4/2.6 litre dual flush



E100 rimfree® wall-hung WC suite, horizontal outlet

to specify/order:

Please use the product reference shown below.

wc pan

Horizontal outlet

E11909WH

concealed cisterns

Refer to concealed cisterns matrix for list of lever cisterns. For push button cisterns please visit www.geberit.co.uk.

seat and cover - square

Metal hinges:

Bottom fix

E17816WH

Top fix

E17866WH

Soft closing mechanism

E17856WH

seat and cover - quick release

Metal hinges:

Soft closing mechanism, square

E17858WH

fixings

Supporting bracket and fixing kit

SR8138XX

Supporting brackets screwed to floor for non load bearing walls, up to 100mm thick.

wc outlet connector

P trap outlet connector

WF1240WH

S or turned P trap connector


WF1241WH

material

Vitreous china.

colours

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford

Geberit Group

E100 round wall-hung

achieves an environmentally friendly 4/2.6 litre dual flush
varied seat options including quick release



E100 wall-hung WC suite, horizontal outlet

to specify/order:

Please use the product reference shown below.

wc pan

Horizontal outlet

E11708WH

concealed cisterns

Refer to concealed cisterns matrix for list of lever cisterns. For push button cisterns please visit www.geberit.co.uk.

seat and cover - round

Plastic hinges

E17810WH

Metal hinges:

Bottom fix

E17815WH

Top fix

E17861WH

Soft closing mechanism

E17851WH

seat and cover - quick release

Metal hinges:

Soft closing mechanism, round

E17857WH

quick release family seat and cover

Top fix hinge:

Soft closing mechanism

E17868WH

fixings

Supporting bracket and fixing kit

SR8138XX

Supporting brackets screwed to floor for non load bearing walls, up to 100mm thick.

wc outlet connector

P trap outlet connector

WF1240WH

S or turned P trap connector


WF1241WH

material

Vitreous china.

colours

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford

Geberit Group

E100 square wall-hung

achieves an environmentally friendly 4/2.6 litre dual flush
varied seat options including quick release



E100 wall-hung WC suite, horizontal outlet

to specify/order:

Please use the product reference shown below.

wc pan

Horizontal outlet

E11709WH

concealed cisterns

Refer to concealed cisterns matrix for list of lever cisterns. For push button cisterns please visit www.geberit.co.uk.

seat and cover - square

Metal hinges:

Bottom fix

E17816WH

Top fix

E17866WH

Soft closing mechanism

E17856WH

seat and cover - quick release

Metal hinges:

Soft closing mechanism, square

E17858WH

fixings

Supporting bracket and

fixing kit

SR8138XX

Supporting brackets screwed to floor for non load bearing walls, up to 100mm thick.

wc outlet connector

P trap outlet connector

WF1240WH

S or turned P trap connector


WF1241WH

material

Vitreous china.

colours

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford

Geberit Group

E200 compact wall-hung

space saving, short projection wc
achieves an environmentally friendly 4/2.6 litre dual flush
varied seat options including quick release



E200 wall-hung WC suite, horizontal outlet

to specify/order:

Please use the product reference shown below.

wc pan

Compact, horizontal outlet

E21700WH

concealed cisterns

Refer to concealed cisterns matrix for list of lever cisterns. For push button cisterns please visit www.geberit.co.uk.

seat and cover - square

Metal hinges:

Top fix

E17866WH

Soft closing mechanism

E17856WH

seat and cover - quick release

Metal hinges:

Soft closing mechanism, square

E17858WH

wc outlet connector

P trap outlet connector

WF1240WH

S or turned P trap connector

WF1241WH

fixings

Supporting bracket and fixing kit

SR8138XX


Supporting brackets screwed to floor for non load bearing walls, up to 100mm thick.

material

Vitreous china.

colours

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford

Geberit Group

classic high level

cistern reversible right hand or left hand
for use where existing service points cannot be altered



to specify/order:

Please use the product reference shown below.

wc pan

Horizontal outlet

CC1138WH

S trap

CC1131WH

P trap

CC1132WH

High level cistern and fittings, 6L:

SSIO

CX7630WH

bs seat and cover

Stainless steel, bottom fix hinges:

White

ST6882WH

Black

ST6882BK

bs seat ring

Stainless steel, bottom fix hinges:

White

ST6881WH

Blue

ST6881BE

cistern brackets

Cistern brackets

SR1300XX

inlet connector

Inlet connector

CF4220XX

flushpipe

Flushpipe and clip, plastic

CF6414WH

approvals

Horizontal WC bowl to BS5503:1990

S&P wc bowl to BS1213: 945 (withdrawn)

material

Vitreous china.


colours

White WH.


fixings

WC screwed to floor, cistern screwed to wall and supported on brackets.

Classic high level WC suite



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Commercial



Residential

Twyford


Geberit Group

classic low level

cistern reversible right hand or left hand
for use where existing service points cannot be altered



Classic low level washdown WC suite, horizontal outlet



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

wc pan

Horizontal outlet	CC1138WH
S trap	CC1131WH
P trap	CC1132WH

Low level cistern and fittings, 6L,
including chrome lever:

BSIO	CC2641WH
SSIO	CC2841WH

Low level cistern and fittings, 6L,
including chrome lever and cover clip:

BSIO	CC2648WH
SSIO	CC2848WH

bs seat and cover

Stainless steel, bottom fix hinges:

White	ST6882WH
Black	ST6882BK

bs seat ring

Stainless steel, bottom fix hinges:

White	ST6881WH
Blue	ST6881BE

wc outlet connector

P trap outlet connector	WF1240WH
S or turned P trap connector	WF1241WH

approvals

Horizontal wc bowl to BS5503, ISSO.
S&P wc bowl to BS1213: 1945 (withdrawn)

material

Vitreous china.

colours

White WH.

fixings

WC screwed to floor. Cistern screwed to wall
and supported on brackets.



Commercial



Residential

Twyford

Geberit Group

classic wc bowls

for use with classic high & low level cisterns
for use where existing service points cannot be altered



Classic WC bowls

to specify/order:

Please use the product reference shown below.

wc pan

Horizontal outlet

CC1138WH

With fixed P trap

CC1132WH

With fixed S trap

CC1131WH

approvals

H.O. bowl manufactured in
accordance with BS5503: 1990

S&P bowls manufactured in
accordance with BS1213: 1945 (withdrawn).

material


Vitreous china.

colours

White WH.

fixings

WC screwed to floor.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Commercial



Residential


Twyford

Geberit Group

nile squatting pan



Nile squatting pan



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

wc pan

Squatting pan

WC3390WH

High level cistern and fittings, 6L:
SSIO

CX7630WH

cistern brackets

Cistern brackets

SR1300XX

inlet connector

Inlet connector, rubber

CF4220XX

flushpipe

Flushpipe and clip, plastic

CF6415WH

material

Vitreous china

colours

White WH.


fixings

Pan must be fully supported. Cistern screwed to wall and supported on brackets.



Commercial

Twyford
Geberit Group



Export only**



WC P connector
WF1240WH



WC S connector
WF1241WH



WC BO connector
WF1224XX

to specify/order:

Please use the product reference shown below.

applications

P connector - all horizontal outlet WC pans.

S connector - all horizontal outlet WC pans.

BO connector - all bottom outlet pans.

materials

Plastics

fixings

Push fit on to wc trap and into standard 110mm soil pipe (socket not required).

colour

white WH. **black BK.

wc outlet connectors

Outlet connector P

Outlet connector S or turned P

Pan connector, bottom outlet**

WF1240WH

WF1241WH

WF1224XX

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial




Residential



Less Able

Twyford

Geberit Group



to specify/order:

Please use the product reference shown below.

- **special sized flushpipes for use where standard pipes are not suitable.**

materials

Plastics

colour

White WH.

low level flushpipe

760 x 510mm flushpipe for Stainless Steel

Back inlet hospital units

CF6217WH

560 x 405mm flushpipe for Delphic Back inlet

WC and Nile Back inlet Hopper

CF6220WH

560 x 460mm flushpipe for

Alcona Wall-hung WC

CF6426WH


note

Twyford low level cisterns include as standard:
a) a flushbend 240 x 190mm with exposed cisterns

b) 355 x 230mm with the Spectrum concealed cistern

c) 370 x 270mm Concealed cisterns with valve

Where a cistern is fixed in a position further behind the WC or hopper inlet than shown on the relevant fixture page, the vertical length of the flushbend must be increased by at least half of the increase of horizontal dimensions.



high level flushpipe

Flushpipe plastic 2 piece
telescopic short, 1675mm

CF6414WH

Flushpipe plastic 2 piece
telescopic long, 2035mm

CF6415WH

note

Special flushpipes to suit cisterns fixed in positions other than on the backwall can be supplied to special order. Twyford will be pleased to provide drawings and indicative costs on receipt of a dimensional sketch showing fixture and cistern layout.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford

Geberit Group

concealed cisterns matrix

KEY to table:

DF 6/4 = Dual Flush 6/4 litres

SF 4 = Single Flush 4 litres

SF 6 = Single Flush 6 litres

Cistern part no.	CX9560XX CX9561XX	CX9564XX	CX9540XX
	Lever		
	SF 6	DF 6/4	SF 4
BACK TO WALL			
Alcona	✓	✓	✓
Avalon	✓		
Avalon Rimless	✓	✓	✓
Avalon Rimless 700 Projection	✓	✓	✓
Delphic BI	✓		
Sola Rimless	✓	✓	✓
Sola School Rimless 300	✓	✓	✓
Sola School Rimless 350	✓	✓	✓
E100		✓	
E100 Rimfree® Square BTW	✓	✓	✓
WALL-HUNG			
Alcona	✓	✓	✓
Moda	✓	✓	✓
E100 700 Projection Rimless	✓	✓	✓
E100 700 Projection	✓		
E100 Round		✓	
E100 Round Rimfree®		✓	
E100 Square		✓	
E100 Square Rimfree®		✓	
E200 Square compact		✓	

For push button cisterns please visit www.geberit.co.uk.



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford

Geberit Group

concealed cisterns - lever

concealed plastic cistern for front or back wall fixing
reversible for right or left hand operation
option of delayed action inlet valve



to specify/order

Please use the product reference shown below.

concealed cisterns

Concealed cistern, complete with fittings,
including chrome plated lever and flushbend:
SSIO 6 litre **CX9560XX**
BSIO 6 litre **CX9561XX**

SSIO 4 litre with DAIV
(delayed action inlet valve) **CX9540XX**

SSIO 6/4 litre, dual flush with DAIV
(delayed action inlet valve) **CX9564XX**

alternative spatula lever
Spatula lever **CF3109CP**

alternative extended levers

For duct wall thickness
up to 225mm **CF3018CP**

For duct wall thickness
up to 340mm **CF3017CP**

applications

For use with WC's (except close coupled)
and slop hoppers.

material

Plastics


fixings

Screw to wall (screws not supplied).


note

Supplied with lever for duct wall thickness
up to 114mm.

The 4 litre product is convertible to 6 litres
(post installation), if variations in drainage systems
necessitate increasing the flush volume to
ensure efficient drain line carry.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential




Less Able

Twyford

Geberit Group

concealed cistern fittings



Extended duct lever

to specify/order

Please use the product reference shown below.

extended duct lever

For up to 225mm wall

For up to 340mm wall

CF3018CP



CF3017CP

applications

For low level cisterns concealed in duct.

fixings

Screwed through wall with backnut.



High level duct lever

high level duct lever

For duct wall thickness

up to 225mm


CF3067CP

applications

For high level cisterns concealed in duct.

fixings

Screwed through wall with backnut.



Spatula lever

spatula lever

For duct wall thickness

up to 114mm

CF3109CP

applications

For low level cisterns concealed in duct.

fixings

Screwed through wall with backnut.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford

Geberit Group

This seat is suitable
for the following WC bowls:
Alcona and Classic



Alcona

alcona seat and cover

With plastic hinges
With steel hinges
With soft closing mechanism

AR7810WH

AR7815WH

AR7853WH

material

Plastics.

colour

White WH.

All measurements shown are in millimetres.
Drawing sizes are not to scale.

For sector applications please refer to WC pan

Twyford
Geberit Group

This seat is suitable
for the following WC bowls:
Avalon AV1168WH only



Avalon

avalon

Seat 25mm ring and cover

Seat 25mm ring only

Seat 25mm ring only

Cover only

AV7840WH

AV7881WH

AV7881BE

AV7842WH

material

Plastics.

colour

White WH, blue BE.

(White RAL 9003, Luminance Value 78)

(Blue RAL 5011, Luminance Value 7)

This seat is suitable
for the following WC bowls:
Avalon Rimless
Sola Rimless
E100 700/750 Wall Hung
E100 Rimfree Round Wall
Hung



avalon/sola rimless seat and cover

Stainless steel, top fix hinges

AV7865..

material

Plastics.

colour

Blue BE, grey GY.

(Blue RAL 5011, Luminance Value 7)

(Grey RAL 7005, Luminance Value 20)

Supplied with stability and standard front buffers.



Avalon/Sola Rimless seat and cover

Stainless steel, bar hinge, top fix

AV7875WH

material

Plastics.

colour

White WH.

(White RAL 9003, Luminance Value 78)

Supplied with stability buffers as standard.

This seat is suitable
for the following WC bowls:
Avalon Rimless
Sola Rimless
E100 700/750 Wall Hung
E100 Rimfree Round Wall
Hung



Avalon/Sola Rimless seat ring

avalon/sola rimless seat ring

Stainless steel, bar hinge, top fix

AV7886..

material

Plastics.

colour

White WH, blue BE, grey GY, red RD.

(White RAL 9003, Luminance Value 78)

(Blue RAL 5011, Luminance Value 7)

(Grey RAL 7005, Luminance Value 20)

(Red RAL 3020, Luminance Value 12)

Supplied with stability buffers as standard.

All measurements shown are in millimetres.
Drawing sizes are not to scale.

For sector applications please refer to WC pan

Twyford

Geberit Group

This seat is suitable for the following WC bowls: Avalon, Classic & Delphic



BS Seat and Cover

bs seat and cover

Stainless steel, bottom fix hinges

ST6882..

approvals

B.S. 1254 part 1.

material

Plastics.

colour

White WH, black BK.

This seat is suitable for the following WC bowls: Avalon, Classic & Delphic



BS Seat ring

bs seat ring

Stainless steel, bottom fix hinges

ST6881..

approvals

B.S. 1254 part 1.

material

Plastics.

colour

White WH, blue BE.

(Blue RAL 7005, Luminance Value 29.06)

All measurements shown are in millimetres.
Drawing sizes are not to scale.

For sector applications please refer to WC pan

Twyford
Geberit Group

E100 quick release family wc seat

new "quick release" soft closing mechanism seat
adapted for use by either an adult or a child
the smaller child ring stays with the lid using magnets - is removable for easy cleaning

This seat is suitable for the following WC bowls:
E11148WH, E11248WH,
E11348WH, E11488WH,
E11708WH, E11798WH



E100 Family seat and cover - quick release hinges

E100 quick release family seat and cover

Top fix hinge:
Soft closing mechanism

E17868WH

colour
White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.

For sector applications please refer to WC pan

Twyford
Geberit Group

wc seats

new range of "quick release" soft closing mechanism seats
in round or square design for a co-ordinated look with improved cleaning



E100 Seat and cover

E100 round seat and cover

Plastic hinges
Metal hinges:
Bottom fix
Top fix
Soft closing mechanism

E17810WH

E17815WH

E17861WH

E17851WH

colour

White WH.



E100 Seat ring

E100 round seat ring

Metal hinges:
Top fix

E17885WH

colour

White WH.



E100 Seat and cover - quick
release hinges

E100 round seat and cover - quick release

Metal hinges:
Soft closing mechanism

E17857WH

colour

White WH.

All measurements shown are in millimetres.
Drawing sizes are not to scale.

For sector applications please refer to WC pan

Twyford
Geberit Group

WC seats

new range of "quick release" soft closing mechanism seats
in round or square design for a co-ordinated look with improved cleaning



E100 Seat and cover

E100 square seat and cover

Metal hinges:

Bottom fix

Top fix

Soft closing mechanism

E17816WH

E17866WH

E17856WH

colour

White WH.



E100 Seat and cover - quick
release hinges

E100 square seat and cover -

quick release

Metal hinges:

Soft closing mechanism

E17858WH

colour

White WH.

All measurements shown are in millimetres.
Drawing sizes are not to scale.

For sector applications please refer to WC pan

Twyford
Geberit Group

WC seats

This seat is suitable
for the following WC bowls:
Moda only



Moda

moda seat and cover
Stainless steel, top fix hinges
Soft closing mechanism

MD7815WH
MD7851WH

material
Plastics.

colour
White WH.

This seat is suitable
for the following WC bowls:
Option only



Option

option seat and cover
Seat and cover,
stainless steel hinges
Seat and cover, plastic hinges

OT7815WH
ST2810WH

material
Plastics.

colour
White WH.

All measurements shown are in millimetres.
Drawing sizes are not to scale.

For sector applications please refer to WC pan

Twyford
Geberit Group

This seat is suitable for the following WC bowls:
Sola Schools Rimless
300 WC pan **SA1512WH**



Sola school rimless 300

open front plastic seat ring
Stainless steel, top fix hinges
SA1304..

material
Plastics.

colour
White WH, blue BE.
(Blue RAL 7005, Luminance Value 29.06)

This seat is suitable for the following WC bowls:
Sola Schools Rimless
350 WC pan **SA1514WH**



Sola school rimless 350

full seat ring
Stainless steel, top fix hinges
SA1306..

material
Plastics

colour
White WH, blue BE.
(Blue RAL 7005, Luminance Value 29.06)

All measurements shown are in millimetres.
Drawing sizes are not to scale.

For sector applications please refer to WC pan

Washbasins




alcona 600,550,500

co-ordinating alcona range



Alcona 600 x 455mm washbasin and pedestal



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

washbasin

600 x 455mm:

1 tap hole

AR4311WH

2 tap holes

AR4312WH

550 x 420mm:

1 tap hole

AR4211WH

2 tap holes

AR4212WH

500 x 410mm:

1 tap hole

AR4111WH

2 tap holes

AR4112WH

pedestal

Pedestal

AR4920WH

Semi-pedestal

AR4960WH

taps & mixers

Refer to taps & mixers.

waste & traps

Refer to wastes & traps.

alternative fixings

Wall bolts (pair)

SR1018XX

tap holes

25mm for reduced seepage

material

Vitreous china.

colour

White WH.

fixings

a) Pedestal with basin screwed to wall,
(Pedestal screwed to floor)

b) Wall bolts

optional upgrade

Total Install® pack

T11967XX

Basin bracket fits basin sizes 600 & 550mm.



Hotels



Education



Commercial



Residential

Twyford

Geberit Group

alcona 400 handrinse

co-ordinating alcona range



to specify/order:

Please use the product reference shown below.

handrinse

400 x 330mm:

1 tap hole

AR4811WH

2 tap holes

AR4812WH

pedestal

Pedestal

GR4910WH

taps & mixers

Refer to taps & mixers.

waste & traps

Refer to wastes & traps.

fixings

Wall bolts (pair)

SR1015XX


material

Vitreous china.

colour

White WH.

Alcona 400 x 330mm handrinse basin



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford

Geberit Group

alcona square 600

co-ordinating alcona range



Alcona 600 x 450mm washbasin

to specify/order:

Please use the product reference shown below.

washbasin

600 x 450mm 1 tap hole

AR4861WH

pedestal

Pedestal

AR4930WH

fixings

Wall bolts (pair)

SR1018XX

taps & mixers

Refer to taps & mixers.

waste & traps

Refer to wastes & traps.

material


Vitreous china.

colour

White WH.

alternative fixings

Total Install® pack - fixing for non load bearing walls. Refer to Total Install®.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

alcona square 500

co-ordinating alcona range
compact design for smaller bathrooms



Alcona 500 x 380mm washbasin

to specify/order:

Please use the product reference shown below.

washbasin

500 x 380mm 1 tap hole

AR4841WH

pedestal

Pedestal

AR4930WH

fixings

Wall bolts (pair)

SR1018XX

taps & mixers

Refer to taps & mixers.

waste & traps


Refer to wastes & traps.

material

Vitreous china.

colour

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

alcona square 400 handrinse

co-ordinating alcona range
compact design for smaller bathrooms



Alcona 400 x 310mm washbasin

to specify/order:

Please use the product reference shown below.

washbasin

400 x 310mm 1 tap hole

AR4801WH

pedestal

Pedestal

AR4930WH

fixings

Wall bolts (pair)

SR1015XX

taps & mixers

Refer to taps & mixers.

waste & traps


Refer to wastes & traps.

material

Vitreous china.

colour

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

alcona 350 corner

co-ordinating alcona range
compact design for smaller bathrooms



Alcona 350mm corner washbasin

to specify/order:

Please use the product reference shown below.

washbasin

350mm 1 centre tap hole

AR1911WH

fixings

Wall bolts (pair)

SR1015XX

taps & mixers

Refer to taps & mixers.

waste & traps


Refer to wastes & traps.

material

Vitreous china.

colour

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential


Twyford
Geberit Group

classic 560

clear centre shelf area
robust design



Classic 560 x 415mm basin



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

washbasin

560 x 415mm:
2 tap holes

CC4212WH

wall brackets

Wall brackets

SR1005XX

pedestal

Pedestal

VC5910WH

alternative fixing

Legs and bearers

SR3041XX

taps & mixers

Refer to taps & mixers.

waste & traps

Refer to wastes & traps.

approvals

(I) BS1188: 1974.

material

Vitreous china.

colours

White WH.



Education



Commercial



Residential

Twyford

Geberit Group

E100 round 650

co-ordinating E100 round range



E100 650mm 1TH washbasin on pedestal

to specify/order:

Please use the product reference shown below.

washbasin

650 x 500mm:

1 tap hole

E14331WH

2 tap holes

E14332WH

pedestal

Pedestal

E54910WH

semi-pedestal

Semi-pedestal

E54970WH

fixings

Wall bolts (pair)

SR1018XX

taps & mixers

Refer to taps & mixers.

waste & traps

Refer to wastes & traps.

material


Vitreous China.

colours

White WH.

alternative fixings

Total Install® pack - fixing for non load bearing walls. Refer to Total Install®.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford


Geberit Group

E100 round 600,550,500

co-ordinating E100 round range



E100 550mm 1TH washbasin on pedestal



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

washbasin

600 x 480mm:

1 tap hole

E14321WH

2 tap holes

E14322WH

550 x 440mm:

1 tap hole

E14221WH

2 tap holes

E14222WH

500 x 410mm:

1 tap hole

E14121WH

2 tap holes

E14122WH

pedestal

Pedestal

E54910WH

semi-pedestal

Semi-pedestal

E54970WH

fixings

Wall bolts (pair)

SR1018XX

taps & mixers

Refer to taps & mixers.

waste & traps

Refer to wastes & traps.

material

Vitreous China.

colours

White WH.

alternative fixings

Total Install® pack - fixing for non load bearing walls. Refer to Total Install®.



Hotels



Education



Commercial



Residential

Twyford

Geberit Group

E100 round 500 corner

co-ordinating E100 round range
complete with chrome overflow trim



E100 500mm corner washbasin on full pedestal

to specify/order:

Please use the product reference shown below.

washbasin

500mm corner basin, 1 tap hole **E14191WH**

pedestal

Pedestal **E54910WH**

fixings

Wall bolts (pair) **SR1018XX**

taps & mixers

Refer to taps & mixers.

waste & traps


Refer to wastes & traps.

material

Vitreous china.

colour

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford

Geberit Group

E100 round 450 handrinse

co-ordinating E100 round range



E100 450mm 1TH washbasin on pedestal

to specify/order:

Please use the product reference shown below.

washbasin

450 x 360mm:

1 tap hole

E14841WH

2 tap holes

E14842WH

pedestal

Pedestal

E54910WH

semi-pedestal

Semi-pedestal

E54960WH

fixings

Wall bolts (pair)

SR1018XX

taps & mixers

Refer to taps & mixers.

waste & traps


Refer to wastes & traps.

material

Vitreous China.

colours

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford

Geberit Group

E100 round 360 handrinse

co-ordinating E100 round range



E100 360mm 1TH washbasin on bottle trap

to specify/order:

Please use the product reference shown below.

washbasin

360 x 290mm:

1 tap hole

E14821WH

2 tap holes

E14822WH

fixings

Wall bolts (pair)

SR1015XX

Note: Wall mounted only with exposed trap.

taps & mixers

Refer to taps & mixers.

waste & traps


Refer to wastes & traps.

material

Vitreous China.

colours

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford

Geberit Group

E100 round 350 corner

co-ordinating E100 round range
complete with chrome overflow trim



E100 350mm corner washbasin on bottle trap

to specify/order:

Please use the product reference shown below.

washbasin

350mm corner basin, 1 tap hole **E14891WH**

fixings

Wall bolts (pair)

SR1015XX

taps & mixers

Refer to taps & mixers.

waste & traps


Refer to wastes & traps.

material

Vitreous china.

colour

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford

Geberit Group

E100 square less abled 650,550

shallow washbasin design enabling full access for wheelchair users
co-ordinating E100 round & square ranges



E100 550mm 1TH less abled washbasin on pedestal

to specify/order:

Please use the product reference shown below.

washbasin

650 x 550mm:

1 tap hole

E14311WH

550 x 550mm:

1 tap hole

E14211WH

pedestal

Pedestal (550mm basin only)

E54920WH

semi-pedestal

Semi-pedestal (550mm basin only)

E54970WH

fixings

Wall bolts (pair)

SR1018XX

Fixing recommendation: Bolt to a load bearing wall in less abled environments

taps & mixers

Refer to taps & mixers.

waste & traps


Refer to wastes & traps.

material

Vitreous China.

colours

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential



Less Able

Twyford


Geberit Group

E100 square 650

co-ordinating E100 square range



E100 650mm 1TH washbasin on pedestal



to specify/order:

Please use the product reference shown below.

washbasin

650 x 480mm:

1 tap hole

E14351WH

pedestal

Pedestal

E54920WH

semi-pedestal

Semi-pedestal

E54970WH

fixings

Wall bolts (pair)

SR1018XX

furniture

Refer to Furniture.

taps & mixers

Refer to taps & mixers.

waste & traps

Refer to wastes & traps.

material

Vitreous China.

colours

White WH.

alternative fixings

Total Install® pack - fixing for non load bearing walls. Refer to Total Install®.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford


Geberit Group

E100 square 600,550,500

co-ordinating E100 square range
co-ordinating furniture available



E100 550mm 1TH washbasin on pedestal



to specify/order:

Please use the product reference shown below.

washbasin

600 x 460mm:

1 tap hole

E14341WH

550 x 440mm:

1 tap hole

E14241WH

500 x 420mm:

1 tap hole

E14141WH

pedestal

Pedestal

E54920WH

semi-pedestal

Semi-pedestal

E54970WH

fixings

Wall bolts (pair)

SR1018XX

furniture

Refer to Furniture.

taps & mixers

Refer to taps & mixers.

waste & traps

Refer to wastes & traps.

material

Vitreous China.

colours

White WH.

alternative fixings

Total Install® pack - fixing for non load bearing walls. Refer to Total Install®.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford

Geberit Group

E100 square 450 handrinse

co-ordinating E100 square range



E100 450mm 1TH washbasin on pedestal

to specify/order:

Please use the product reference shown below.

washbasin

450 x 350mm:

1 tap hole

E14831WH

2 tap holes

E14832WH

pedestal

Pedestal

E54920WH

semi-pedestal

Semi-pedestal

E54950WH

fixings

Wall bolts (pair)

SR1015XX

Note: Wall mounted only with exposed trap.

taps & mixers

Refer to taps & mixers.

waste & traps


Refer to wastes & traps.

material

Vitreous China.

colours

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford

Geberit Group

E100 square compact 450 handrinse

co-ordinating E100 square range
co-ordinating furniture available



E100 450mm compact 1TH washbasin on bottle trap

to specify/order:

Please use the product reference shown below.

washbasin

Compact 450 x 250mm:

1 tap hole

E14811WH

pedestal

Pedestal

E54920WH

fixings

Wall bolts (pair)

SR1015XX

Note: Wall mounted only with exposed trap.

furniture

Refer to Furniture.

taps & mixers

Refer to taps & mixers.

waste & traps


Refer to wastes & traps.

material

Vitreous China.

colours

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford

Geberit Group

E100 square 360 handrinse

co-ordinating E100 square range
co-ordinating furniture available



E100 360mm 1TH washbasin on bottle trap

to specify/order:

Please use the product reference shown below.

washbasin

360 x 280mm:

1 tap hole

E14801WH

2 tap holes

E14802WH

pedestal

Pedestal

E54920WH

fixings

Wall bolts (pair)

SR1015XX

Note: Wall mounted only with exposed trap.

furniture

Refer to Furniture.

taps & mixers

Refer to taps & mixers.

waste & traps


Refer to wastes & traps.

material

Vitreous China.

colours

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford


Geberit Group

E200 650 offset

short projection design for smaller bathrooms
co-ordinating furniture available



E200 650mm washbasin, left hand shelf on pedestal



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

washbasin

650 x 370mm:

Left hand shelf, 1 tap hole

E24011WH

Right hand shelf, 1 tap holes

E24411WH

pedestal

Pedestal

E54920WH

semi-pedestal

Semi-pedestal

E54950WH

Note: For semi-pedestals use a tubular trap

furniture

Refer to furniture.

fixings

Wall bolts (pair)

SR1018XX

taps & mixers

Refer to taps & mixers.

waste & traps

Refer to wastes & traps.

material

Vitreous China.

colours

White WH.

alternative fixings

Total Install® pack - fixing for non
load bearing walls. Refer to Total Install®.



Hotels



Commercial



Residential

Twyford


Geberit Group

E200 600,550

short projection design for smaller bathrooms
co-ordinating furniture available



E200 550mm 1TH washbasin on pedestal



to specify/order:

Please use the product reference shown below.

washbasin

600 x 370mm:

1 tap hole

E24311WH

2 tap holes

E24312WH

550 x 370mm:

1 tap hole

E24211WH

2 tap holes

E24212WH

pedestal

Pedestal

E54920WH

semi-pedestal

Semi-pedestal

E54950WH

Note: For semi-pedestals use a tubular trap

furniture

Refer to furniture.

fixings

Wall bolts (pair)

SR1018XX

taps & mixers

Refer to taps & mixers.

waste & traps

Refer to wastes & traps.

material

Vitreous China.

colours

White WH.

alternative fixings

Total Install® pack - fixing for non load bearing walls. Refer to Total Install®.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

E200 500 corner

compact design for smaller bathrooms
co-ordinating furniture available



E200 500mm corner washbasin on pedestal

to specify/order:

Please use the product reference shown below.

washbasin

500mm corner basin, 1 tap hole **E24191WH**

pedestal

Pedestal **E54910WH**

furniture

Refer to furniture.

fixings

Wall bolts (pair) **SR1018XX**

taps & mixers

Refer to taps & mixers.

waste & traps


Refer to wastes & traps.

material

Vitreous China.

colours

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford



Geberit Group

E200 320 corner

compact design for smaller bathrooms
co-ordinating furniture available



E200 320mm corner washbasin on pedestal



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

washbasin

320mm corner basin, 1 tap hole **E24891WH**

pedestal

Pedestal **E54910WH**

furniture

Refer to furniture.

fixings

Wall bolts (pair)

SR1015XX

taps & mixers

Refer to taps & mixers.

waste & traps

Refer to wastes & traps.

material

Vitreous China.

colours

White WH.



Hotels



Commercial



Residential

Twyford


Geberit Group

E200 450 handrinse

short projection design for smaller bathrooms
co-ordinating furniture available



E200 450 x 340mm 1TH washbasin



to specify/order:

Please use the product reference shown below.

washbasin

450 x 340mm:

1 tap hole

E24811WH

2 tap holes

E24812WH

pedestal

Pedestal

E54920WH

semi-pedestal

Semi-pedestal

E54950WH

Note: For semi-pedestals use
a tubular trap

furniture

Refer to furniture.

fixings

Wall bolts (pair)

SR1015XX

taps & mixers

Refer to taps & mixers.

waste & traps

Refer to wastes & traps.

material

Vitreous China.

colours

White WH.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

E200 500 compact

short projection design for smaller bathrooms
co-ordinating furniture available



E200 500 x 250mm centre bowl, with 1 RH Tap

to specify/order:

Please use the product reference shown below.

washbasin

500 x 250mm:

Centre bowl, 1 right hand tap hole **E24115WH**

LH Bowl 1 right hand tap hole **E24405WH**

RH Bowl 1 left hand tap hole **E24016WH**

pedestal

Pedestal

E54920WH

furniture

Refer to furniture.

fixings

Wall bolts (pair)

SR1018XX

taps & mixers

Refer to taps & mixers.

waste & traps


Refer to wastes & traps.

material

Vitreous China.

colours

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

E200 400 compact

short projection design for smaller bathrooms
co-ordinating furniture available



E200 400 x 250mm washbasin, with 1 RH Tap

to specify/order:

Please use the product reference shown below.

washbasin

400 x 250mm:

Right hand 1 tap hole

E24815WH

Left hand 1 tap hole

E24816WH

pedestal

Pedestal

E54920WH

furniture

Refer to furniture.

fixings

Wall bolts (pair)

SR1015XX

Note: Wall mounted only with exposed trap.

taps & mixers

Refer to taps & mixers.

waste & traps


Refer to wastes & traps.

material

Vitreous China.

colours

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group


100

option 550

co-ordinating option range



Option 550 x 450mm basin and pedestal



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

washbasin

Pedestal fixing 550 x 450mm:

1 centre tap hole

OT4211WH

2 tap holes

OT4212WH

pedestal

Pedestal

OT4910WH

fixings

Wall bolts (pair)

SR1018XX

taps & mixers

Refer to taps & mixers.

waste & traps

Refer to wastes & traps.

material

Vitreous china.

colour

White WH.

optional upgrade

Total Install[®] pack

TI1967XX



Hotels



Commercial



Residential

Twyford

Geberit Group

sola 600

robust design
deeper side walls for superior strength
enclosed fixings for hygiene



Sola 600mm basin with sola lever action taps

to specify/order:

Please use the product reference shown below.

washbasin

600 x 460mm:

2 tap holes

1 centre tap hole

SA4312WH

SA4311WH

pedestal

Pedestal

AR4920WH

fixings

Wall bolts 140mm (pair)

Total Install™ bracket pack
for 600 basin

SR1018XX

T11960XX

taps & mixers

Sola

waste & traps

Refer to wastes & traps.

material

Vitreous china.


colour

White WH

note

2 tap basin - 25mm holes.

1 tap basin - 32mm holes.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial

Twyford

Geberit Group

102

sola 500

robust design
deeper side walls for superior strength
enclosed fixings for hygiene



Sola 500mm basin with sola 1/2" non-concussive taps

to specify/order:

Please use the product reference shown below.

washbasin

500 x 400mm:

2 tap holes

1 centre tap hole

SA4212WH

SA4211WH

pedestal

Pedestal

AR4920WH

fixings

Wall bolts 140mm (pair)

Total Install™ bracket pack
for 500 basin

SR1018XX

TI1960XX

taps & mixers

Sola

waste & traps

Refer to wastes & traps.

material

Vitreous china.


colour

White WH

note

2 tap basin - 25mm holes.

1 tap basin - 32mm holes.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial

Twyford

Geberit Group

103

sola 400

robust design
deeper side walls for superior strength
enclosed fixings for hygiene



Sola 400mm handrinse with sola 1/2" non-concussive taps

to specify/order:

Please use the product reference shown below.

washbasin

400 x 345mm:

2 tap holes

1 centre tap hole

SA4112WH

SA4111WH

fixings

Wall bolts 120mm (pair)

Wall hangers (pair)

Total Install™ bracket pack
for 400 basin

SR1015XX

SR5307XX

T11961XX

taps & mixers

Sola

waste & traps

Refer to wastes & traps.

material

Vitreous china.


colour

White WH

note

2 tap basin - 25mm holes.

1 tap basin - 32mm holes.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial

Twyford


Geberit Group

sola medical 600

no overflow, no chainstay
deeper side walls for superior strength



Sola Medical 600mm basin with sola lever action taps



to specify/order:

Please use the product reference shown below:

washbasin

600 x 460mm,

no overflow, no chainstay :

2 tap holes, LB G L

1 right hand tap hole, LB G L

1 left hand tap hole

No tap hole

SA4352WH

SA4355WH

SA4356WH

SA4350WH

fixings

Wall bolts 140mm (pair)

Total Install™ bracket pack

for 600 basin

SR1018XX

TI1960XX

taps & mixers

Sola

waste & traps

Refer to wastes & traps.

approvals

HBN 00-10 C, code LB G L

material

Vitreous china.

colour

White WH

note

2 tap basin - 25mm holes.

1 tap basin - 32mm holes.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Healthcare



Commercial

Twyford

Geberit Group

sola medical 500

no overflow, no chainstay
deeper side walls for superior strength



Sola Medical 500mm basin with sola lever action taps

to specify/order:

Please use the product reference shown below.

washbasin

500 x 400mm,
no overflow, no chainstay:
2 tap holes, LB G M
1 right hand tap hole, LB G M
1 left hand tap hole
1 centre tap hole
No tap hole

SA4252WH
SA4255WH
SA4256WH
SA4251WH
SA4250WH

fixings

Wall bolts 140mm (pair)
Total Install™ bracket pack
for 500 basin

SR1018XX

T11960XX

taps & mixers

Sola

waste & traps

Refer to wastes & traps.

approvals

HBN 00-10 C, code LB G M

material


Vitreous china.

colour

White WH

note

2 tap basin - 25mm holes.
1 tap basin - 32mm holes.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Healthcare



Commercial

Twyford


Geberit Group

sola medical 400

no overflow, no chainstay
deeper side walls for superior strength



Sola Medical 400mm handrinse with sola lever action taps



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below:

washbasin

400 x 345mm,
no overflow, no chainstay:
2 tap holes
1 right hand tap hole, LB G S
1 left hand tap hole
No tap hole

SA4152WH
SA4155WH
SA4156WH
SA4150WH

fixings

Wall bolts 120mm (pair)
Wall hangers (pair)
Total Install™ bracket pack
for 400 basin

SR1015XX
SR5307XX
TI1961XX

taps & mixers

Sola

waste & traps

Refer to wastes & traps.

approvals

HBN 00-10 C, code LB G S

material

Vitreous china.

colour

White WH

note

2 tap basin - 25mm holes.
1 tap basin - 32mm holes.



Healthcare



Commercial

Twyford

Geberit Group

sola spectrum 500

fully concealed fixings and waste for hygiene and security
hospital pattern basin integral back outlet
connection to concealed services



Sola Spectrum 500 OTH basin

to specify/order:

Please use the product reference shown below:

washbasin

Wall fixing no overflow, no chainstay,
back outlet, no tap hole, LB H M:
500 x 410mm

SA4280WH

fixings

Fixing kit includes plastic grid waste,
waste outlet and concealed brackets
for panel fixing
nb. Excludes 1 1/4" plumbing outlet
connection pipe.

SR1314XX

taps & mixers

Sola wall mounted surgeons mixer:
Fixed spout
Detachable spout

SF1131CP

SF1132CP

approvals





HBN 00-10 C, code LB H M

material

Vitreous china.

colours

White WH



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Healthcare



Education



Commercial

Twyford

Geberit Group

108

alcona 560 countertop

co-ordinatingalcona range
compact design for smaller bathrooms



Alcona 560 x 475mm countertop basin

to specify/order:

Please use the product reference shown below.

washbasin

560 x 475mm 1 centre tap hole **AR4561WH**

taps & mixers

Refer to taps & mixers.

waste & traps


Refer to wastes & traps.

material

Vitreous china.

colour

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential


Twyford
Geberit Group

E100 square countertop

co-ordinating E100 square range



E100 550 1TH countertop basin



to specify/order:

Please use the product reference shown below.

washbasin

550 x 450mm:

1 centre tap hole

E14511WH

fixings

Self rimming basin sealed to unit with silicone building sealant (not provided).
Template is provided with basin.

taps & mixers

Refer to taps & mixers.

waste & traps

Refer to wastes & traps.

material

Vitreous china.

colour

White WH.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford

Geberit Group

110

E100 round countertop

co-ordinating E100 round range



E100 550 1TH countertop basin

to specify/order:

Please use the product reference shown below.

washbasin

550 x 450mm:

1 centre tap hole

2 tap holes

E14561WH

E14562WH

fixings

Self rimming basin sealed to unit with silicone building sealant (not provided).
Template is provided with basin.

taps & mixers

Refer to taps & mixers.

waste & traps


Refer to wastes & traps.

material

Vitreous china.

colour

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford

Geberit Group

E100 round semi-recessed

co-ordinating E100 round range
complete with chrome overflow trim



E100 550 1TH semi-recessed basin

to specify/order:

Please use the product reference shown below.

washbasin

Semi-recessed 550 x 440mm,
including fixing kit:
1 centre tap hole
2 tap holes

E14661WH

E14662WH

fixings

Fixing kit and template provided with basin.

taps & mixers

Refer to taps & mixers.

waste & traps


Refer to wastes & traps.

material

Vitreous china.

colour

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford

Geberit Group

E100 square semi-recessed

co-ordinating E100 square range
complete with chrome overflow trim



E100 550 1TH semi-recessed basin

to specify/order:

Please use the product reference shown below.

washbasin

Semi-recessed 550 x 440mm,
including fixing kit:
1 centre tap hole
2 tap holes

E14631WH

E14632WH

fixings

Fixing kit and template provided with basin.

taps & mixers

Refer to taps & mixers.

waste & traps


Refer to wastes & traps.

material

Vitreous china.

colour

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford

Geberit Group

moda 550 semi-recessed

co-ordinating moda range



Moda 550 x 445mm semi-recessed basin

to specify/order:

Please use the product reference shown below.

washbasin

Semi-recessed 550 x 445mm:

1 tap hole

MD4621WH

taps & mixers

Refer to taps & mixers.

waste & traps

Refer to wastes & traps.

material


Vitreous china.

colour

White WH.

fixings

Fixing kit and template provided with basin.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford

Geberit Group

sola optimise 450 semi-recessed

space saving short projection basin, ideal for schools
deeper side walls for superior strength



Sola 450 x 380mm semi-recessed basin

to specify/order:

Please use the product reference shown below.

washbasin

Semi-recessed 450 x 380mm:

1 centre tap hole

SA4621WH

2 tap hole

SA4622WH

taps & mixers

Sola

Alternatively refer to taps & mixers.

extras

Chainstay blanking pin

SF9225CP

Chrome overflow trim

ZQ0743CP

waste & traps

Refer to wastes & traps for further options.

material

Vitreous china.

colour

White WH.

fixings

Fixing kit and template provided with basin.


The basin is designed to fit furniture units with a worktop thickness between 15-40mm and a front face thickness up to 25mm.

note

2 tap basin - 25mm holes.

1 tap basin - 32mm holes.

The basin is designed to fit furniture units with a worktop thickness between 15-40mm and a front face thickness up to 25mm.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford

Geberit Group



Total Install® upgrade pack

to specify/order:

Please use the product reference shown below.

Total Install® upgrade pack

Total Install® pack - 280mm centres **TI1967XX**
Applicable to Alcona, Option and Energy collections.

Pack includes:

Basin bracket and fixings
WC pan to floor fixings (not shown)
Isolating valve



Total Install® bracket kits - 280mm or 225mm centres

Total Install® bracket kit

Total Install® bracket kit 280mm centres **TI1962XX**
Total Install® bracket kit 225mm centres **TI1961XX**

Check the washbasin hole centres measurement to determine the correct total install bracket kit.

Pack includes:

Basin bracket and fixings

Fixing guidance:

Wall Type	Brick	Block	Timber > 75mm	Timber or panel < 75mm	Plasterboard	Foam filled
Basin wall mounted or with semi pedestal						
Wall bolts	✓	✓	✓	✗	✗	✗
Total Install® Bracket	✗	✗	✗	✗	✗	✗
Basin wall mounted with full pedestal						
Wall bolts	✓	✓	✓	✗	✗	✗
Total Install® Bracket	●	●	●	✓	✓	✓


Key:

- ✓ Recommended
- Alternative
- ✗ Not recommended

The above is for guidance only. If in doubt, contact a qualified structural engineer.

All measurements shown are in millimetres.
Drawing sizes are not to scale.

For sector applications please refer to washbasin



Soap tray

to specify/order:

Please use the product reference shown below.

soap tray

VC9808WH

material


Vitreous china.

colour

White WH.

fixings

Recessed into wall.



to specify/order:

Please use the product reference shown below.

alcona ceramic shelf

500mm

AR9850WH

600mm

AR9860WH

material

Vitreous china.

colour

White WH

fixings

Not included

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial




Residential

Twyford
Geberit Group

traps

to specify/order:

Please use the product reference shown below.



Bottle trap: P

applications

General purpose bottle trap.

material

Plastic.



finish

White WH.

bottle trap

1 1/4", P outlet

WF8482XX



Resealing bottle trap

applications

Anti-syphonage trap for use where there is high risk of water seal being removed.

material

Plastic.

colour

White WH. 1 1/4"


fixing

This trap is supplied complete with elbow to convert to S trap and with extension pipe to flange.

resealing bottle trap

1 1/4" HTM64 TR R1/P

WF8438XX



Bottle trap: P

material

Brass.

finish

Chrome plated CP.

bottle trap

1 1/4", P trap, 75mm seal, stainless steel

WF8463CP

All measurements shown are in millimetres.
Drawing sizes are not to scale.



For sector applications please refer to washbasin

Twyford
Geberit Group

traps

to specify/order:

Please use the product reference shown below.



Trap with extension
to wall with flange

material

Brass.

finish

Chrome plated CP.

extension to wall with flange

1 1/4" extension pipe to
wall with flange

WF8467CP

note

The above reference numbers do not include
the trap.



Trap & extension

material

Brass.


finish

Chrome plated CP.

bottle trap and extension

1 1/4" bottle trap complete with
extension pipe

WF8606CP



Trap & extension

material

Brass.

finish

Chrome plated CP.

bottle trap and extension

1 1/4" bottle trap complete with
extension pipe

IE6800CP


All measurements shown are in millimetres.
Drawing sizes are not to scale.

For sector applications please refer to washbasin

Twyford
Geberit Group

to specify/order:

Please use the product reference shown below.



waste - slotted & un-slotted

applications

General purpose click clack waste for slotted/unslotted basins with/without overflow.


finishes

Chrome plated CP.

1 1/4" washbasin waste, click clack

Slotted, for basins with overflow

WF4350CP



grid waste

applications

General purpose waste for basins.

finishes

Chrome plated CP.

grid waste fitting 1 1/4" unslotted

Long tail, chrome plated

WF4341CP

grid waste fitting 1 1/4" slotted

Long tail, chrome plated

WF4345CP



chain stay hole blanking pin
& nut assy

material

Brass.

finishes

Chrome plated CP.

chain stay hole blanking pin & nut assy

SF9225CP


All measurements shown are in millimetres.
Drawing sizes are not to scale.

For sector applications please refer to washbasin

Twyford
Geberit Group

to specify/order:

Please use the product reference shown below.



chain waste

applications

General purpose waste for basins with chainstay hole. Available slotted for basins with overflow and unslotted for basins without overflow.


finishes

Chrome plated CP, with plastic plug.

chain waste fitting 1 1/4" slotted

Chrome plated

WF4330CP



chain waste

applications

General purpose chain waste and overflow, domestic use.

finishes

Chrome plated CP.

classique chain waste 1 1/4" slotted

Chrome plated

CQ5823CP



minimalist waste

applications

General purpose waste for basins with overflow.

finishes

Chrome plated CP.

minimalist push button waste 1 1/4" slotted

Chrome plated

WF4355CP

All measurements shown are in millimetres.
Drawing sizes are not to scale.

For sector applications please refer to washbasin

Twyford
Geberit Group

Furniture



E100 600 furniture

co-ordinating mirror cabinet & accessories available
supplied pre-assembled & complete with fixings
flexible installation options



E100 600mm 1TH washbasin - grey ash wood furniture

to specify/order:

Please use the product reference shown below.

furniture unit

493 x 557 x 400mm, including wall fixings
and fixed shelf:

White

E10376WH

Grey Ash Wood

E10376GA

furniture washbasin

600 x 460mm:

1 tap hole

E14341WH

washbasins

For washbasin ancillary items please refer to the washbasin section.

optional plinths or legs

600 Plinth - White

E10009WH

600 Plinth - Grey Ash Wood

E10009GA

Pair of feet - Chrome Plated

E10002XX

accessories

Internal door storage - White

E10001WH

Towel hook - Polished Steel




E10004XX

material

Highly moisture resistant MDF.

colours

White gloss, Grey ash wood



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Residential

Twyford

Geberit Group




123

E100 550 furniture

co-ordinating mirror cabinet & accessories available
supplied pre-assembled & complete with fixings and service space to help conceal
pipework flexible installation options



E100 550mm 1TH washbasin - white gloss furniture



to specify/order:

Please use the product reference shown below.

furniture unit

464 x 557 x 380mm, including wall fixings
and fixed shelf:

White

E10375WH

Grey Ash Wood

E10375GA

furniture washbasin

550 x 440mm:

1 tap hole

E14241WH

washbasins

For washbasin ancillary items please refer to the
washbasin section.

optional plinths or legs

550 Plinth - White

E10008WH

550 Plinth - Grey Ash Wood

E10008GA

Pair of feet - Chrome Plated

E10002XX

accessories

Internal door storage - White

E10001WH

Towel hook - Polished Steel

E10004XX

material

Highly moisture resistant MDF.

colours

White gloss, Grey ash wood



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Residential

Twyford

Geberit Group


124

E100 500 furniture

co-ordinating mirror cabinet & accessories available
supplied pre-assembled, complete with fixings & service space to help
conceal pipework & flexible installation options



E100 500mm 1TH washbasin - grey ash wood furniture



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

furniture unit

420 x 557 x 360mm, including wall fixings
and fixed shelf:

White

E10374WH

Grey Ash Wood

E10374GA

furniture washbasin

500 x 420mm:

1 tap hole

E14141WH

washbasins

For washbasin ancillary items please refer
to the washbasin section.

optional plinths or legs

500 Plinth - White

E10007WH

500 Plinth - Grey Ash Wood

E10007GA

Pair of feet - Chrome Plated

E10002XX

accessories

Internal door storage - White

E10001WH

Towel hook - Polished Steel

E10004XX

material

Highly moisture resistant MDF.

colours

White gloss, Grey ash wood



Hotels



Residential

Twyford




Geberit Group

E100 compact 450 furniture

co-ordinating accessories available
supplied pre-assembled & complete with fixings
flexible installation options



E100 450mm compact 1TH washbasin - white gloss furniture



to specify/order:

Please use the product reference shown below.

furniture unit

396 x 557 x 205mm, including wall fixings
and fixed shelf:

White

E10373WH

Grey Ash Wood

E10373GA

furniture washbasin

Compact 450 x 250mm:

1 tap hole:

E14811WH

washbasins

For washbasin ancillary items please refer to the
washbasin section.

optional plinths or legs

450 Plinth - White

E10006WH

450 Plinth - Grey Ash Wood

E10006GA

Pair of feet - Chrome Plated

E10002XX

accessories

Internal door storage - White

E10001WH

Towel hook - Polished Steel

E10004XX

material

Highly moisture resistant MDF.

colours

White gloss, Grey ash wood



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Residential

Twyford

Geberit Group

E100 360 furniture

co-ordinating accessories available
supplied pre-assembled & complete with fixings
flexible installation options



E100 360mm 1TH washbasin - grey ash wood furniture

to specify/order:

Please use the product reference shown below.

furniture unit

305 x 557 x 230mm, including wall fixings
and fixed shelf:

White

E10372WH

Grey Ash Wood

E10372GA

furniture washbasin

360 x 280mm:

1 tap hole

E14801WH

2 tap holes

E14802WH

washbasins

For washbasin ancillary items please refer
to the washbasin section.

optional plinths or legs

360 Plinth - White

E10005WH

350 Plinth - Grey Ash Wood

E10005GA

Pair of feet - Chrome Plated

E10002XX

accessories

Towel hook - Polished Steel


E10004XX

material

Highly moisture resistant MDF.

colours

White gloss, Grey ash wood



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Residential

Twyford

Geberit Group


127

E100 large side furniture

supplied pre-assembled & complete with fixings
modular style side cabinets available in 2 sizes – small and large for design flexibility
can be installed with or without legs



E100 large side furniture - white gloss



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

large side furniture unit

330 x 865 x 280mm, including 2 fixed shelves:

White **E10171WH**

Grey Ash Wood **E10171GA**

optional legs

Pair of feet - Chrome Plated **E10002XX**

fixings

Furniture wall mounted with brackets, supplied.


material

Highly moisture resistant MDF.

colours

White gloss, Grey ash wood

modular combinations



Note: Each unit door is reversible to accommodate stacked combinations as shown above.



Hotels



Residential

Twyford


Geberit Group

E100 small side furniture

supplied pre-assembled & complete with fixings
modular style side cabinets available in 2 sizes – small and large for design flexibility
can be installed with or without legs



E100 small side furniture - grey ash wood



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

small side furniture unit

330 x 655 x 280mm, including 2 fixed shelves:
White **E10371WH**
Grey Ash Wood **E10371GA**

optional legs

Pair of feet - Chrome Plated **E10002XX**

fixings

Furniture wall mounted with brackets,
supplied.


material

Highly moisture resistant MDF.

colours

White gloss, Grey ash wood

modular combinations



Note: Each unit door is reversible to
accommodate stacked combinations
as shown above.



Hotels



Residential

Twyford

Geberit Group

E100 600 washbasin mirror cabinet

internal shelves plus handy fold-down storage compartment
can be fitted with external lighting kit (available separately)
white gloss or grey ash wood finish



to specify/order:

Please use the product reference shown below.

mirror cabinet

493 x 850 x 173mm, including wall fixings
and 3 fixed shelves:

White

E10073WH

Grey Ash Wood

E10073GA

optional lighting kit

Lighting kit

E10003XX


material

Highly moisture resistant MDF.

colours

White gloss, Grey ash wood

E100 600 washbasin mirror cabinet - white gloss



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Residential

Twyford

Geberit Group

E100 550 washbasin mirror cabinet

internal shelves plus handy fold-down storage compartment
can be fitted with external lighting kit (available separately)
white gloss or grey ash wood finish



to specify/order:

Please use the product reference shown below.

mirror cabinet

464 x 850 x 173mm, including wall fixings
and 3 fixed shelves::

White

E10072WH

Grey Ash Wood

E10072GA

optional lighting kit

Lighting kit

E10003XX


material

Highly moisture resistant MDF.


colours

White gloss, Grey ash wood

E100 550 washbasin mirror cabinet - grey ash wood



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Residential

Twyford

Geberit Group

E100 500 washbasin mirror cabinet

internal shelves plus handy fold-down storage compartment
can be fitted with external lighting kit (available separately)
white gloss or grey ash wood finish

**to specify/order:**

Please use the product reference shown below.

mirror cabinet

418 x 850 x 173mm, including wall fixings
and fixed shelf:

White

E10071WH

Grey Ash Wood

E10071GA

optional lighting kit

Lighting kit

E10003XX


material

Highly moisture resistant MDF.

colours

White gloss, Grey ash wood

E100 500 washbasin mirror cabinet - white gloss



White Gloss



Grey Ash Wood



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels




Residential

Twyford

Geberit Group

E100 furniture accessories

optional accessories for the E100 furniture range include; lighting, storage and a towel hook for added practicality
for an alternative installation method chrome legs are also available



Internal door storage

to specify/order:

Please use the product reference shown below.

internal door storage

Internal door storage - White


E10001WH

finish

Matte white, powder coated aluminium.

note

For use with E100 (600,550,500 & 450mm) furniture units.



Lighting kit

lighting kit

Lighting kit


E10003XX

finish

Chrome plated

note

LED lighting kit. Voltage 230v, IP44, 3W/270 Lumen.



Towel hook


towel hook

Towel hook - Polished Steel

E10004XX

finish

Polished Steel



Pair of feet

feet

Pair of feet - Chrome Plated

E10002XX

finish

Chrome plated

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Residential

Twyford

Geberit Group


133

E200 650 furniture

space saving design including integrated handed towel rail space
flexible installation options
complete with service space to help conceal pipework



E200 650mm LH shelf 1TH washbasin - grey furniture,
LH towel rail



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

furniture unit

590 x 604 x 337mm, including wall fixings
and fixed shelf:

Left hand towel rail - White
Left hand towel rail - Grey

E20281WH
E20281GY

Right hand towel rail - White
Right hand towel rail - Grey

E20291WH
E20291GY

furniture washbasin

650 x 370mm:

Left hand shelf, 1 tap hole
Right hand shelf, 1 tap holes

E24011WH
E24411WH

washbasins

For washbasin ancillary items please refer to the
washbasin section.

optional plinths or legs

650 Plinth - White

650 Plinth - Grey

Pair of feet - Chrome Plated

E20006WH
E20006GY
E20010CP

material

Highly moisture resistant MDF.

colours

White gloss, Grey gloss



Hotels



Residential

Twyford
Geberit Group

E200 600 furniture

space saving design with longer door handle for extra towel hanging space
flexible installation options
complete with service space to help conceal pipework



E200 600mm 1TH washbasin - white furniture

to specify/order:

Please use the product reference shown below.

furniture unit

550 x 604 x 337mm, including wall fixings
and fixed shelf:

White

E20174WH

Grey

E20174GY

furniture washbasin

600 x 370mm:

1 tap hole

E24311WH

2 tap holes

E24312WH

washbasins

For washbasin ancillary items please refer
to the washbasin section.

optional plinths or legs

600 Plinth - White

E20005WH

600 Plinth - Grey

E20005GY

Pair of feet - Chrome Plated


E20010CP

material

Highly moisture resistant MDF.


colours

White gloss, Grey gloss



White Gloss

Grey Gloss



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Residential

Twyford
Geberit Group

E200 550 furniture

space saving design with longer door handle for extra towel hanging space
flexible installation options
complete with service space to help conceal pipework



E200 550mm 1TH washbasin - grey furniture

to specify/order:

Please use the product reference shown below.

furniture unit

500 x 604 x 337mm, including wall fixings
and fixed shelf:

White

E20173WH

Grey

E20173GY

furniture washbasin

550 x 370mm:

1 tap hole

E24211WH

2 tap holes

E24212WH

washbasins

For washbasin ancillary items please refer to the washbasin section.

optional plinths or legs

550 Plinth - White

E20004WH

550 Plinth - Grey

E20004GY

Pair of feet - Chrome Plated


E20010CP

material

Highly moisture resistant MDF.

colours

White gloss, Grey gloss



All measurements shown are in millimetres.
Drawing sizes are not to scale.

White Gloss



Grey Gloss



Hotels



Residential

Twyford


Geberit Group

E200 compact 500 furniture

space saving design including integrated handed towel rail space
flexible installation options
supplied pre-assembled & complete with fixings



E200 500mm centre bowl 1 RH Tap - white furniture,
LH towel rail.



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

furniture unit

448 x 604 x 222mm, including wall fixings
and fixed shelf:

Left hand towel rail - White **E20181WH**
Left hand towel rail - Grey **E20181GY**

Right hand towel rail - White **E20192WH**
Right hand towel rail - Grey **E20192GY**

furniture washbasin

500 x 250mm:

Centre bowl, 1 right hand tap hole **E24115WH**

LH Bowl 1 right hand tap hole **E24405WH**

RH Bowl 1 left hand tap hole **E24016WH**

Note:

Right hand tap hole washbasins fit furniture
with left hand towel rail.

Left hand tap hole washbasins fit furniture
with right hand towel rail.

washbasins

For washbasin ancillary items please refer
to the washbasin section.

optional plinths or legs

500 Plinth - White

500 Plinth - Grey **E20002GY**

Pair of feet - Chrome Plated

E20002WH

E20002GY

E20010CP

material

Highly moisture resistant MDF.

colours

White gloss, Grey gloss



Hotels



Residential

Twyford

Geberit Group

E200 450 furniture

space saving design with longer door handles for extra towel hanging space
flexible installation options
complete with service space to help conceal pipework



E200 450mm 1TH washbasin - grey furniture

to specify/order:

Please use the product reference shown below.

furniture unit

400 x 604 x 310mm, including wall fixings
and fixed shelf:

White

E20172WH

Grey

E20172GY

furniture washbasin

450 x 340mm:

1 tap hole

E24811WH

2 tap holes

E24812WH

washbasins

For washbasin ancillary items please refer to the washbasin section.

optional plinths or legs

450 Plinth - White

E20003WH

450 Plinth - Grey

E20003GY

Pair of feet - Chrome Plated


E20010CP

material

Highly moisture resistant MDF.

colours

White gloss, Grey gloss



All measurements shown are in millimetres.
Drawing sizes are not to scale.

White Gloss



Grey Gloss



Hotels



Residential

Twyford

Geberit Group

E200 compact 400 furniture

space saving design with longer door handles for extra towel hanging space
flexible installation options
supplied pre-assembled & complete with fixings



E200 400mm 1 RH Tap washbasin - white furniture

to specify/order:

Please use the product reference shown below.

furniture unit

348 x 604 x 222mm, including wall fixings
and fixed shelf:

White
Grey

E20171WH
E20171GY

furniture washbasin

400 x 250mm:

Right hand 1 tap hole
Left hand 1 tap hole

E24815WH
E24816WH

washbasins

For washbasin ancillary items please refer
to the washbasin section.

optional plinths or legs

400 Plinth - White
400 Plinth - Grey
Pair of feet - Chrome Plated


E20001WH
E20001GY
E20010CP

material

Highly moisture resistant MDF.

colours

White gloss, Grey gloss



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Residential

Twyford
Geberit Group

E200 500 corner furniture

space saving design including flexible installation options
complete with service space to help conceal pipework
supplied pre-assembled & complete with fixings



E200 500mm 1TH corner washbasin - grey furniture

to specify/order:

Please use the product reference shown below.

furniture unit

690 x 604 x 614mm, including wall fixings
and fixed shelf:

White

E20102WH

Grey

E20102GY

furniture washbasin

500mm corner basin, 1 tap hole **E24191WH**

washbasins

For washbasin ancillary items please refer to the washbasin section.

optional plinths or legs

500 Plinth - White

E20008WH

500 Plinth - Grey

E20008GY

Pair of feet - Chrome Plated


E20010CP

material

Highly moisture resistant MDF.

colours

White gloss, Grey gloss



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Residential

Twyford

Geberit Group

140

E200 320 corner furniture

space saving design including flexible installation options
complete with service space to help conceal pipework
supplied pre-assembled & complete with fixings



to specify/order:

Please use the product reference shown below.

furniture unit

425 x 604 x 374mm, including wall fixings
and fixed shelf:

White
Grey

E20101WH
E20101GY

furniture washbasin

320mm corner basin, 1 tap hole **E24891WH**

washbasins

For washbasin ancillary items please refer
to the washbasin section.

optional plinths or legs

320 Plinth - White

320 Plinth - Grey

Pair of feet - Chrome Plated

E20007WH
E20007GY
E20010CP



material

Highly moisture resistant MDF.

colours

White gloss, Grey gloss

E200 320mm 1TH corner washbasin - white furniture



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Residential

Twyford

Geberit Group

Baths



aspect 1700 x 700/750

square design to co-ordinate with square washbasins
ungripped bath



to specify/order:

Please use the product reference shown below.

bath

1700 x 700mm acrylic bath, encapsulated:

2 centre tap holes, no grips

AP8502WH

1700 x 700mm acrylic bath, encapsulated:

0 tap holes, no grips

AP8500WH

1700 x 750mm acrylic bath, encapsulated:

0 tap holes, no grips

AP8550WH

bath panels

Refer to bath panels

bath screens

Suitable for a folding or fixed bath screen.

For options refer to bath screens.

wastes

Refer to wastes

taps & mixers

Refer to taps & mixers.

approvals

Baths manufactured to European & British
Standards EN263/EN14516 CL1

material


Made from 4mm acrylic sheet reinforced with
glass fibre. Encapsulated baseboard.

colours

White WH.

fixings

Supported on wooden frame with steel cradle
and adjustable feet. Clips provided for
securing to wall.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Residential



Commercial

Twyford

Geberit Group

athena 1700 x 750

square design to co-ordinate with square washbasins
ungripped bath
double ended design, central waste hole



to specify/order:

Please use the product reference shown below.

bath

1700 x 750mm acrylic bath, encapsulated:

2 tap holes, no grips

AH8502WH

0 tap holes, no grips

AH8500WH

bath panels

Refer to bath panels

bath screens

Suitable for a folding or fixed bath screen.

For options refer to bath screens.

wastes

Refer to wastes

taps & mixers

Refer to taps & mixers.

approvals

Baths manufactured to European & British Standards EN263/EN14516 CL1

material


Made from 4mm acrylic sheet reinforced with glass fibre. Encapsulated baseboard.

colours

White WH.

fixings

Supported on wooden frame with steel cradle and adjustable feet. Clips provided for securing to wall.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Residential



Commercial

Twyford

Geberit Group

galerie 1700 x 700

co-ordinating galerie range
featuring full Total Install® feature
compatible with Total Install® bath panel



to specify/order:

Please use the product reference shown below.

bath

1700 x 700mm acrylic bath, including
chrome grips:
2 centre tap holes

GN8552WH

bath panels

Refer to bath panels

total install® bath panel

With Total Install®
1700mm front panel
700mm end panel

IS2171WH

IS2172WH

bath screen

Suitable for a folding bath screen.

wastes

Refer to wastes

taps & mixers

Refer to taps & mixers.

material


Made from acrylic sheet reinforced with glass fibre.

colours

White WH.

fixings

Supported on wooden frame with tubular cradle. Note: Adjustable feet pre-assembled secured to wall with clips provided.



All measurements shown are in millimetres.
Drawing sizes are not to scale.




Residential

Twyford
Geberit Group

galerie 1500 x 700

co-ordinating galerie range
featuring full Total Install® feature
space saving for smaller bathrooms



to specify/order:

Please use the product reference shown below.

bath

1500 x 700mm acrylic bath, including
chrome grips:
2 centre tap holes

GN8422WH

bath panels

Refer to bath panels

bath screen

Suitable for a folding bath screen.

wastes

Refer to wastes

taps & mixers

Refer to taps & mixers.

material


Made from acrylic sheet reinforced with
glass fibre.

colours

White WH.

fixings

Supported on wooden frame with tubular
cradle. Note: Adjustable feet pre-assembled
secured to wall with clips provided.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Residential

Twyford
Geberit Group

opal low capacity (with tread) 1700 x 700

soft tread pattern covers full length of base
low capacity bath, 130 litres to overflow
available with or without grips



to specify/order:

Please use the product reference shown below.

bath

1700 x 700mm acrylic bath, with tread,
130 litres:

2 centre tap holes, with CP grips

OL8122WH

No tap holes, no grips

OL8100WH

grips (optional extra)

Chrome plated (pair)

BG1395CP

bath panels

Refer to bath panels

bath screens

Suitable for a folding or fixed bath screen.

For options refer to bath screens.

wastes

Refer to wastes

taps & mixers

Refer to taps & mixers.

approvals

Baths manufactured to European & British
Standards EN263/EN14516 CL1

material


Made from 4mm acrylic sheet reinforced with
glass fibre.

colours

White WH.

fixings

Supported on wooden frame with steel cradle
and adjustable feet. Clips provided for
securing to wall.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Residential



Commercial

Twyford

Geberit Group

opal (with tread) 1700 x 700

soft tread pattern covers full length of base
available with or without grips



to specify/order:

Please use the product reference shown below.

bath

1700 x 700mm acrylic bath, with tread:

2 centre tap holes, with CP grips

OL8822WH

2 centre tap holes, no grips

OL8802WH

No tap holes, no grips*

OL8800WH

grips (optional extra)

Chrome plated (pair)

8G1395CP

bath panels

Refer to bath panels

bath screens

Suitable for a folding or fixed bath screen.

For options refer to bath screens.

wastes

Refer to wastes

taps & mixers

Refer to taps & mixers.

approvals

Baths manufactured to European & British Standards EN263/EN14516 CL1

material


Made from 4mm acrylic sheet reinforced with glass fibre. Note: No tap hole variant has encapsulated baseboard.

colours

White WH.

fixings

Supported on wooden frame with steel cradle and adjustable feet. Clips provided for 1/4 securing to wall.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Residential



Commercial

Twyford

Geberit Group

opal (with tread) 1500 x 700

soft tread pattern covers full length of base
space saving for smaller bathrooms
available with or without grips



to specify/order:

Please use the product reference shown below.

bath

1500 x 700mm acrylic bath, with tread:

2 centre tap holes, with CP grips

OL8222WH

No tap holes, no grips*

OL8200WH

grips (optional extra)

Chrome plated (pair)

BG1395CP

bath panels

Refer to bath panels

bath screens

Suitable for a folding or fixed bath screen.

For options refer to bath screens.

wastes

Refer to wastes

taps & mixers

Refer to taps & mixers.

approvals

Baths manufactured to European & British Standards EN263/EN14516 CL1

material


Made from 4mm acrylic sheet reinforced with glass fibre. Note: No tap hole variant has encapsulated baseboard.

colours

White WH.

fixings

Supported on wooden frame with steel cradle and adjustable feet. Clips provided for securing to wall.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Residential



Commercial

Twyford

Geberit Group



opal low capacity 1700 x 700

low capacity bath, 130 litres to overflow
available with or without grips



to specify/order:

Please use the product reference shown below.

bath

1700 x 700mm acrylic bath, 130 litres:

2 centre tap holes, with CP grips

OL8322WH

No tap holes, no grips

OL8300WH

bath panels

Refer to bath panels

bath screen

Suitable for a folding or fixed bath screen.

wastes

Refer to wastes

taps & mixers

Refer to taps & mixers.

material


Made from acrylic sheet reinforced with glass fibre.

colours

White WH.

fixings

Supported on wooden frame with steel cradle and adjustable feet. Clips provided for securing to wall.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Residential



Commercial

Twyford

Geberit Group

150



opal 1700 x 700

available with or without grips



to specify/order:

Please use the product reference shown below.

bath

1700 x 700mm acrylic bath:

2 centre tap holes, with CP grips

2 centre tap holes, no grips

No tap holes, no grips

OL8522WH

OL8502WH

OL8500WH

bath panels

Refer to bath panels

bath screen

Suitable for a folding or fixed bath screen.

wastes

Refer to wastes

taps & mixers

Refer to taps & mixers.

material


Made from acrylic sheet reinforced with glass fibre. Note: No tap variant has an encapsulated baseboard.

colours

White WH.

fixings

Supported on wooden frame with steel cradle and adjustable feet. Clips provided for securing to wall.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Residential



Commercial

Twyford

Geberit Group

opal 1500 x 700

space saving for smaller bathrooms
available with or without grips



to specify/order:

Please use the product reference shown below.

bath

1500 x 700mm acrylic bath:

2 centre tap holes, with CP grips

No tap holes, no grips

OL8422WH

OL8400WH

bath panels

Refer to bath panels

bath screen

Suitable for a folding bath screen.

wastes

Refer to wastes

taps & mixers

Refer to taps & mixers.

material


Made from acrylic sheet reinforced with glass fibre. Note: No tap variant has an encapsulated baseboard.

colours

White WH.

fixings

Supported on wooden frame with steel cradle. Note: Adjustable feet pre-assembled secured to wall with clips provided.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Residential



Commercial

Twyford

Geberit Group

152

signature 1700 x 700

integral headrest and twin soap recesses
patterned standing area
includes chrome grips



to specify/order:

Please use the product reference shown below.

bath

1700 x 700mm acrylic bath, with chrome

plated grips:

No tap holes

2 centre tap holes

SE8520WH

SE8522WH

bath panels

Refer to bath panels

bath screen

Suitable for a folding or fixed bath screen.

wastes

Refer to wastes

grips

Chrome plated

BG1365CP

taps & mixers

Refer to taps & mixers.

alternative panels and wastes

Please refer to the pages at the end of this section.

material


Made from acrylic sheet reinforced with glass fibre.

colours

White WH.

fixings

Supported by wooden frame with steel cradle and adjustable feet. Clips provided for securing to wall.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Residential

Twyford

Geberit Group

153

celtic low capacity 1700 x 700

economy low volume steel bath with fast fix leg set
1.8mm thick
low capacity - 140 litres to over flow



to specify/order:

Please use the product reference shown below.

bath

1700 x 700mm porcelain enamelled steel bath:

2 tap, grips, slip resist, with legs

CE1572WH

bath panels

Refer to bath panels

bath screen

Suitable for a folding or fixed bath screen.

wastes

Refer to wastes

taps & mixers

Refer to taps & mixers.

material


Standard gauge (1.5mm) pressed steel.
Enamelled to BS1344 (0.3mm).

colours

White WH.

fixings

Bolt on adjustable legs. Secured to wall with clips provided.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

154

celtic 1700 x 700

economy general purpose steel bath
fast fix leg set
1.8mm thick



to specify/order:

Please use the product reference shown below.

bath

1700 x 700mm porcelain enamelled steel bath:

2 tap, ungripped, plain, with legs **BS1502WH**

2 tap, grips, plain, with legs **BS1522WH**

No tap, grips, slip resist, no legs **BS1570WH**

2 tap, grips, slip resist, with legs **BS1572WH**

bath panels

Refer to bath panels

bath screen

Suitable for a folding or fixed bath screen.

wastes

Refer to wastes

legset

(Optional with no tap baths)

Legset and wall clips

BG6041XX

taps & mixers

Refer to taps & mixers.

material

Standard gauge (1.5mm) pressed steel.


Enamelled to BS1344 (0.3mm).

colours

White WH.

fixings

Bolt on adjustable legs. Secured to wall with clips provided.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

155

celtic 1600 x 700

economy general purpose steel bath
fast fix leg set
1.8mm thick



to specify/order:

Please use the product reference shown below.

bath

1600 x 700mm porcelain enamelled steel bath:

2 tap, ungripped, plain, with legs **BS1202WH**

2 tap, grips, plain, with legs **BS1222WH**

2 tap, grips, slip resist, with legs **BS1272WH**

bath panels

Refer to bath panels.

bath screen

Suitable for a folding or fixed bath screen.

wastes

Refer to wastes

taps & mixers

Refer to taps & mixers.

material


Standard gauge (1.5mm) pressed steel.
Enamelled to BS1344 (0.3mm).

colour

White WH.

fixings

Bolt on adjustable legs. Secured to wall with clips provided.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

156

celtic 1500 x 700

economy general purpose steel bath
fast fix leg set
1.8mm thick



to specify/order:

Please use the product reference shown below.

bath

1500 x 700mm porcelain enamelled steel bath:

2 tap, ungripped, plain, with legs **BS1402WH**

2 tap, grips, plain, with legs **BS1422WH**

2 tap, grips, slip resist, with legs **BS1472WH**

bath panels

Refer to bath panels

bath screen

Suitable for a folding or fixed bath screen.

wastes

Refer to wastes

taps & mixers

Refer to taps & mixers.

material


Standard gauge (1.5mm) pressed steel.
Enamelled to BS1344 (0.3mm).

colour

White WH.

fixings

Bolt on adjustable legs. Secured to wall with clips provided.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

157

neptune 1700 x 700

standard gauge pressed steel
optional permanent slip resistant standing area
2.3mm thick



to specify/order:

Please use the product reference shown below.

bath

1700 x 700mm porcelain enamelled steel bath, with chrome plated grips:

2 tap, ungripped, plain **NE9502WH**

2 tap, grips, slip resist **NE9572WH**

No tap, ungripped, slip resist **NE9590WH**

2 tap, ungripped, slip resist **NE9592WH**

dedicated bath panels

Neptune 1700mm front panel **NL7700WH**

Neptune 700mm end panel **NL7701WH**

bath screen

Suitable for a folding or fixed bath screen.

taps & mixers

Refer to taps & mixers.

material


Standard gauge (1.8mm) pressed steel.
Enamelled to BS1344 (0.5mm).

colours

White WH.

fixings

Cradles with adjustable legs. Screwed to floor and secured to wall with clips provided.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

158

neptune 1500 x 700

standard gauge pressed steel
optional permanent slip resistant standing area
2.3mm thick



to specify/order:

Please use the product reference shown below.

bath

1500 x 700mm porcelain enamelled steel bath:

2 tap, ungripped, plain

NE9402WH

2 tap, grips, slip resist

NE9472WH

dedicated bath panels

Neptune 1500mm front panel

NL7500WH

Neptune 700mm end panel

NL7701WH

bath screen

Suitable for a folding or fixed bath screen.

wastes

Refer to wastes

taps & mixers

Refer to taps & mixers.

material

Standard gauge (1.8mm) pressed steel.


Enamelled to BS1344 (0.5mm).

colours

White WH.

fixings

Cradles with adjustable legs. Screwed to floor and secured to wall with clips provided.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

159

shallow 1700 x 700

typical bathing requires approximately 130 litres of water
 permanent slip resistant standing area
 2.3mm thick



to specify/order:

Please use the product reference shown below.

bath

1700 x 700 porcelain enamelled steel bath:

2 tap, grips, slip resist

SB1772WH

dedicated bath panels

Neptune 1700mm front panel

NL7700WH

Neptune 700mm end panel

NL7701WH

bath screen

Suitable for a folding or fixed bath screen.

wastes

Refer to wastes

taps & mixers

Refer to taps & mixers.

material


Standard gauge (1.8mm) pressed steel.
 Enamelled to BS1344 (0.5mm).

colours

White WH.

fixings

Cradles with adjustable legs. Secured to wall with clips provided.



All measurements shown are in millimetres.
 Drawing sizes are not to scale.



Hotels



Commercial



Residential


Twyford

Geberit Group

160

shallow 1500 x 700

typical bathing requires approximately 110 litres of water
 permanent slip resistant standing area
 2.3mm thick



to specify/order:

Please use the product reference shown below.

bath

1500 x 700mm porcelain enamelled steel bath:
 2 tap, grips, slip resist **SB1372WH**

dedicated bath panels

Neptune 1500mm front panel **NL7500WH**
 Neptune 700mm end panel **NL7701WH**

wastes

Refer to wastes

taps & mixers

Refer to taps & mixers.

material


Standard gauge (1.8mm) pressed steel.
 Enamelled to BS1344 (0.5mm).

colours

White WH.

fixings

Cradles with adjustable legs. Secured to wall
 with clips provided.



All measurements shown are in millimetres.
 Drawing sizes are not to scale.



Hotels



Commercial




Residential

Twyford
 Geberit Group

bath panels


twin skin polystyrene
bonded deep ribbed backing for strength & rigidity



Endurance bath panels



Reverse side of the panel



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

endurance

Front panel 1700mm

PP2181WH

End panel 700mm

PP2182WH

End panel 750mm

PP2183WH

material

Twin skin polystyrene (outer skin 3mm, inner skin 2mm).

colours

White WH.

fixings

Secured under bath rim using clips supplied with bath and screwed to timber blocks (not provided).

note

Suitable for use with 1700mm baths. Can be trimmed if required.



Hotels



Commercial




Residential

Twyford


Geberit Group

162

bath panels



Galerie Callisto bath panels



to specify/order:

Please use the product reference shown below.

galerie callisto

Front panel
(for baths up to 1700mm) **GN7121WH**

Front panel
(for baths up to 1500mm) **GN7125WH**

End panel (for baths up
to 700mm wide) **GN7122WH**

material

Moulded styrene 3.5mm thick.

colours

White WH.

fixings

Secured under bath rim using clips supplied and
screwed to timber blocks (not provided).



Hotels



Residential


Twyford

Geberit Group

bath panels



Neptune bath panel



to specify/order:

Please use the product reference shown below.

neptune

(dedicated to neptune baths)

Design panel:

Front panel (for 1700mm baths)

NL7700WH

Front panel (for 1500mm baths)

NL7500WH

material

Moulded styrene 1.8mm thick.

colours


White WH.

fixings

Secured under bath rim using clips supplied with bath and screwed to timber blocks (not provided).



Omnifit bath panels



to specify/order:

Please use the product reference shown below.

omnifit

Front panel (for 1700mm baths)

PP2171WH

Front panel (for 1524mm baths)

PP2175WH

End panel

(for baths up to 800mm wide)

PP2172WH

material

Moulded styrene 2mm thick.

colours

White WH.

fixings

Secured under bath rim using clips supplied with bath and screwed to timber blocks (not provided).

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial




Residential

Twyford

Geberit Group



Refresh with Total Install® bath panels



Magnetic fixings...



...which are simple and quick to apply

All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

refresh with total install®

1700mm Front panel

RE2171WH

700mm End panel

RE2172WH

material

Vinyl laminated mdf.

colours

White WH.

fixings

Total Install® bath panels are supplied with magnetic fixings.




Hotels



Residential



View with Total Install® bath panels



Magnetic fixings...



...which are simple and quick to apply

All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

view with total install®

1700mm Front panel
700mm End panel

IS21 71WH

IS21 72WH

material

Vinyl laminated mdf.

colours

White WH.

fixings

Total Install® bath panels are supplied with magnetic fixings.


note

Full Total Install® feature can only be achieved with this panel when used with the 1700mm Galerie bath.



Residential

wastes & traps



Classique waste

to specify/order:

Please use the product reference shown below.


finishes

Chrome plated CP.

classique 1½" chain waste and overflow

Chrome plated

CQ5824CP



Combined waste

to specify/order:

Please use the product reference shown below.


finishes

Chrome plated CP.

combined pop-up waste/overflow

Chrome plated

WF5369CP



Chain waste

to specify/order:

Please use the product reference shown below.

finishes

Chrome plated CP.

chain waste/overflow

Chrome plated

WF5650CP

All measurements shown are in millimetres.
Drawing sizes are not to scale.

For sector applications please refer to bath.

Twyford
Geberit Group

Taps & Mixers




X50 basin mono mixer

complete with ceramic cartridge & flexible tails
suitable for both high & low pressure applications
flow regulator can be added to control water usage & comply with BREEAM



X50 Basin Mono Mixer Inc Click Clack Waste



to specify/order:

Please use the product reference shown below.

X50 basin mono mixer

X50 Basin Mono Mixer

Inc Click Clack Waste

X505126CP

7.5 LPM Flow regulator

XS9075XX

finish

Chrome plated CP.

approvals

WRAS Approved

standards

Chrome plated to BS EN248

system requirements

Can be installed on any system

recommended operating pressure

Minimum operating pressure 0.3 bar.

Maximum operating pressure 5 bar.

note

Maximum surface thickness to fit tap is 44mm.

Easy fit clicker waste (slotted) included.

Attached using 'C' plate fixing kit included.

Deck Mounted Basin Mixer – X505126CP

Flow Rate (Litres per minute)	0.2 Bar	0.5 Bar	1.0 Bar	2.0 Bar	3.0 Bar	5.0 Bar
Standard Mixed	5.5	9.5	14.1	20.2	25.0	32.6
Flow Limiter Fitted (Part No:XS9075XX)	2.22	3.80	5.30	6.97	7.50	7.50

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford


Geberit Group

X50 basin mono mixer - mini

complete with ceramic cartridge & flexible tails
suitable for both high & low pressure applications
flow regulator can be added to control water usage & comply with BREEAM



X50 Basin Mono Mixer - Mini Inc Click Clack Waste



to specify/order:

Please use the product reference shown below.

X50 basin mono mixer - mini

X50 Basin Mono Mixer - Mini

Inc Click Clack Waste

X505122CP

7.5 LPM Flow regulator

XS9075XX

finish

Chrome plated CP.

approvals

WRAS Approved

standards

Chrome plated to BS EN248

system requirements

Can be installed on any system

recommended operating pressure

Minimum operating pressure 0.2 bar.

Maximum operating pressure 5 bar.

note

Maximum surface thickness to fit tap is 44mm.

Easy fit clicker waste (slotted) included.

Attached using 'C' plate fixing kit included.

Deck Mounted Mini Basin Mixer – X505122CP

Flow Rate (Litres per minute)	0.2 Bar	0.5 Bar	1.0 Bar	2.0 Bar	3.0 Bar	5.0 Bar
Standard Mixed	5.0	8.6	13.1	18.7	22.5	28.5
Flow Limiter Fitted (Part No:XS9075XX)	2.10	3.80	5.40	6.90	7.50	7.50

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group


170

X50 basin pillar taps

suitable for both high & low pressure applications
flow regulator can be added to control water usage & comply with BREEAM



X50 Basin 1/2" Pillar Taps



to specify/order:

Please use the product reference shown below.

X50 basin pillar taps

X50 Basin 1/2" Pillar Taps

X505205CP

6 LPM Flow regulator

XS9006XX

finish

Chrome plated CP.

approvals

WRAS Approved

standards

Chrome plated to BS EN248

system requirements

Can be installed on any system

recommended operating pressure

Minimum operating pressure 0.2 bar.

Maximum operating pressure 5 bar.

note

Maximum surface thickness to fit tap is 33mm. Plastic back nuts included.

1/2" Basin Pillar Taps – X505205CP

Flow Rate (Litres per minute)	0.2 Bar	0.5 Bar	1.0 Bar	2.0 Bar	3.0 Bar	5.0 Bar
Standard	6.4	10.4	15.1	21.6	26.5	34.2
Flow Limiter Fitted (Part No:XS9006XX)	3	4.9	6	6	6	6

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford


Geberit Group

X50 bath pillar taps

suitable for both high & low pressure applications



X50 Bath 3/4" Pillar Taps



to specify/order:

Please use the product reference shown below.

X50 bath pillar taps

X50 Bath 3/4" Pillar Taps

X505215CP

finish

Chrome plated CP.

approvals

WRAS Approved

standards

Chrome plated to BS EN248

system requirements

Can be installed on any system

recommended operating pressure

Minimum operating pressure 1 bar.

Maximum operating pressure 5 bar.

note

Maximum surface thickness to fit tap is 33mm.

Plastic back nuts included.

3/4" Bath Pillar Taps – X505215CP

Flow Rate (Litres per minute)	0.2 Bar	0.5 Bar	1.0 Bar	2.0 Bar	3.0 Bar	5.0 Bar
Standard	6.4	10.7	15.6	22.4	27.8	34.6

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

X50 bath filler - deck mounted

suitable for both high & low pressure applications



X50 Bath Filler Deck Mounted

to specify/order:

Please use the product reference shown below.

X50 bath filler - deck mounted

X50 Bath Filler Deck Mounted

X505255CP

finish

Chrome plated CP.

approvals

WRAS Approved

standards

Chrome plated to BS EN248

system requirements

Can be installed on any system

recommended operating pressure


Minimum operating pressure 1 bar.

Maximum operating pressure 5 bar.

note

Maximum surface thickness to fit tap is 33mm.

Plastic back nuts included.



Deck Mounted Bath Filler – X505255CP

Flow Rate (Litres per minute)	0.2 Bar	0.5 Bar	1.0 Bar	2.0 Bar	3.0 Bar	5.0 Bar
Mixed Standard	12	20.2	29.3	37.7	43.4	56.03

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

suitable for both high & low pressure applications



to specify/order:

X50 bath shower mixer

Deck Mounted

8 LPM Flow regulator

XS9008XX

finish

Chrome plated CP.

approvals

WRAS Approved

standards

Chrome plated to BS EN248

system requirements

Can be installed on any system

recommended operating pressure


Minimum operating pressure 1 bar.

Maximum operating pressure 5 bar.

note

Maximum surface thickness to fit tap is 33mm.

Plastic back nuts and shower head wall mounting bracket included.



Flow Rate (Litre's per minute)	0.2 Bar	0.5 Bar	1.0 Bar	2.0 Bar	3.0 Bar	5.0 Bar
Mixed Tap Outlet	6.5	10.8	15.6	22.2	27.9	37.4
Handset	3.4	6.5	9.7	14.3	18.1	24.3
Flow Limiter Fitted In Handset (Part No:XS9008XX)	2.6	4.4	6.6	7.4	8	8



Residential

Twyford
Geberit Group


Geberit Group

X52 low flow basin mono

double click eco function, complying with BREEAM
complete with ceramic cartridge and flexible tails



X52 Low Flow Basin Mono Mixer 7/ 4 Litre Inc CC Waste



Basin Mixer – X525126CP

Flow Rate (Litres per minute)	0.5 Bar	1.0 Bar	2.0 Bar	3.0 Bar	4.0 Bar	5.0 Bar
Standard Mixed - ECO (with flow limiter)	1.54	2.36	3.31	3.84	4.66	4.67
Standard Mixed - FULL (with flow limiter)	3.82	5.22	6.70	6.82	6.62	6.44
Standard Mixed - ECO (no flow limiter)	2.70	3.74	4.63	6.40	5.30	6.94
Standard Mixed - FULL (no flow limiter)	7.26	9.99	14.04	17.26	19.57	22.16

All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

X52 low flow basin mono

X52 Low Flow Basin Mono Mixer
7/ 4 Litre Inc CC Waste

X525126CP

finish

Chrome plated CP.

approvals

WRAS approved.
BREEAM compliant

standards

Chrome plated to BS EN248

system requirements

Can be installed on any system >0.5 Bar pressure

recommended operating pressure

Minimum operating pressure 0.5 bar.
Maximum operating pressure 8 bar.

note

Maximum surface thickness to fit tap is 35mm.
Attached using 'C' plate fixing kit included.
Easy fit clicker waste (slotted) included.
If required, flow limiter can be replaced with free
flow aerator provided.



Hotels



Commercial



Residential


Twyford
Geberit Group

X52 low flow kitchen mono

low flow function complying with BREEAM
complete with ceramic cartridge and flexible tails



X52 Low Flow Kitchen Mono Mixer 5 Litre



Kitchen Mixer – X525925CP

Flow Rate (Litres per minute)	0.5 Bar	1.0 Bar	2.0 Bar	3.0 Bar	4.0 Bar	5.0 Bar
Standard Mixed (with flow limiter)	3.08	4.17	5.01	4.66	4.96	5.03
Standard Mixed (no flow limiter)	5.54	7.69	10.65	13.19	15.14	17.06

All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

X52 low flow kitchen mono

X52 Low Flow Kitchen
Mono Mixer 5 Litre

X525925CP

finish

Chrome plated CP.

approvals

WRAS approved.
BREEAM compliant

standards

Chrome plated to BS EN248

system requirements

Can be installed on any system >0.5 Bar pressure

recommended operating pressure

Minimum operating pressure 0.5 bar.
Maximum operating pressure 8 bar.

note

Maximum surface thickness to fit tap is 35mm.
Attached using 'C' plate fixing kit included.



Hotels



Commercial



Residential

Twyford

Geberit Group

X52 low flow bath filler

1/4 turn ceramic cartridge



X52 Low Flow Bath Filler Deck Mounted

to specify/order:

Please use the product reference shown below.

X52 low flow bath filler

X52 Low Flow Bath Filler
Deck Mounted

X525255CP

finish

Chrome plated CP.

approvals

WRAS approved .
BREEAM compliant

standards

Chrome plated to BS EN248

system requirements




Can be installed on any system >0.5 Bar pressure

recommended operating pressure

Minimum operating pressure 0.5 bar.
Maximum operating pressure 8 bar.

note

Maximum surface thickness to fit tap is 18mm.
Metal back nuts included.



Bath Mixer – X525255CP

Flow Rate (Litres per minute)	0.5 Bar	1.0 Bar	2.0 Bar	3.0 Bar	4.0 Bar	5.0 Bar
Standard Mixed	8.46	10.21	14.70	17.43	19.78	21.84

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

X52 low flow bath shower mixer

1/4 turn ceramic cartridge
shower complies with BREEAM



X52 Low Flow Bath Shower Mixer 6 Litre Deck Mounted

to specify/order:

Please use the product reference shown below.

X52 low flow bath shower mixer

X52 Low Flow Bath Shower Mixer
6 Litre Deck Mounted

X525265CP

finish

Chrome plated CP.

approvals

WRAS approved.
BREEAM compliant

standards

Chrome plated to BS EN248

system requirements


Can be installed on any system >0.5 Bar pressure

recommended operating pressure

Minimum operating pressure 0.5 bar.
Maximum operating pressure 8 bar.

note

Maximum surface thickness to fit tap is 18mm.
Metal back nuts and shower head wall mounting bracket included.
To divert shower hose away from a protruding overflow, use XS0045CP shower hose connector.



Bath Shower Mixer – X525265CP

Flow Rate (Litres per minute)	0.5 Bar	1.0 Bar	2.0 Bar	3.0 Bar	4.0 Bar	5.0 Bar
Mixed Tap Outlet	7.66	9.81	14.30	16.83	19.08	21.34
Flow Limiter Fitted In Handset	2.75	3.40	5.05	5.95	5.85	5.98

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford
Geberit Group

X60 basin mono mixer

complete with ceramic cartridge & flexible tails
suitable for both high & low pressure applications
flow regulator can be added to control water usage & comply with BREEAM



X60 Basin Mono Mixer Inc Click Clack Waste

to specify/order:

Please use the product reference shown below.

X60 basin mono mixer

X60 Basin Mono Mixer

Inc Click Clack Waste

X605126CP

7.5 LPM Flow regulator

XS9075XX

finish

Chrome plated CP.

approvals

WRAS Approved

standards

Chrome plated to BS EN248

system requirements

Can be installed on any system

recommended operating pressure

Minimum operating pressure 0.2 bar.


Maximum operating pressure 5 bar.

note

Maximum surface thickness to fit tap is 44mm.

Easy fit clicker waste (slotted) included.

Attached using 'C' plate fixing kit included.



Deck Mounted Basin Mixer – X605126CP

Flow Rate (Litre's per minute)	0.2 Bar	0.5 Bar	1.0 Bar	2.0 Bar	3.0 Bar	5.0 Bar
Standard Mixed	4.8	7.9	11.7	16.5	22.2	25.9
Flow Limiter Fitted (Part No:XS9075XX)	2.20	3.70	5.20	6.70	6.40	6.5

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group


179

X60 basin mono mixer - mini

complete with ceramic cartridge & flexible tails
suitable for both high & low pressure applications
flow regulator can be added to control water usage & comply with BREEAM



X60 Basin Mono Mixer - Mini Inc Click Clack Waste



to specify/order:

Please use the product reference shown below.

X60 basin mono mixer - mini

X60 Basin Mono Mixer - Mini
Inc Click Clack Waste

X605122CP

4 LPM Flow regulator

XS9004XX

finish

Chrome plated CP.

approvals

WRAS Approved

standards

Chrome plated to BS EN248

system requirements

Can be installed on any system

recommended operating pressure

Minimum operating pressure 0.2 bar.

Maximum operating pressure 5 bar.

note

Maximum surface thickness to fit tap is 44mm. Easy fit clicker waste (slotted) included. Attached using 'C' plate fixing kit included.

Deck Mounted Mini Basin Mixer – X605122CP

Flow Rate (Litres per minute)	0.2 Bar	0.5 Bar	1.0 Bar	2.0 Bar	3.0 Bar	5.0 Bar
Standard Mixed	4.0	6.6	9.0	13.2	16.2	21.2
Flow Limiter Fitted (Part No:XS9004XX)	2.9	4.9	6.10	6.60	7.10	7.80

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group


180

X60 basin pillar taps

1/4 turn ceramic cartridge
suitable for both high & low pressure applications
flow regulator can be added to control water usage & comply with BREEAM



X60 Basin 1/2" Pillar Taps



to specify/order:

Please use the product reference shown below.

X60 basin pillar taps

X60 Basin 1/2" Pillar Taps

X605205CP

6 LPM Flow regulator

XS9006XX

finish

Chrome plated CP.

approvals

WRAS Approved

standards

Chrome plated to BS EN248

system requirements

Can be installed on any system

recommended operating pressure

Minimum operating pressure 0.2 bar.

Maximum operating pressure 5 bar.

note

Maximum surface thickness to fit tap is 33mm.

Plastic back nuts included.

1/2" Basin Pillar Taps – X605205CP

Flow Rate (Litres per minute)	0.2 Bar	0.5 Bar	1.0 Bar	2.0 Bar	3.0 Bar	5.0 Bar
Standard Mixed	6.6	11.1	16.1	22.7	27.6	35.8
Flow Limiter Fitted (Part No:XS9006XX)	2.8	4.7	5.7	6	6	6

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford


Geberit Group

X60 bath pillar taps

1/4 turn ceramic cartridge
suitable for both high & low pressure applications



X60 Bath 3/4" Pillar Taps



to specify/order:

Please use the product reference shown below.

X60 bath pillar taps

X60 Bath 3/4" Pillar Taps

X605215CP

finish

Chrome plated CP.

approvals

WRAS Approved

standards

Chrome plated to BS EN248

system requirements

Can be installed on any system

recommended operating pressure

Minimum operating pressure 1 bar.

Maximum operating pressure 5 bar.

note

Maximum surface thickness to fit tap is 33mm.

Plastic back nuts included.

3/4" Bath Pillar Taps – X605215CP

Flow Rate (Litres per minute)	0.2 Bar	0.5 Bar	1.0 Bar	2.0 Bar	3.0 Bar	5.0 Bar
Standard	11.6	19.7	28.5	40.4	49.5	63.9

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford


Geberit Group

X62 basin mono

complete with ceramic cartridge & flexible tails
suitable for both high & low pressure applications
flow regulator can be added to control water usage & comply with BREEAM



X62 Basin Mono Mixer Inc Click Clack Waste



to specify/order:

Please use the product reference shown below.

X62 basin mono

X62 Basin Mono Mixer
Inc Click Clack Waste

X625126CP

7.5 LPM Flow regulator

XS9075XX

finish

Chrome plated CP.

approvals

WRAS Approved

standards

Chrome plated to BS EN248

system requirements

Can be installed on any system

recommended operating pressure

Minimum operating pressure 0.3 bar.

Maximum operating pressure 5 bar.

note

Maximum surface thickness to fit tap is 44mm.

Easy fit clicker waste (slotted) included.

Attached using 'C' plate fixing kit included.

Deck Mounted Basin Mixer – X625126CP

Flow Rate (Litres per minute)	0.2 Bar	0.5 Bar	1.0 Bar	2.0 Bar	3.0 Bar	5.0 Bar
Standard Mixed	5.2	9.2	13.7	19.7	24.2	31.8
Flow Limiter Fitted (Part No:XS9075XX)	2.22	3.70	5.35	6.7	6.40	6.50

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford


Geberit Group

X62 basin mono mixer - mini

complete with ceramic cartridge & flexible tails
suitable for both high & low pressure applications
flow regulator can be added to control water usage & comply with BREEAM



X62 Basin Mono Mixer - Mini Inc Click Clack Waste



to specify/order:

Please use the product reference shown below.

X62 basin mono mixer - mini

X62 Basin Mono Mixer - Mini
Inc Click Clack Waste

X625122CP

7.5 LPM Flow regulator

XS9075XX

finish

Chrome plated CP.

approvals

WRAS Approved

standards

Chrome plated to BS EN248

system requirements

Can be installed on any system

recommended operating pressure

Minimum operating pressure 0.4 bar.

Maximum operating pressure 5 bar.

note

Maximum surface thickness to fit tap is 44mm.

Easy fit clicker waste (slotted) included.

Attached using 'C' plate fixing kit included.

Deck Mounted Mini Basin Mixer – X625122CP

Flow Rate (Litres per minute)	0.2 Bar	0.5 Bar	1.0 Bar	2.0 Bar	3.0 Bar	5.0 Bar
Standard Mixed	3.2	5.1	7.3	10.5	12.2	16
Flow Limiter Fitted (Part No:XS9075XX)	1.9	3.20	4.80	6.50	6.70	7.00

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

X62 bath filler - deck mounted

1/4 turn ceramic cartridge
suitable for both high & low pressure applications



X62 Bath Filler Deck Mounted

to specify/order:

Please use the product reference shown below.

X62 bath filler - deck mounted

X62 Bath Filler Deck Mounted

X625255CP

finish

Chrome plated CP.

approvals

WRAS Approved

standards

Chrome plated to BS EN248

system requirements

Can be installed on any system

recommended operating pressure


Minimum operating pressure 1 bar.

Maximum operating pressure 5 bar.

note

Maximum surface thickness to fit tap is 33mm.

Plastic back nuts included.



Deck Mounted Bath Filler – X625255CP

Flow Rate (Litres per minute)	0.2 Bar	0.5 Bar	1.0 Bar	2.0 Bar	3.0 Bar	5.0 Bar
Standard Mixed	9.4	15.9	23.1	32.7	37.8	46.03

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

185

X62 bath shower mixer

1/4 turn ceramic cartridge
suitable for both high & low pressure applications
flow regulator can be added to control water usage & comply with BREEAM



X62 Bath Shower Mixer Deck Mounted

to specify/order:

Please use the product reference shown below.

X62 bath shower mixer

X62 Bath Shower Mixer

Deck Mounted

X625265CP

8 LPM Flow regulator

XS9008XX

finish

Chrome plated CP.

approvals

WRAS Approved

standards

Chrome plated to BS EN248

system requirements

Can be installed on any system


recommended operating pressure

Minimum operating pressure 1 bar.

Maximum operating pressure 5 bar.

note

Maximum surface thickness to fit tap is 33mm. Plastic back nuts and shower head wall mounting bracket included.



Deck Mounted Bath Shower Mixer – X625265CP

Flow Rate (Litres per minute)	0.2 Bar	0.5 Bar	1.0 Bar	2.0 Bar	3.0 Bar	5.0 Bar
Mixed Tap Outlet	7.5	12.8	18.6	26.6	32.6	42.7
Handset	2.5	6.5	9.5	15.0	18.8	25.4
Flow Limiter Fitted In Handset (Part No:XS9008XX)	2.3	4.4	6	8	7.5	6.8

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford


Geberit Group

X70 basin mono

complete with ceramic cartridge & flexible tails
suitable for both high & low pressure applications
flow regulator can be added to control water usage & comply with BREEAM



X70 Basin Mono Mixer Inc Click Clack Waste



to specify/order:

Please use the product reference shown below.

X70 basin mono

X70 Basin Mono Mixer
Inc Click Clack Waste

X705126CP

7.5 LPM Flow regulator

XS9075XX

finish

Chrome plated CP.

approvals

WRAS Approved

standards

Chrome plated to BS EN248

system requirements

Can be installed on any system

recommended operating pressure

Minimum operating pressure 0.3 bar.
Maximum operating pressure 5 bar.

note

Maximum surface thickness to fit tap is 44mm. Easy fit clicker waste (slotted) included. Attached using 'C' plate fixing kit included.

Deck Mounted Basin Mixer – X705126CP

Flow Rate (Litres per minute)	0.2 Bar	0.5 Bar	1.0 Bar	2.0 Bar	3.0 Bar	5.0 Bar
Standard Mixed	4.9	8.3	12.2	17.5	21.4	27.1
Flow Limiter Fitted (Part No:XS9075XX)	2	3.60	5.20	6.6	6.30	6.2

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford


Geberit Group

X70 basin mono mixer - mini

complete with ceramic cartridge & flexible tails
suitable for both high & low pressure applications
flow regulator can be added to control water usage & comply with BREEAM



X70 Basin Mono Mixer - Mini Inc Click Clack Waste



to specify/order:

Please use the product reference shown below.

X70 basin mono mixer - mini

X70 Basin Mono Mixer - Mini
Inc Click Clack Waste

X705122CP

7.5 LPM Flow regulator

XS9075XX

finish

Chrome plated CP.

approvals

WRAS Approved

standards

Chrome plated to BS EN248

system requirements

Can be installed on any system

recommended operating pressure

Minimum operating pressure 0.2 bar.

Maximum operating pressure 5 bar.

note

Maximum surface thickness to fit tap is 44mm.

Easy fit clicker waste (slotted) included.

Attached using 'C' plate fixing kit included.

Deck Mounted Mini Basin Mixer – X705122CP

Flow Rate (Litres per minute)	0.2 Bar	0.5 Bar	1.0 Bar	2.0 Bar	3.0 Bar	5.0 Bar
Standard Mixed	5.6	9.7	13.9	19.8	24.3	31.2
Flow Limiter Fitted (Part No:XS9075XX)	2.2	3.60	5.20	6.70	6.4	6.20

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford


Geberit Group

X70 basin pillar taps

1/4 turn ceramic cartridge
suitable for both high & low pressure applications
flow regulator can be added to control water usage & comply with BREEAM



X70 Basin 1/2" Pillar Taps



to specify/order:

Please use the product reference shown below.

X70 basin pillar taps

X70 Basin 1/2" Pillar Taps

X705205CP

6 LPM Flow regulator

XS9006XX

finish

Chrome plated CP.

approvals

WRAS Approved

standards

Chrome plated to BS EN248

system requirements

Can be installed on any system

recommended operating pressure

Minimum operating pressure 0.2 bar.

Maximum operating pressure 5 bar.

note

Maximum surface thickness to fit tap is 33mm. Plastic back nuts included.

1/2" Basin Pillar Taps – X705205CP

Flow Rate (Litres per minute)	0.2 Bar	0.5 Bar	1.0 Bar	2.0 Bar	3.0 Bar	5.0 Bar
Standard	6.9	11.0	15.6	22.2	27.1	35.3
Flow Limiter Fitted (Part No:XS9006XX)	3	4.9	6	6	6	6

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

189

X70 bath filler - deck mounted

1/4 turn ceramic cartridge
suitable for both high & low pressure applications



X70 Bath Filler Deck Mounted

to specify/order:

Please use the product reference shown below.

X70 bath filler - deck mounted

X70 Bath Filler Deck Mounted

X705255CP

finish

Chrome plated CP.

approvals

WRAS Approved

standards

Chrome plated to BS EN248

system requirements

Can be installed on any system

recommended operating pressure


Minimum operating pressure 1 bar.

Maximum operating pressure 5 bar.

note

Maximum surface thickness to fit tap is 33mm.

Plastic back nuts included.



Deck Mounted Bath Filler – X705255CP

Flow Rate (Litres per minute)	0.2 Bar	0.5 Bar	1.0 Bar	2.0 Bar	3.0 Bar	5.0 Bar
Standard Mixed	13.4	22.4	32.2	45.9	56.2	72.6

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

190

X70 bath shower mixer

1/4 turn ceramic cartridge
suitable for both high & low pressure applications
flow regulator can be added to control water usage & comply with BREEAM



X70 Bath Shower Mixer Deck Mounted

to specify/order:

Please use the product reference shown below.

X70 bath shower mixer

X70 Bath Shower Mixer
Deck Mounted

X705265CP

8 LPM Flow regulator

XS9008XX

finish

Chrome plated CP.

approvals

WRAS Approved

standards

Chrome plated to BS EN248

system requirements

Can be installed on any system


recommended operating pressure

Minimum operating pressure 1 bar.

Maximum operating pressure 5 bar.

note

Maximum surface thickness to fit tap is 33mm. Plastic back nuts and shower head wall mounting bracket included.



Deck Mounted Bath Shower Mixer – X705265CP

Flow Rate (Litres per minute)	0.2 Bar	0.5 Bar	1.0 Bar	2.0 Bar	3.0 Bar	5.0 Bar
Mixed Tap Outlet	13.5	22.8	32.8	46.6	57	73.2
Handset	2.6	7.1	10.5	15.8	20.6	28.3
Flow Limiter Fitted In Handset (Part No:XS9008XX)	2.5	4.6	7	8	8	6.4

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential


Twyford
Geberit Group

X120 thermostatic shower bar valve

ceramic disc cartridge
separate temperature and flow controls



X120 Thermostatic Shower Bar Valve



to specify/order:

Please use the product reference shown below.

X120 thermostatic shower bar valve

X120 Thermostatic Shower Valve **X205112CP**

8 LPM Flow regulator

XS9008XX

shower rail

Sola shower rail, hose & head

SF1256CP

- Single function, smooth hose

Sola shower rail, hose & head

SF1261CP

- Multi function, braided hose

finish

Chrome plated CP.

system requirements

Gravity fed hot & cold (equal pressures)

Gravity fed hot & mains cold

(Differential pressure, max ratio 5:1)

Unvented systems

Instantaneous water heater (Combination boiler)

Pumped system

recommended operating pressure

Minimum operating pressure 1 bar.

Maximum operating pressure 5 bar.

Maximum static pressure 10 bar.

Hot supply temperature 55°C to 65°C

Cold supply temperature <20°C

Thermostatic Bar Shower Valve – X205112CP

Flow Rate (Litres per minute)	0.5 Bar	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar
No Flow Restrictor	8.6	10.9	15.7	19.6	23.8	25.0
Flow Restrictor Fitted (Part No:XS9008XX)	4.9	6.8	7.3	7.5	7.8	8.0

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential


Twyford
Geberit Group

X120 thermostatic shower valve

recessed and dual control with ceramic cartridge
suitable for both high & low pressure applications
flow regulator can be added to control water usage & comply with BREEAM



X120 Thermostatic Shower Valve



to specify/order:

Please use the product reference shown below.

X120 thermostatic shower valve

X120 Thermostatic Shower Valve **X205042CP**

8 LPM Flow regulator **XS9008XX**

shower rail

Sola shower rail, hose & head **SF1261CP**

finish

Chrome plated CP.

approvals

WRAS Approved

standards

Chrome plated to BS EN248

system requirements

Gravity fed hot & cold (equal pressures)
Gravity fed hot & mains cold
(Differential pressure, max ratio 5:1)
Unvented systems
Instantaneous water heater (Combination boiler)
Pumped system

Minimum cold water supply temp = 5°C
Maximum cold water supply temp = 25°C
Maximum Hot water supply temp = 80 °C

recommended operating pressure

Minimum operating pressure 0.2 bar.
Maximum operating pressure 5 bar.

note

Temperature pre set to max 42°C. Hose outlet included. Will fit a standard 1/2" BSP hose connector.

Thermostatic Recessed Shower Valve – X205042CP

Flow Rate (Litres per minute)	0.5 Bar	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar
Without Flow Regulator Fitted	13.4	19.6	28.4	34.9	39.9	44.0
Flow Limiter Fitted (Part No:XS9008XX)	6.0	7.5	8.0	8.0	8.0	8.0

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

193

accessories

to specify/order:

Please use the product reference shown below.
Suitable for X50, X60, X62, X70 & X120, refer to individual product pages



8 LPM Flow regulator

8 litres/min flow regulator

8 LPM Flow regulator for shower outlet

XS9008XX

finish

Chrome plated CP.



7.5 LPM Flow regulator

7.5 litres/min flow regulator

7.5 LPM Flow regulator for mono taps

XS9075XX

finish

Chrome plated CP.



6 LPM Flow regulator

6 litres/min flow regulator

6 LPM Flow regulator for 1/2" pillar tap

XS9006XX

finish

Plastic



4 LPM Flow regulator


4 litres/min flow regulator

4 LPM Flow regulator for X60 mini mono

XS9004XX

finish

Chrome plated CP.



Shower hose angled connector 1/2" BSP



shower hose connector

Shower hose angled connector 1/2" BSP

XS0045CP

finish

Chrome plated CP.

note

Use to divert shower hose away from a protruding overflow. Suitable for use with Bath Shower Mixers from "X" ranges.

All measurements shown are in millimetres.
Drawing sizes are not to scale.

sola 1/2" lever bib taps

back inlet lever action bib tap
BREEAM compliant when fitted with flow restrictor
shrouded metal quarter turn




Back inlet lever action bib taps



6" Long levers

48



92

118

to specify/order:

Please use the product reference shown below.

1/2" bib taps lever action

Back inlet, pair

SF2301CP

6" Long levers (pair)

SF2704CP

Basin tap flow regulator

6ltr/min (pair)

SF6006XX

plate - for bib taps:

77mm projection, pair

SF2701CP

115mm projection, pair

SF2702CP

115mm projection,

single, concealed

ZQ5567XX

finish

Chrome plated CP.

approvals

HBN 00-10 C, code TBH1

BREEAM (when flow restrictor fitted)

WRAS Approved

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Less Able

Twyford

Geberit Group


195

sola 1/2" cross head bib taps

back inlet bib taps cross head
BREEAM compliant when fitted with flow restrictor



Back inlet bib taps cross head



to specify/order:

Please use the product reference shown below.

1/2" bib taps cross head

Back inlet, pair **SF2302CP**

Basin tap flow regulator
6ltr/min (pair) **SF6006XX**

plate - for bib taps:

77mm projection, pair **SF2701CP**

115mm projection, pair **SF2702CP**

115mm projection,
single, concealed **ZQ5567XX**

finish

Chrome plated CP.

approvals

KIWA

BREEAM (when flow restrictor fitted)

WRAS Approved

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford

Geberit Group


196

sola non concussive bib tap

back inlet non concussive bib tap
water saving operation
complete with flow restrictor to meet with BREEAM



Non-concussive bib tap



to specify/order:

Please use the product reference shown below.

non-concussive bib tap

Single

SF2153CP

plate - for bib taps:

77mm projection, single

SF2705CP

115mm projection, single

SF2706CP

finish

Chrome plated CP.

approvals

WRAS Approved

recommended operating pressure

Minimum operating pressure 0.2 bar.

Maximum operating static pressure 10 bar.

Flow straightener.

note

At an inlet pressure of 1 bar taps
give approximately 10 seconds
(+ or - 3 seconds)
of flow after button is pressed.

Flow rates SF2153CP											
Pressure (bar)	0.1	0.2	0.4	0.6	0.8	1.0	2.0	3.0	4.0	5.0	
With restrictor (l/min)	2	3	4	5	6	6	7	7	7.5	7.5	
Without restrictor (l/min)	4	6	9	11	13	14.5	21	25.5	N/A	N/A	

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Less Able

Twyford


Geberit Group

sola 1/2" lever action taps

BREEAM compliant when fitted with flow restrictor



Lever action pillar taps



to specify/order:

Please use the product reference shown below.

1/2" lever action pillar taps

Pair

SF2401CP

6" Long levers (pair)

SF2704CP

Basin tap flow regulator

6ltr/min (pair)

SF6006XX

finish

Chrome plated CP.

approvals

HBN 00-10 C, code TP5

BREEAM (when flow restrictor fitted)

WRAS Approved

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford

Geberit Group


198

sola 1/2" cross head pillar taps

BREEAM compliant when fitted with flow restrictor



Cross head pillar taps



to specify/order:

Please use the product reference shown below.

1/2" basin cross head pillar taps

Pair

SF2201CP

Basin tap flow regulator

6ltr/min (pair)

SF6006XX

finish

Chrome plated CP.

approvals

BREEAM (when flow restrictor fitted)

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford

Geberit Group


199

sola 1/2" high neck lever taps

brass back nut
complete with open nozzle & flow straightener
BREEAM compliant when fitted with flow restrictor



High neck lever action pillar taps



to specify/order:

Please use the product reference shown below.

1/2" high neck lever action pillar taps

Pair **SF2403CP**

6" Long levers (pair) **SF2704CP**

Basin tap flow regulator

6ltr/min (pair) **SF6006XX**

extension tubes for use with

belfast sinks

Pair **SF2703CP**

finish

Chrome plated CP.

approvals

HBN 00-10 C, code TP3*, KIWA*,
BREEAM (when flow restrictor fitted)
WRAS Approved

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford

Geberit Group


200

sola 1/2" high neck cross head pillar taps

BREEAM compliant when fitted with flow restrictor



High neck cross head pillar taps



to specify/order:

Please use the product reference shown below.

1/2" high neck cross head pillar taps

Pair

SF2203CP

Basin tap flow regulator

6ltr/min (pair)

SF6006XX

extension tubes for use with belfast sinks

Pair

SF2703CP

finish

Chrome plated CP.

approvals

BREEAM (when flow restrictor fitted)

WRAS Approved

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford

Geberit Group


201

sola 1/2" non-concussive taps

complete with spray mixer & flow straightener
water saving operation
complete with flow restrictor to meet BREEAM



Non-concussive tap (pair)



to specify/order:

Please use the product reference shown below.

1/2" non-concussive tap

Single, hot and cold indice
Pair

SF2151CP

SF2152CP

finish

Chrome plated CP.

approvals

BSEN816

WRAS Approved

recommended operating pressure

Minimum operating pressure 0.5 bar.

Maximum operating pressure 10 bar.

note

Suitable for tap hole sizes 25-32mm.

At an inlet pressure of 1 bar taps
give approximately 15 seconds
(+ or - 3 seconds) of flow after
button is pressed.

Flow rates for SF2151CP and SF2152CP

Pressure (bar)	0.1	0.2	0.3	0.4	0.5	0.6	0.8	1	2	3	4	5
With restrictor (l/min) for BREEAM	1.8	2.4	2.9	3.4	3.8	4.2	4.8	5.3	6.5	7.4	7.9	8.3
Without restrictor (l/min)	3.8	5.3	6.7	7.6	8.5	9.3	10.8	12.0	17.0	20.4	N/A	N/A

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Less Able

Twyford

Geberit Group

202

lever action mixer

self draining spout
adjustable temperature limit stop



Lever action mixer

to specify/order:

Please use the product reference shown below.

sequential lever action mixer

With flexible tails

SF5347CP

thermostatic mixing valve

Single applications - 15mm

SF1037XX

finish

Chrome plated CP.

approvals

TMV2 & TMV3 Approved
when installed with SF1037XX




recommended operating pressure

Minimum recommended pressure 0.2 bar
maximum static pressure 10 bar



note

Suitable only for reasonably balanced hot and cold water supplies from a common source.



Sequential Lever Action Mixer Tap – SF5347CP

Flow Rate Max (Ltrs/Min)	0.2 Bar	0.5 Bar	1.0 Bar	2.0 Bar	3.0 Bar	5.0 Bar
With Flow Limiters	2.5	3.6	5.5	6.0	6.0	6.0
Without Flow Limiters	2.5	4.0	8.2	9.6	9.6	11.4

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford

Geberit Group


203

sola non-concussive tap

water saving operation
temperature controlled when fitted with mixing valve
complete with flow straightener



Non-concussive monobloc



to specify/order:

Please use the product reference shown below.

temperature controlled non-concussive monobloc

Single

SF2104CP

Flow restrictor 3.0 LPM x2

SF0200XX

thermostatic mixing valve

Single applications - 15mm

SF1037XX

finish

Chrome plated CP.

approvals

HBN 00-10 C, code TPP1

TMV2 & TMV3 Approved

when installed with SF1037XX

WRAS Approved



recommended operating pressure

Minimum operating pressure 0.5 bar (dynamic).

Maximum operating pressure 5 bar.

note

At an inlet pressure of 1 bar taps

give approximately 15 seconds

(+ or - 3 seconds) of flow after button
is pressed.

Flow Rate (litres per minute)	0.5 Bar	1.0 Bar	2.0 Bar	3.0 Bar	4.0 Bar	5.0 Bar
Standard	5.1	7.2	10.7	13.5	15.2	16.5
Flow Restrictor (Fitted) (No. SF0200XX)	3.0	3.0	3.0	3.0	3.0	3.0

All measurements shown are in millimetres. Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial

Twyford

Geberit Group

204

sola touch tap

water saving operation
easy to use by less able & children
battery operated



Touch tap electronic monobloc

to specify/order:

Please use the product reference shown below.

touch tap monobloc

Single

SF2105CP

Flow restrictor 4 LPM x1

SF0378XX

thermostatic mixing valve

Single applications - 15mm

SF1037XX

sola electric conversion kit

Conversion kit

SF2600XX

finish

Chrome plated CP.

approvals

BREEAM compliant.

TMV2 & TMV3 Approved

when installed with SF1037XX

WRAS Approved



recommended operating pressure

Minimum operating pressure 0.5 bar (dynamic).

Maximum operating pressure 8 bar.

note

Touch tap to activate and shut off.


Default auto shut off time is approx.

20 seconds which can be adjusted to up to 60 seconds.

Power supply 9V battery.

Battery life approximately 4 years with 150 operations per day.

Flow restrictor fitted, which can be removed if required and replaced with flow straightener.



Flow Rate (litres per minute)	0.5 Bar	1.0 Bar	1.5 Bar	2.0 Bar	2.5 Bar	3.0 Bar
Standard	0.12	0.12	0.12	0.12	0.12	0.12
Flow Restrictor Fitted (Part No: SF0378XX)	0.08	0.12	0.12	0.12	0.12	0.12

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Less Able

Twyford

Geberit Group

205

sola wall basin mixer

wall mounted mixer with concealed fixings



to specify/order:

Please use the product reference shown below.

wall mounted basin mixer

Wall mounted basin mixer

SF2501CP

finish

Chrome plated CP.

approvals


WRAS Approved

recommended operating pressure

Minimum operating pressure 0.5 bar.

Maximum static pressure 10 bar.

Wall mounted basin mixer



Flow rates SF2501CP

Pressure (bar)	0.1	0.2	0.3	0.5	1	2
l/min	3.2	6.2	7.8	9.8	15	19

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial

Twyford

Geberit Group


206

sola infra-red tap - battery

Timed flow control automatically shuts off water flow
Hygiene flush after 24 hours of none use
Copper inlets as standard



Sola infra-red tap - battery



to specify/order:

Please use the product reference shown below.

infra red monobloc

Single - battery operated

SF2610CP

thermostatic mixing valve

Single applications - 15mm

SF1037XX

finish

Chrome plated CP.

approvals

WRAS approved

recommended operating pressure

Minimum operating pressure 1 bar.
Maximum operating pressure 5 bar.
Maximum static pressure 8 bar

note

Supplied with full service and maintenance instructions.
Suitable for tap hole sizes 30-36mm.
Hygiene flush after 24 hours of none use.
Hygiene flush on time 10 seconds.
Battery Life 100,000 cycles (approx).

Infra Red Tap – SF2610CP

Flow Rate (Litres per minute)	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar
With Fitted Flow Regulator	2.6	3.3	3.6	3.8	4.2
With Supplied Flow Regulator	5.6	6.7	7.0	7.5	7.6
Without Flow Regulator	12.1	16.7	20.1	24.3	29.9



Hotels



Healthcare



Education



Commercial



Less Able

Twyford

Geberit Group


207

sola infra-red tap - mains

Timed flow control automatically shuts off water flow
Hygiene flush after 24 hours of none use
Copper inlets as standard



Sola infra-red tap - mains



Infra Red Tap – SF2611CP

Flow Rate (Litres per minute)	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar
With Fitted Flow Regulator	2.6	3.3	3.6	3.8	4.2
With Supplied Flow Regulator	5.6	6.7	7.0	7.5	7.6
Without Flow Regulator	12.1	16.7	20.1	24.3	29.9

to specify/order:

Please use the product reference shown below.

infra red monobloc

Single - mains operated

SF2611CP

thermostatic mixing valve

Single applications - 15mm

SF1037XX

finish

Chrome plated CP.

approvals

WRAS approved

recommended operating pressure

Minimum operating pressure 1 bar.
Maximum operating pressure 5 bar.
Maximum static pressure 8 bar

note

Supplied with full service and maintenance instructions.
Suitable for tap hole sizes 30-36mm.
Hygiene flush after 24 hours of none use.
Hygiene flush on time 10 seconds.



Hotels



Healthcare



Education



Commercial



Less Able

Twyford




Geberit Group

208

sola thermostatic basin mixer with fixed spout

self-draining spout
open hole outlet
flexible or copper hoses as standard

Sola Thermostatic Basin Mixer Tap



to specify/order:

Please use the product reference shown below.

sola thermostatic basin mixer tap

*Including flexible hoses and service valve

SF1138CP

sola thermostatic basin mixer tap

Including copper tails and service valve

SF1140CP

finish

Chrome plated CP.

approvals

BREEAM compliant.

TMV3 Approved

*WRAS Approved



recommended operating

pressure

Maximum inlet pressure Static 12bar

Maximum Recommended operating pressure 5bar

Minimum Operating Pressure 0.2bar

Maximum Inlet temperature 85°C

Minimum Inlet temperature 10°C

Maximum un-balanced pressure ratio (without flow regulator) 5:1

*Minimum Temperature differential 10°C

Pre-set Factory outlet temperature 38°C

*Temperature difference between inlet temperature (Hot or Cold) and outlet temperature to ensure failsafe operation.

Sola Thermostatic Basin Mixer Tap - SF1138CP/SF1140CP

Flow Rate (Litres per minute)	0.5 Bar	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar
With Flow Regulators Fitted	2.7	3.1	3.7	3.8	4.1	4.2

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Less Able

Twyford

Geberit Group


209

sola thermostatic basin mixer with detachable spout

cool touch
removable spout suitable for autoclaving
self-draining spout with smooth internals and open hole outlet



Sola Thermostatic Basin Mixer with Detachable Spout



to specify/order:

Please use the product reference shown below.

thermostatic basin mixer tap

Single lever sequential
thermostatic basin mixer tap:
Including copper tails and
service valves

SF1139CP

finish

Chrome plated CP.

approvals

BREEAM compliant.
TMV3 Approved.
HBN 00-10 C, code TP6, HBN-04-01-A
WRAS Approved



recommended operating pressure

Maximum Inlet pressure Static	12bar
Maximum Recommended operating pressure	5bar
Minimum Operating Pressure	0.2bar
Maximum Inlet temperature	85°C
Minimum Inlet Temperature	10°C
Maximum un-balanced pressure ratio (without flow regulator)	5:1
Maximum Un-balance pressure ratio (with flow regulator)	15:1
*Minimum Temperature differential	10°C
Pre-set Factory Outlet Temperature	38°C

*Temperature difference between inlet temperature (Hot or Cold) and outlet temperature to ensure failsafe operation.

Sola Thermostatic Basin Mixer with Detachable Spout - SF1139CP

Flow Rate (Litres per minute)	0.5 Bar	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar
With Flow Regulators Fitted	2.7	2.9	3.5	3.9	4.3	4.4

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Less Able

Twyford


Geberit Group

210

thermostatic mixing valves

to specify/order:

Please use the product reference shown below.




15mm Mixing valve

thermostatic mixing valve
Single applications - 15mm

SF1037XX

finish
Chrome plated.

approvals
TMV2
TMV3
WRAS Approved



22mm Mixing valve

thermostatic mixing valve
Single applications - 22mm

SF1038XX

finish
Chrome plated.

approvals
TMV2
TMV3
WRAS Approved



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Less Able

Twyford

Geberit Group

sola thermostatic dm surgeons mixer lever

flow straightener compliant to HTM 04-01
removable spout version suitable for autoclaving
self draining spout with smooth internals



Deck mounted

to specify/order:

Please use the product reference shown below.

sola thermostatic surgeons mixer, lever, including

Deck mounted, fixed spout **SF1133CP**
Deck mounted, detachable spout **SF1134CP**

finish

Chrome plated CP

approvals

BREEAM compliant
TMV3
WRAS Approved



recommended operating pressure


Minimum operating pressure 1 bar.
Maximum static pressure 12 bar.
Maximum dynamic pressure 5 bar.

available accessories

Flushing kit **SF0115XX**
Filter housing removal tool **SF0116XX**
Removable spout **SF0117CP**
Nozzle outlet **SF0118CP**

additional features

- One piece thermostatic cartridge
- Complete with brass back nuts
- Built in pasteurisation facility
- Isolation valves, check valves & filters front accessible
- Cool touch body



Manual Surgeons Mix SF1133/4CP

CP

Flow Rate (Litres per minute)	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar
With Flow Regulators Fitted	4.1	4.6	5.1	6	6

All measurements shown are in millimetres.
Drawing sizes are not to scale.




Twyford
Geberit Group

sola thermostatic wm surgeons mixer lever

flow straightener compliant to HTM 04-01
removable spout version suitable for autoclaving
self draining spout with smooth internals



Wall mounted



to specify/order:

Please use the product reference shown below.

sola thermostatic surgeons mixer, lever, including

Wall mounted, fixed spout **SF1131CP**
Wall mounted, detachable spout **SF1132CP**

finish

Chrome plated CP

approvals

BREEAM compliant

TMV3

WRAS Approved

HBN 00-10 C, code TB H2A



recommended operating pressure

Minimum operating pressure 1 bar.

Maximum static pressure 12 bar.

Maximum dynamic pressure 5 bar.

available accessories

Flushing kit **SF0115XX**
Filter housing removal tool **SF0116XX**
Removable spout **SF0117CP**
Nozzle outlet **SF0118CP**

additional features

- One piece thermostatic cartridge
- complete with brass back nuts
- Built in pasteurisation facility
- Isolation valves, check valves & filters front accessible
- Cool touch body

Manual Surgeons Mixer – SF1131/2 CP

Flow Rate (Litres per minute)	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar
With Flow Regulators Fitted	4.1	4.6	5.1	6	6

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Twyford


Geberit Group

sola thermostatic surgeons mixer infrared

- removable spout version suitable for autoclaving
- self draining spout with smooth internals
- 24 hour automatic hygiene flush (flow time 60 seconds)



Detachable spout



to specify/order:

Please use the product reference shown below.

sola thermostatic wall mounted surgeons mixer,
infrared, including

Fixed spout

SF1129CP

Detachable spout

SF1130CP

Electric 240v conversion kit

SF1020CP

finish

Chrome plated CP

approvals

BREEAM compliant

TMV3

WRAS Approved

HBN 00-10 C, code TB H6



recommended operating pressure

Minimum operating pressure 1 bar.

Maximum static pressure 12 bar.

Maximum dynamic pressure 5 bar.

available accessories

Flushing kit

SF0115XX

Filter housing removal tool

SF0116XX

Removable spout

SF0117CP

Nozzle outlet

SF0118CP

additional features

- Infrared operation, wave on/off with 60 second pre-set flow times
- Cool touch body
- One piece thermostatic cartridge
- Compliant to HTMD401, PRH8941.0.6, HBN00.09
- Built in pasteurisation facility
- Isolation valves, check valves & filters front accessible

Infra Red Surgeons Mixer – SF1129CP & SF1130CP

Flow Rate (Litre's per minute)	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar
With Flow Regulators Fitted	4.1	4.6	5.1	6	6

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Healthcare



Commercial

Twyford
Geberit Group


Geberit Group

sola infra red spout

sensor underside of tap for hygienic non-touch operation
automatically stops after 70 seconds maximum
battery or mains powered



Sola wall mounted infra red spout, round



to specify/order:

Please use the product reference shown below.

wall mounted infra red spout

Round **SF1249CP**

thermostatic mixing valve

Single applications 15mm **SF1037XX**

finish

Chrome plated CP.

approvals

TMV2 & TMV3 Approved when
installed with SF1037XX
BREEAM compliant
WRAS Approved



recommended operating pressure

Min. operating pressure 0.5 bar
Maximum operating pressure 5.0 bar

power

Mains
Transformer 220-240V AC 50Hz 0.2A

battery

6V DC (4x AA, provided)

note

Flow - up to 70 seconds

Wall Mounted Infra-Red Spout, Round – SF1249CP

Flow Rate Max (Ltrs/Min)	0.5 Bar	1 Bar	1.5 Bar	2.0 Bar	3.0 Bar	5.0 Bar
With Flow Limiter fitted	4.3	3.8	3.8	3.8	3.8	3.8

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Commercial

Twyford

Geberit Group


215

sola infra red spout

sensor underside of tap for hygienic non-touch operation
automatically stops after 70 seconds maximum
battery or mains powered



Sola wall mounted infra red spout, square



to specify/order:

Please use the product reference shown below.

wall mounted infra red spout

Square

SF1250CP

thermostatic mixing valve

Single applications 15mm

SF1037XX

finish

Chrome plated CP.

approvals

TMV2 & TMV3 Approved when

installed with SF1037XX

BREEAM compliant

WRAS Approved



recommended operating pressure

Min. operating pressure 0.5 bar

Maximum operating pressure 5.0 bar

power

Mains

Transformer 220-240V AC 50Hz 0.2A

battery

6V DC (4x AA, provided)

note

Flow - up to 70 seconds

Wall Mounted Infra-Red Spout, Square – SF1250CP

Flow Rate Max (Ltrs/Min)	0.5 Bar	1 Bar	1.5 Bar	2.0 Bar	3.0 Bar	5.0 Bar
With Flow Limiter fitted	4.3	3.8	3.8	3.8	3.8	3.8

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Commercial

Twyford

Geberit Group

216

sola surgeons mixer accessories

accessories suitable for use with sola thermostatic surgeons mixer
refer to individual product pages for where used



Flushing kit

flushing kit
Flushing kit
SF0115XX

finish
Brass.



Filter housing removal tool

filter housing removal tool
Filter housing removal tool
SF0116XX

finish
Brass.



Removable spout

removable spout
Removable spout
SF0117CP

finish
Chrome plated CP.



Nozzle outlet

nozzle outlet
Nozzle outlet
SF0118CP

finish
Chrome plated CP.


All measurements shown are in millimetres.
Drawing sizes are not to scale.

sola thermostatic concealed shower valves

antiscald failsafe technology
thermostatic control
ergonomic operation



sola thermostatic shower
valve - concealed



to specify/order:

Please use the product reference shown below.

thermostatic shower valve

Concealed valve	SF1137CP
Concealed valve inc. Wall Outlet Elbow	SF1555CP

shower rail

Sola Shower rail, hose & head - single function, smooth hose	SF1256CP
Sola Shower rail, hose & head - multi function, braided hose	SF1261CP

finish

Chrome plated CP.

approvals

HBN 00-10 C, code (TM1)
WRAS Approved

system requirements

Suitable for use with unvented supplies, combi
boilers, gravity and mains pressure
systems.

recommended operating pressure

Max Inlet pressure static 10 Bar.
Max recommended dynamic pressure 5 Bar.
Min operating pressure dynamic 0.2 Bar.
Max unbalanced pressure ratio 5:1.
Inlet connections 15mm.
Outlet connections 1/2".
Max inlet temperature 85°C.
Min Temp differential to ensure failsafe
between hot and cold supplies 10°C.

note

Pre-set factory temperature setting 38°C.
Suitable for use with unvented supplies,
combi boilers, gravity and mains pressure
systems.

Sola TMV3 Shower Valve, Concealed - SF1137CP & SF1555CP						
Pressure	0.5 Bar	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar
Flow Rate (Litres per minute)	8.6	10.5	15.2	18.8	22.6	24.5



Hotels



Education



Commercial



Residential



Less Able

Twyford

Geberit Group

sola thermostatic exposed shower valves


antiscald failsafe technology
thermostatic control
ergonomic operation




sola thermostatic shower
bottom outlet



sola thermostatic shower
top outlet



Bottom outlet



Top outlet

to specify/order:

Please use the product reference shown below.

thermostatic shower valve

Exposed valve bottom outlet

SF1136CP

Exposed valve top outlet

SF1135CP

shower rail

Sola Shower rail, hose & head

SF1256CP

- single function, smooth hose

Sola Shower rail, hose & head

SF1261CP

- multi function, braided hose

finish

Chrome plated CP.

approvals

WRAS Approved

system requirements

Suitable for use with unvented supplies, combi boilers, gravity and mains pressure systems.

recommended operating pressure

Max Inlet pressure static 10 Bar.

Max recommended dynamic pressure 5 Bar.

Min operating pressure dynamic 0.2 Bar.

Max unbalanced pressure ratio 5:1.

Inlet connections 15mm.

Outlet connections 1/2".

Max inlet temperature 85°C.

Min Temp differential to ensure failsafe between hot and cold supplies 10°C.

note

Pre-set factory temperature setting 38°C.

Suitable for use with unvented supplies, combi boilers, gravity and mains pressure systems.

Sola TMV3 Shower Valve, Exposed - SF1135CP & SF1136CP

Pressure	0.5 Bar	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar
Flow Rate (Litres per minute)	8.4	11.4	15.2	18.6	22.1	23.9



Hotels



Healthcare



Education



Commercial



Residential



Less Able


Twyford

Geberit Group

219

sola non-concussive shower

exposed non-concussive shower valve and anti-vandal head
flow restrictor fitted to meet BREEAM



to specify/order:

Please use the product reference shown below.

non-concussive shower valve and vandal resistant head

Exposed

SF1205CP

thermostatic mixing valve

Single applications - 15mm

SF1037XX

finish

Chrome plated CP.

approvals

BREEAM compliant

*TMV2 & TMV3 Approved

when installed with SF1037XX



recommended operating

pressure

Minimum operating pressure 0.1 bar.

Maximum rec. operating pressure 3 bar.

note

At an inlet pressure of 1 bar valve gives
approximately 25 seconds (+ or - 3

seconds) of flow after button is pressed.

Inlet connections 15mm.

Outlet connections 2 x 1/2" BSP.

sola non-concussive thermostatic shower valve & head - exposed

Flow rates SF1205CP									
Pressure (bar)	0.1	0.2	0.5	1.0	2.0	3.0	4.0	5.0	
Without restrictor (l/min)	2.6	4.3	7.1	10.6	15.4	19.1	19.8	25.8	
With restrictor (l/min) for BREEAM	1.7	3.1	4.9	7.1	8.5	8.7	8.2	8.6	

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial


Twyford

Geberit Group

220

sola shower panel

pre plumbed ready to install
single function handset and easy clean hose



to specify/order:

Please use the product reference shown below.

sola shower panel
Including kit

SF1211CP

finish

Stainless Steel

approvals

TMV3

BREEAM compliant

WRAS approved



recommended operating pressure

Minimum pressure drop: 0.5 bar

Maximum operating pressure: 5 bar

Maximum static pressure: 10 bar

note

Pre-set factory temperature setting
43 degrees C.

Inlet connection 15mm

sola shower panel including kit

Flow rates SF1211CP									
Pressure (bar)	0.1	0.2	0.5	1.0	2.0	3.0	4.0	5.0	
Flow rate (l/min)	-	-	6	8	8.2	8.4	8.6	8.5	

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial


Twyford

Geberit Group

221

sola shower fittings

soap dish
height adjustable handset
available as single or three mode handset



sola shower rail, hose & head - single function

Riser Rail Shower kit, Single Function Head - SF1256CP						
Flow Rate (Litres per minute)	0.5	1.0	2.0	3.0	4.0	4.0
Without Flow Regulator Fitted	9.2	12.7	18.2	22.3	26.	29.1
8 ltr/min Flow Limiter (Supplied)	5.4	7.1	8.4	7.8	7.5	7.6

Shower rail, hose & head

Sola Shower Rail Hose & Head

Single Function, smooth hose

SF1256CP

*Outlet Boss

SF1150CP

finish: Chrome plated CP

approvals

WRAS approved


recommended operating pressure

Min. operating pressure 0.1 bar.

Max. dynamic pressure 5 bar.

1500mm hose.

* When used with a Concealed shower



sola shower rail, hose & head - multi function

Riser Rail Shower kit, Multi Function Head - SF1261CP						
Flow Rate (Litres per minute)	0.5	1.0	2.0	3.0	4.0	4.0
Without Flow Regulator Fitted	10.2	14.2	18.9	24.0	27.1	30.5

All measurements shown are in millimetres.
Drawing sizes are not to scale.

Shower rail, hose & head

Sola Shower Rail Hose & Head

- Multi Function, braided hose

SF1261CP

8 LPM Flow regulator

XS9008XX

*Outlet Boss

SF1150CP

finish: Chrome plated CP

approvals

WRAS approved

recommended operating pressure

Min. operating pressure 0.1 bar.

Max. dynamic pressure 5 bar.

1500mm hose.

* When used with a Concealed shower



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford


Geberit Group

222

sola shower fittings

to specify/order:

Please use the product reference shown below.



Shower vandal resistant head

SF1353CP

finish

Chrome plated CP.

approvals

BREEAM compliant

WRAS Approved

recommended operating pressure

Minimum operating pressure 0.2 bar.

Maximum operating pressure 10 bar.

note

Flow regulator fitted, remove if not required.

Single flow.


Durable.



sola shower vandal resistant head

Vandal Resistant Shower Head - SF1353CP

Flow Rate (Litres per minute)	1 Bar	1.5 Bar	2 Bar	2.5 Bar	3 Bar	4 Bar	5 Bar
8 lt/min Flow Limiter Fitted (supplied)	4.9	5.5	6.3	6.8	7.4	8.0	8.3



Shower diverter

SF1304CP

finish

Chrome plated CP.

note

3 way diverter with central off position.

sola shower diverter

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Less Able


Twyford

Geberit Group

223

accessories

suitable for sola bib taps,
refer to individual product pages



Back inlet bib tap
extension tube/wall plate

1/2" bib taps extension tube/wall plate - for bib taps:

77mm projection, pair
77mm projection, single
115mm projection, pair
115mm projection, single
115mm projection,
single, concealed

SF2701CP
SF2705CP
SF2702CP
SF2706CP

ZQ5567XX

finish: Chrome plated CP.

All measurements shown are in millimetres. Drawing sizes
are not to scale.

Twyford

Geberit Group

224

Showering



geo pivot door

6mm toughened safety glass with PRO Clean glass coating for easy cleaning
Magnet-closing door to provide a watertight seal
Reversible doors. No RH or LH variants



to specify/order:

Please use the product reference shown below.

pivot door

760mm, LH or RH	560.105.00.2
800mm, LH or RH	560.115.00.2
900mm, LH or RH	560.125.00.2

(Above supplied with standard wall profiles that give 25mm adjustment per side)

side panel

Side panel 760mm, LH or RH	560.107.00.2
Side panel 800mm, LH or RH	560.117.00.2
Side panel 900mm, LH or RH	560.127.00.2

tray

Please refer to shower trays.

extension profile

Extension profile for extra 25mm adjustment	560.199.00.1
---	---------------------

material

Aluminium frame, 6mm toughened safety glass with protective coating.

finish/colour



Polished silver frame, clear glass.

note

Can be installed to open from left or right.

Geo pivot door

Product Number	Description	W Nom Width mm	E Entry Width mm	W Adjustment Range mm
560.105.00.2	Pivot Door 760mm	760	447	710-760
560.115.00.2	Pivot Door 800mm	800	487	750-800
560.125.00.2	Pivot Door 900mm	900	587	850-900



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

226

geo bifold door

6mm toughened safety glass with PRO Clean glass coating for easy cleaning
Magnet-closing door to provide a watertight seal
Reversible doors. Can be installed left or right handed



to specify/order:

Please use the product reference shown below.

bifold door

760mm, LH or RH **560.106.00.2**

800mm, LH or RH **560.116.00.2**

900mm, LH or RH **560.126.00.2**

(Above supplied with standard wall profiles that give 25mm adjustment per side)

side panel

Side panel 760mm, LH or RH **560.107.00.2**

Side panel 800mm, LH or RH **560.117.00.2**

Side panel 900mm, LH or RH **560.127.00.2**

tray

Please refer to shower trays.

extension profile

Extension profile for extra 25mm adjustment

560.199.00.1

material

Aluminium frame, 6mm toughened safety glass with protective coating.

finish/colour

Polished silver frame, clear glass.



note

Can be installed to open from left or right.

*side panels to be ordered separately

Geo bifold door

Product Number	Description	W Nom Width mm	E Entry Width mm	SI Swing Inward mm	W Adjustment Range mm
560.106.00.2	Bi-fold Door 760mm	760	428	314	710-760
560.116.00.2	Bi-fold Door 800mm	800	468	335	750-800
560.126.00.2	Bi-fold Door 900mm	900	568	387	850-900



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential


Twyford

Geberit Group

227

geo corner entry

6mm toughened safety glass with PRO Clean glass coating for easy cleaning
Minimalistic profile handle design
Spring loaded door buffer



Geo corner entry

to specify/order:

Please use the product reference shown below.

corner entry

800mm

560.112.00.2

900mm

560.122.00.2

(Above supplied with standard wall profiles that give 25mm adjustment per side)

tray

Please refer to shower trays.

extension profile

Extension profile for extra
25mm adjustment

560.199.00.1



material

Aluminium frame, 6mm toughened safety glass
with protective coating.

finish/colour

Polished silver frame, clear glass.

Product Number	Description	W Nom Width mm	E Entry Width mm	W Adjustment Range mm
560.112.00.2	Corner Entry 800 x 800mm	800	431	775-800
560.122.00.2	Corner Entry 900 x 900mm	900	502	875-900



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

228

geo quadrant

6mm toughened safety glass with PRO Clean glass coating for easy cleaning
Minimalistic profile handle design
Spring loaded door buffer



to specify/order:

Please use the product reference shown below.

quadrant

800 x 800mm **560.111.00.2**
900 x 900mm **560.121.00.2**
(Above supplied with standard wall profiles
that give 25mm adjustment per side)

trays

Please refer to shower trays.

extension profile

Extension profile for extra
25mm adjustment **560.199.00.1**

material



Aluminium frame, 6mm toughened safety glass
with protective coating.

finish/colour

Polished silver frame, clear glass.

Geo quadrant

Product Number	Description	W Nom Width mm	E Entry Width mm	W Adjustment Range mm
560.111.00.2	Quadrant Door 800 x 800mm	800	410	775-800
560.121.00.2	Quadrant Door 900 x 900mm	900	562	875-900



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

geo sliding door 6mm

6mm toughened safety glass with PRO Clean glass coating for easy cleaning

Minimalistic profile handle design

Reversible doors. No RH or LH variants



Geo sliding door

to specify/order:

Please use the product reference shown below.

sliding door 6mm

1000mm, LH or RH **560.133.00.2**

1100mm, LH or RH **560.143.00.2**

1200mm, LH or RH **560.153.00.2**

1400mm, LH or RH **560.163.00.2**

1500mm, LH or RH **560.173.00.2**

1600mm, LH or RH **560.183.00.2**

1700mm, LH or RH **560.193.00.2**

(Above supplied with standard wall profiles that give 25mm adjustment per side)

side panel

760mm, LH or RH **560.107.00.2**

800mm, LH or RH **560.117.00.2**

900mm, LH or RH **560.127.00.2**

trays

Please refer to shower trays.

extension profile

Extension profile for extra 25mm adjustment

560.199.00.1

material

Aluminium frame, 6mm toughened safety glass with protective coating.



finish/colour

Polished silver frame, clear glass.

note

Can be installed to open from left or right.

Product Number	Description	W Nom Width mm	E Entry Width mm	W Adjustment Range mm
560.133.00.2	Sliding Door 1000mm	1000	382	950-1000
560.143.00.2	Sliding Door 1100mm	1100	432	1050-1100
560.153.00.2	Sliding Door 1200mm	1200	482	1150-1200
560.163.00.2	Sliding Door 1400mm	1400	582	1350-1400
560.173.00.2	Sliding Door 1500mm	1500	630	1450-1500
560.183.00.2	Sliding Door 1600mm	1600	683	1550-1600
560.193.00.2	Sliding Door 1700mm	1700	733	1650-1700



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

230

geo sliding door 8mm

8mm toughened safety glass with PRO Clean glass coating for easy cleaning
Minimalistic profile handle design
Reversible doors. No RH or LH variants



to specify/order:

Please use the product reference shown below.

sliding door 8mm

1200mm, LH or RH **560.154.00.2**

1400mm, LH or RH **560.164.00.2**

1500mm, LH or RH **560.174.00.2**

(Above supplied with standard wall profiles that give 25mm adjustment per side)

side panel

760mm, LH or RH **560.107.00.2**

800mm, LH or RH **560.117.00.2**

900mm, LH or RH **560.127.00.2**

trays

Please refer to shower trays.

extension profile

Extension profile for extra
25mm adjustment

560.199.00.1

material

Aluminium frame, 8mm toughened safety glass with protective coating.

finish/colour



Polished silver frame, clear glass.

note

Can be installed to open from left or right.

Geo sliding door

Product Number	Description	W Nom Width mm	E Entry Width mm	W Adjustment Range mm
560.154.00.2	Sliding Door 1200mm	1200	482	1150-1200
560.164.00.2	Sliding Door 1400mm	1400	582	1350-1400
560.174.00.2	Sliding Door 1500mm	1500	630	1450-1500



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

231

geo side panel



6mm toughened safety glass with PRO Clean glass coating for easy cleaning

Modern design

Reversible screens. No RH or LH variants



Geo side panel

to specify/order:

Please use the product reference shown below.

side panel

760mm, LH or RH **560.107.00.2**

800mm, LH or RH **560.117.00.2**

900mm, LH or RH **560.127.00.2**

tray

Please refer to shower trays.



material

Aluminium frame, 6mm toughened safety glass with protective coating

finish/colour

Polished silver frame, clear glass.

Product Number	Description	W Nom Width mm	W Adjustment range mm
560.107.00.2	Side Panel 760mm	760	735 - 760
560.117.00.2	Side Panel 800mm	800	775 - 800
560.127.00.2	Side Panel 800mm	900	875 - 900



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

232

geo walk in flat panel

8mm toughened safety glass with PRO Clean glass coating for easy cleaning
15mm adjustment range



Geo side panel

to specify/order:

Please use the product reference shown below.

side panel

800mm, LH or RH	560.119.00.2
900mm, LH or RH	560.129.00.2
1000mm, LH or RH	560.139.00.2
1100mm, LH or RH	560.149.00.2
1200mm, LH or RH	560.159.00.2
1400mm, LH or RH	560.169.00.2

tray

Please refer to shower trays.

material

Aluminium frame, 8mm toughened safety glass with protective coating


finish/colour

Polished silver frame, clear glass

note

Can be installed from the left or right

Product Number	Description	W Nom Width mm	W Adjustment range mm
560.119.00.2	Walk-in Flat Panel 800mm	800	785 - 800
560.129.00.2	Walk-in Flat Panel 900mm	900	885 - 900
560.139.00.2	Walk-in Flat Panel 1000mm	1000	985 - 1000
560.149.00.2	Walk-in Flat Panel 1100mm	1100	1085 - 1100
560.159.00.2	Walk-in Flat Panel 1200mm	1200	1185 - 1200
560.169.00.2	Walk-in Flat Panel 1400mm	1400	1385 - 1400



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

233

geo single panel bath screen

6mm toughened safety glass with PRO Clean glass coating for easy cleaning
pivots through 180°
Reversible screens. No RH or LH variants



to specify/order:

Please use the product reference shown below.

bath screen

Single panel bath screen
1500 x 850mm, LH or RH

560.118.00.2


material

Aluminium frame, 6mm toughened safety glass
with protective coating.

finish/colour

Polished silver frame, clear glass.

Geo single panel bath screen



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group


234

twyford trays - square flat top

simple, stylish, low profile
legs & panel kit & waste to be ordered separately



Square flat top tray



Part Number	Description	A	B
TR6111WH	760 x 760 4 Flat Top Tray	770	770
TR6121WH	800 x 800 4 Flat Top Tray	810	810
TR6131WH	900 x 900 4 Flat Top Tray	910	910
TR6141WH	1000 x 1000 4 Flat Top Tray	1010	1010

All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

square - flat top shower tray

760 x 760mm

TR6111WH

800 x 800mm

TR6121WH

900 x 900mm

TR6131WH

1000 x 1000mm

TR6141WH

accessories

Standard legset & panel kit
(for trays up to 1200mm)

TR6012WH

90mm high flow waste kit,
chrome plated

SF8888XX

material

Tray: 2/2.5mm acrylic capped ABS, reinforced
with limestone filled polyconcrete.

Panel: 2mm gloss UPVC (Unplasticized polyvinyl
chloride).

colours

White WH.

note

All trays can be installed flat to floor, or used
in conjunction with legset & panel kit (to be
ordered separately).



Hotels



Healthcare



Education



Commercial




Residential


Twyford
Geberit Group

twyford trays - rectangle flat top

simple, stylish, low profile
legs & panel kit & waste to be ordered separately



Rectangle flat top tray



Part Number	Description	A	B
TR6331WH	900 x 760 Flat Top Tray	910	770
TR6341WH	1000 x 760 Flat Top Tray	1010	770
TR6342WH	1000 x 800 Flat Top Tray	1010	810
TR6351WH	1100 x 800 Flat Top Tray	1110	810
TR6361WH	1200 x 760 Flat Top Tray	1210	770
TR6362WH	1200 x 800 Flat Top Tray	1210	810
TR6463WH	1200 x 900 Flat Top Tray	1210	910
TR6381WH	1400 x 900 Flat Top Tray	1410	910
TR6391WH	1500 x 800 Flat Top Tray	1510	810
TR6301WH	1600 x 800 Flat Top Tray	1610	810
TR6302WH	1700 x 700 Flat Top Tray	1710	710
TR6303WH	1700 x 750 Flat Top Tray	1710	760
TR6304WH	1700 x 800 Flat Top Tray	1710	810

All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

rectangle - flat top shower tray

900 x 760mm	TR6331WH
1000 x 760mm	TR6341WH
1000 x 800mm	TR6342WH
1100 x 800mm	TR6351WH
1200 x 760mm	TR6361WH
1200 x 800mm	TR6362WH
1200 x 900mm	TR6463WH
*1400 x 900mm	TR6381WH
*1500 x 800mm	TR6391WH
*1600 x 800mm	TR6301WH
*1700 x 700mm	TR6302WH
*1700 x 750mm	TR6303WH
*1700 x 800mm	TR6304WH

accessories

Standard legset & panel kit
(for trays up to 1200mm) **TR6012WH**

Extension legset & panel kit
(for trays over 1200mm) **TR6013WH**

90mm high flow waste kit,
chrome plated **SF8888XX**

material

Tray: 2/2.5mm acrylic capped ABS, reinforced
with limestone filled polyconcrete.
Panel: 2mm gloss UPVC (Unplasticized
polyvinyl chloride).

colours

White WH.

note

All trays can be installed flat to floor, or used
in conjunction with legset & panel kit (to be
ordered separately).

*If installing with legs & panels, BOTH a standard
leg/panel kit AND an extension leg/panel kit
must be ordered.



Hotels



Healthcare



Education



Commercial



Residential

Twyford

Geberit Group

236

twyford trays - quadrant flat top

simple, stylish, low profile
legs & panel kit & waste to be ordered separately



Quadrant flat top tray

to specify/order:

Please use the product reference shown below.

quadrant - flat top shower tray

800mm **TR6521WH**
900mm **TR6531WH**
1000mm **TR6541WH**

accessories

Quadrant legset & panel kit **TR6011WH**

90mm high flow waste kit,
chrome plated

SF8888XX

material

Tray: 2/2.5mm acrylic capped ABS, reinforced
with limestone filled polycarbonate.


Panel: 2mm gloss UPVC (Unplasticized polyvinyl
chloride).

colours

White WH.

note

All trays can be installed flat to floor, or
used in conjunction with legset & panel kit
(to be ordered separately).



Part Number	Description	A	B	C	D
TR6521WH	800 x 800 Flat Top Tray	810	810	500	500
TR6531WH	900 x 900 Flat Top Tray	910	910	600	600
TR6541WH	1000 x 1000 Flat Top Tray	1010	1010	700	700

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential

Twyford
Geberit Group


237

twyford trays - square upstand

simple, stylish, low profile
legs & panel kit & waste to be ordered separately



Square upstand tray



to specify/order:

Please use the product reference shown below.

square - 4 upstand shower tray

760 x 760mm	TR6211WH
800 x 800mm	TR6221WH
900 x 900mm	TR6231WH

accessories

Standard legset & panel kit (for trays up to 1200mm)	TR6012WH
---	-----------------

90mm high flow waste kit, chrome plated	SF8888XX
--	-----------------

material

Tray: 2/2.5mm acrylic capped ABS, reinforced with limestone filled polyconcrete.
Panel: 2mm gloss UPVC (Unplasticized polyvinyl chloride).

colours

White WH.

note

All trays can be installed flat to floor, or used in conjunction with legset & panel kit (to be ordered separately).

Part Number	Description	A	B
TR6211WH	760 x 760 4 Upstand Tray	770	770
TR6221WH	800 x 800 4 Upstand Tray	810	810
TR6231WH	900 x 900 4 Upstand Tray	910	910

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential

Twyford

Geberit Group


238

twyford trays - rectangle upstand

simple, stylish, low profile
legs & panel kit & waste to be ordered separately



Rectangle upstand tray



to specify/order:

Please use the product reference shown below.

rectangle - 4 upstand shower tray

900 x 760mm	TR6431WH
1000 x 760mm	TR6441WH
1000 x 800mm	TR6442WH
1200 x 760mm	TR6461WH
1200 x 800mm	TR6462WH
*1400 x 900mm	TR6481WH
*1700 x 750mm	TR6401WH

accessories

Standard legset & panel kit
(for trays up to 1200mm) **TR6012WH**

Extension legset & panel kit
(for trays over 1200mm) **TR6013WH**

90mm high flow waste kit,
chrome plated **SF8888XX**

material

Tray: 2/2.5mm acrylic capped ABS, reinforced
with limestone filled polyconcrete.

Panel: 2mm gloss UPVC (Unplasticized
polyvinyl chloride).

colours

White WH.

note

All trays can be installed flat to floor, or used in
conjunction with legset & panel kit (to be ordered
separately).

*If installing with legs & panels, BOTH a standard
leg/panel kit AND an extension leg/panel kit
must be ordered.

Part Number	Description	A	B
TR6431WH	900 x 760 4 Upsatnd Tray	910	770
TR6441WH	1000 x 760 4 Upstand Tray	1010	770
TR6442WH	1000 x 800 4 Upstand Tray	1010	810
TR6461WH	1200 x 760 4 Upstand Tray	1210	770
TR6462WH	1200 x 800 4 Upstand Tray	1210	810
TR6481WH	1400 x 900 4 Upstand Tray	1410	910
TR6401WH	1700 x 750 4 Upstand Tray	1710	760

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential

Twyford

Geberit Group


239

twyford trays - quadrant upstand

simple, stylish, low profile
legs & panel kit & waste to be ordered separately



Quadrant upstand tray



Part Number	Description	A	B	C	D
TR6621WH	800 x 800 2 Upstand Tray	810	810	500	500
TR6631WH	900 x 900 2 Upstand Tray	910	910	600	600

All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

quadrant - 2 upstand shower tray

800mm **TR6621WH**

900mm **TR6631WH**

accessories

Quadrant legset & panel kit **TR6011WH**

90mm high flow waste kit,
chrome plated **SF8888XX**

material

Tray: 2/2.5mm acrylic capped ABS, reinforced
with limestone filled polyconcrete.

Panel: 2mm gloss UPVC (Unplasticized polyvinyl
chloride).

colours

White WH.

note

All trays can be installed flat to floor, or used
in conjunction with legset & panel kit (to be
ordered separately).



Hotels



Healthcare



Education



Commercial



Residential

Twyford

Geberit Group

240

twyford tray accessories

all the products below can be used in conjunction with Twyford Trays



Upstand/seal kit

flexible upstand/seal kit

2800mm long

TR6014WH

2.8 metre flexi seal strip...

- Transforms any flat top tray to a tiling upstand option.
- The professional solution for a watertight shower tray and bath.



Waste pipe

flexible waste pipe

1200mm long

TR6015WH

extendable flexi waste pipe...

- Extends up to approx 1000mm
- Reduces plumbing installation time
- Tested to 1 bar pressure



Legset and panel kits: TR6012WH, TR6013WH & TR6011WH

legset & panel kits

Standard legset & panel kit
(for trays up to 1200mm)

TR6012WH

Extension legset & panel kit
(for trays over 1200mm)

TR6013WH

Quadrant legset & panel kit

TR6011WH

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential


Twyford

Geberit Group

shower support seats

to specify/order:

Please use the product reference shown below.



Shower seat

shower seat


AV7800..

material - Polyester coated aluminium frame with plastic slatted seat.

colours - White WH, blue BE or grey GY.
(Blue RAL 5011, Luminance Values 6)
(Grey RAL 7005, Luminance Values 20)
(White RAL 9016, Luminance Values 90)

note

This seat must be securely fixed to a solid wall using appropriate fixings (not supplied). The wall must be flat.



Folding shower seat

folding shower seat

AV8800..

note

Folding shower seat with back support, for Doc.M compliant showering.

material

Polyester coated aluminium frame with vinyl seat.

colours

White WH, blue BE or grey GY.
(Blue RAL 5011, Luminance Values 6)
(Grey RAL 7005, Luminance Values 20)
(White RAL 9016, Luminance Values 90)

note

This seat must be securely fixed to a solid wall using appropriate fixings (not supplied). Fixing into unstable or soft block walls is not recommended. The wall must be flat.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford


Geberit Group

242

wastes

to specify/order:

Please use the product reference shown below.



grid waste 1 1/2"

Chrome plated,
unslotted for overflow

WF4343CP

finishes

Chrome plated finish CP.

note

For use with Calypso shower tray only.

Grid waste



high flow waste kit

90mm high flow waste kit,
chrome plated

SF8888XX

- Enables water to flow away at over 32 ltrs/min
- Offset elbow aids installation
- Quick release inner unit for easy cleaning

High flow waste kit

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential

Twyford

Geberit Group

243

Bidets



E100 round floorstanding bidet

co-ordinating E100 range
complete with overflow trim

**to specify/order:**

Please use the product reference shown below.

bidet

Floorstanding back-to-wall
1 tap hole

E13111WH

fixings

Bidet floor fixings supplied.

taps & mixers

Refer to taps & mixers.


material

Vitreous china.

colour

White WH.

E100 floorstanding bidet



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Commercial



Residential

Twyford

Geberit Group

Urinals




shallow open bowl design with water guide channels
exposed or concealed cistern and flushpipes



Concealed

Exposed



to specify/order:

Please use the product reference shown below.

urinal

350 x 500 x 330mm
Wall hangers

VC7003WH
SR5307XX

flushpipes

Exposed (univ) flushpipes and spreaders:

1 person	SS6051SS
2 person	SS6052SS
3 person	SS6053SS
4 person	SS6054SS
5 person	SS6055SS

Concealed (univ) flushpipes and spreaders:

1 person	SS6251SS
2 person	SS6252SS
3 person	SS6253SS
4 person	SS6254SS
5 person	SS6255SS

auto cistern including fixings

No cover,

4.5L (single bowl) - VC

CX8711WH

9L (2/3 bowls) - VC

CX8712WH

14L (4/5 bowls) - VC

CX8713WH

9L (2/3 bowls) - Plastic

CX9122XX

14L (4/5 bowls) - Plastic

CX9123XX

division

Division

VC7051WH

outlet grating

Outlet grating, 1 1/2"

WF9370XX

trap

Please refer to traps.

material

Vitreous china.

Stainless steel (flushpipe & spreaders)

colour

White WH.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial

Twyford

Geberit Group

centaurus - waterless

thoroughly hygienic & economically unbeatable
no concealed rim, easy to clean internal & external surfaces
odourwise™ waterless system - no chemicals, no electricity



Waterless

to specify/order:

Please use the product reference shown below.

waterless urinal

375 x 710 x 325mm,
including fixings

VC7520WH

odourwise

Odourwise installation pack:

White 1.5" BSP (75mm flange)

TW6850WH

Chrome 1.5" BSP (75mm flange)

TW6850CP

Odourwise replacement cartridge:

White (pack 10)

TF6800WH

Chrome (pack 10)

TF6800CP

Odourwise misc items:

Replacement valves (pack 2)

TF6810XX

Cleaner satchets (pack 5)

TF6820XX

Spray bottle (each)

TF6830XX

division

Division

VC7051WH

approvals

BREEAM compliant. (Can help towards 3rd credit).

material


Vitreous china.

finish

KeraTect (easy clean glaze).

colour

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.

 **Odourwise™**



Hotels



Commercial

Twyford

Geberit Group

248

clifton - waterless

thoroughly hygienic and economically unbeatable
compact design with deep bowl
odourwise™ waterless system - no chemicals, no electricity



Waterless

to specify/order:

Please use the product reference shown below.

waterless urinal

305 x 445 x 375mm
Wall hangers

VC7502WH
SR5307XX

odourwise

Odourwise installation pack:

White 1.5" BSP (62mm flange)

TW6840WH

Chrome 1.5" BSP (62mm flange)

TW6840CP

Odourwise replacement cartridge:

White (pack 10)

TF6800WH

Chrome (pack 10)

TF6800CP

Odourwise misc items:

Replacement valves (pack 2)

TF6810XX

Cleaner satchets (pack 5)

TF6820XX

Spray bottle (each)

TF6830XX

division

Division

VC7051WH

approvals


BREEAM compliant. (Can help towards 3rd credit).

material

Vitreous china.

colour

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.

 **Odourwise™**



Hotels



Education



Commercial

Twyford

Geberit Group

249

clifton packs

exposed cistern and flushpipes
compact design with deep bowl



2 persons

to specify/order:

Please use the product reference shown below.

urinal packs

1 person, exposed

PK9604WH

2 persons, exposed

PK9605WH

comprising components

1 person:

Clifton urinal x 1

Wall hangers x 1

Outlet grating 1.5" x 1

Exposed flushpipes - 1 person x 1

Auto cistern 4.5 litre x 1

2 persons:

Clifton urinal x 2

Wall hangers x 2

Outlet grating 1.5" x 2

Exposed flushpipes - 2 persons x 1

Auto cistern 9 litre x 1

division

Division

VC7051WH

trap

Please refer to traps.

material

Vitreous china.

Stainless steel flushpipe and spreaders.

colour

White WH.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial

Twyford


Geberit Group

251

fully concealed cistern, flushpipes and waste pipes
designed for panel faced ducts
anti-vandal



Concealed



to specify/order:

Please use the product reference shown below.

urinal

360 x 560 x 330mm

VC7004WH

flushpipes

Concealed (univ) flushpipes and spreaders:

1 person **SS6251SS**

2 person **SS6252SS**

3 person **SS6253SS**

4 person **SS6254SS**

5 person **SS6255SS**

auto cistern including fixings

No cover,

4.5L (single bowl) - VC

CX8711WH

9L (2/3 bowls) - VC

CX8712WH

14L (4/5 bowls) - VC

CX8713WH

9L (2/3 bowls) - Plastic

CX9122XX

14L (4/5 bowls) - Plastic

CX9123XX

Division

VC7051WH

urinal fixing kit

Fixing kit including bracket and
plastic waste/grating

SR8096XX

approvals

HBN 00-10 C, code URH

material

Vitreous china.

colour

White WH.

fixings

Bowl fitted on concealed hangers onto panels
up to 20mm thick.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial

Twyford

Geberit Group

urinal division

For use with all Twyford urinals.



Urinal division

to specify/order:

Please use the product reference shown below.


Urinal division, including fixings **VC7051WH**

material

Vitreous china.

colours

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Twyford
Geberit Group

waterless systems

complete & hygienic solutions
for reducing water usage, odours and costs
odourwise™ waterless system - no chemicals, no electricity



Odourwise Installation Pack - Chrome



TF6800WH
White cartridge

TF6800CP
Chrome cartridge

TF6810XX
Valve

to specify/order:

Please use the product reference shown below.

odourwise

Odourwise installation packs, for use with
waterless urinals.

For use with Clifton Waterless Urinal:

White 1.5" BSP (62mm flange) **TF6840WH**
Chrome 1.5" BSP (62mm flange) **TF6840CP**

For use with Centaurus Waterless Urinals:

White 1.5" BSP (75mm flange) **TF6850WH**
Chrome 1.5" BSP (75mm flange) **TF6850CP**

Installation packs contain:

Trap with flange
Flexi connection pipe
Removal tool (not shown in image)
Cartridge
Spray bottle
Cleaner sachets (pack of 5)

approvals:

BREEAM compliant (helps toward 3rd credit).

Replacements available to order separately:

Odourwise cartridge:

White (pack 10) **TF6800WH**
Chrome (pack 10) **TF6800CP**

Replacement valves (pack 2) **TF6810XX**

Cleaner satchets (pack 5) **TF6820XX**

Spray bottle (each) **TF6830XX**

All measurements shown are in millimetres.
Drawing sizes are not to scale.

 **Odourwise™**



Hotels



Education



Commercial

Twyford

Geberit Group

254

automatic cisterns

flushing cycle controlled by rate of water refill
concealed fixings



Automatic cisterns (VC illustrated)

to specify/order:

Please use the product reference shown below.

auto cistern including fixings

No cover,

4.5L (single bowl) - VC

CX8711WH

9L (2/3 bowls) - VC

CX8712WH

14L (4/5 bowls) - VC

CX8713WH

9L (2/3 bowls) - Plastic

CX9122XX

14L (4/5 bowls) - Plastic


CX9123XX

material


Vitreous china or Plastic.

colours



White WH.



VC - 4.5 litre cisterns



VC - 9 and 14 litre cisterns



Plastic - all sizes.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial

Twyford

Geberit Group

255

traps & wastes

to specify/order:

Please use the product reference shown below.



Outlet grating

outlet grating

1 1/2" outlet grating

WF9370XX

note

Suitable for camden and cliffon urinal bowls.

finishes

White plastics.

colours

White XX.

All measurements shown are in millimetres.
Drawing sizes are not to scale.

For sector applications please refer to urinal.

Twyford
Geberit Group

Fireclay



belfast sinks

easy clean stain-resistant glazed surface
designed to withstand heavy use



Belfast sink

to specify/order:

Please use the product reference shown below.

sink

a b c
475 x 390 x 215mm
610 x 455 x 255mm

FC1211WH
FC1271WH

waste

Chain waste 1 1/2", slotted
chrome plated.

WF4333CP

fixings (see below table)

(a) Build-in brackets
(b) Screw to wall brackets
(c) Legs and bearers

taps & mixers

Refer to taps & mixers.

material


Enamelled fireclay.

colour

White WH.

note

Build-in brackets should be used on masonry walls. Screw to wall brackets should be used on adequate timber frame walls.



Sink pattern	Build in brackets specify number	Screw to wall brackets specify number	Legs and bearers specify number
FC1211WH	SR1332XX	SR1340XX	SR3046XX
FC1271WH	SR1333XX	SR1342XX	SR3044XX

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Education



Commercial



Residential

Twyford

Geberit Group

258

cleaner's sinks


easy clean stain-resistant glazed surface
designed to withstand heavy use
stainless steel hinged bucket grating



High back cleaner's sink



Cleaner's sink



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

sink

Cleaner's sink 465 x 400mm,
sink with grating

FC1034WH

High back sink 470 x 400mm
with 310mm high splash back
and grating

FC1044WH

waste

Grid waste 1 1/2",
unslotted: chrome plated

WF4343CP

fixings

Legs and supports

SR3048XX

Build-in brackets, painted (pair)

SR1331XX

recommended taps & mixers

1/2" bib taps cross head,
back inlet, pair

SF2302CP

1/2" bib taps extension tube/wall plate
190mm projection, pair

SF2702CP

For alternative taps please see taps & mixers.

material

Enamelled fireclay.
Stainless steel grating.

colour

White WH.

note

Screw to wall brackets are not suitable to
support this fixture. Build-in brackets can
only be used when fixing to masonry walls.



Hotels



Healthcare



Education



Commercial

Twyford

Geberit Group

259

washing trough

multi purpose washing trough
easy clean, stain resistant, designed to withstand heavy use



Washing trough

to specify/order:

Please use the product reference shown below.

washing trough

1000 x 390 x 200mm

FC2350WH

Brackets (pair)

SR1350XX

recommended taps & mixers

1/2" bib taps lever action

SF2301CP

Back inlet, pair

1/2" bib taps extension tube/wall plate

SF2701CP

150mm projection, pair

For alternative taps please see taps & mixers.

waste

Grid waste 1 1/2", unslotted:
chrome plated


WF4343CP

material

Enamelled fireclay.

colours

White WH.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Education



Commercial

Twyford


Geberit Group

260

general fittings

to specify/order:

Please use the product reference shown below.



Screw-to-wall bracket

bracket, screw-to-wall

305mm
400mm

SR1340XX
SR1342XX

material

Cast iron.

fixings

Screwed to wall. Use 2½" x no. 12 countersunk woodscrews (not provided).


finish

Plain painted.

note

Sinks up to 405mm projection use 305mm bracket.

Sinks of 455mm projection use 400mm bracket.



Build-in bracket

A	B	C	D
305	35	87	57
350	28	100	48
400	29	105	50

build-in bracket

305mm
350mm
400mm

SR1331XX
SR1332XX
SR1333XX

material

Cast iron.

finish


Plain painted.

note

Cleaners sink use 305mm brackets.

Sinks up to 405mm projection use 350mm bracket.

Sinks of 455mm projection use 400mm bracket.



Ref No	A	B
SR3044XX	635	405
SR3046XX	685	330
SR3048XX	305	300

legs and stays

material

Tubular steel legs. Cast iron bearers.

finish

Plastics coated leg with painted bearers.

fixing

Bearers screwed to wall, legs screwed to floor.

note

Legs have adjustable height feet to compensate for uneven floors.

All measurements shown are in millimetres.
Drawing sizes are not to scale.

For sector applications please refer to individual product pages.


Twyford

Geberit Group

wastes & connectors

to specify/order:

Please use the 8 character reference shown below.



Acid resistant waste

acid resistant waste 1 1/2" with flat flange


Unslotted, with plug, flange 73mm **WF4353XX**

finish

Black.

material

Vulcanthene.



Chain waste


chain waste fitting

1 1/2" slotted

WF4333CP

finish

Chrome plated CP.



Grid waste


grid waste fitting

1 1/2" unslotted chrome plated


WF4343CP

finish

Chrome plated CP.



WC P connector
WF1240WH



WC S connector
WF1241WH

wc outlet connectors

Outlet connector P

Outlet connector S or turned P

WF1240WH

WF1241WH

applications

P connector - all horizontal outlet WC pans.

S connector - all horizontal outlet WC pans.

materials

Plastics

fixings

Push fit on to wc trap and into standard 110mm soil pipe (socket not required).

colour

white WH.

All measurements shown are in millimetres.
Drawing sizes are not to scale.

For sector applications please refer to individual product pages.

Twyford

Geberit Group

262

Stainless Steel




inset vanity basin

ideal for use with vanity units
easy to clean



Inset washbowl 360mm



to specify/order:

Please use the product reference shown below.

inset wash bowl

360mm diameter, no tap holes, no overflow
high polish finish, including waste **PS8503SS**

taps & mixers

Refer to taps & mixers

material

Stainless steel type 304 to EN 1 4401 or SS2333,
AFNOR Z 6 CN 18-09, BS 304S31.
0.9mm steel thickness.

colour

Stainless steel. Polished inside and outside.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial

Twyford


Geberit Group

wall-hung basin 500

wall mounted washbasin supplied on apron support



Wall-hung basin 500 with apron



to specify/order:

Please use the product reference shown below.

wash hand basin

Wall-hung basin with apron including grid waste and apron support:

508 x 420mm x 127mm, 1 centre tap hole,
no overflow, satin polish finish **PS4032SS**

508 x 420mm x 127mm, 2 tap holes,
no overflow, satin polish finish **PS4033SS**

taps & mixers

Refer to taps & mixers

material

Stainless steel type 304 to EN 1 4401
or SS2333, AFNOR Z 6 CN 18-09, BS 304S31.
0.9mm steel thickness.

colour

Stainless steel.

fixings

Wall fixings (not supplied).

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial

Twyford

Geberit Group

265

inset vanity bowl

ideal for use with vanity units
easy to clean



Inset washbowl 406mm

to specify/order:

Please use the product reference shown below.

inset bowls

Inset bowls, satin polish finish, 2 tap holes,
with overflow, waste and fixing clips:
406 x 260 X 127mm

PS8701SS

taps & mixers

Refer to taps & mixers

material


Stainless steel type 304 to EN 1 4401
or SS2333, AFNOR Z 6 CN 18-09, BS 304S31.
0.9mm steel thickness.

colour

Stainless steel.

fixings

Fixing clips (supplied).



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial

Twyford

Geberit Group


266

washing trough

ideal for schools



Washing trough, 2 person, 2 tap holes



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

washing trough

Washing trough, no overflow, 1.5" waste, satin polish finish:

1200 x 370mm, LH outlet, 2psn, 2TH **PS9311SS**

1200 x 370mm, RH outlet, 2psn, 2TH **PS9312SS**

1800 x 370mm, LH outlet, 3psn, 3TH **PS9313SS**

1800 x 370mm, RH outlet, 3psn, 3TH **PS9318SS**

2400 x 370mm, LH outlet, 4psn, 4TH **PS9319SS**

2400 x 370mm, RH outlet, 4psn, 4TH **PS9320SS**

leg supports

Leg set (pair)

PS4064SS

taps & mixers

Refer to taps & mixers

material

Stainless steel type 304 to EN 1 4401 or SS2333, AFNOR Z 6 CN 18-09, BS 304S31. 1.2mm steel thickness.

colour

Stainless steel.

fixings

- (i) Screw to wall (fixings not supplied).
- (ii) Leg supports available



Hotels



Education



Commercial

Twyford

Geberit Group

267

floor standing bucket sink

ideal for where there is a need to dispose of waste water



Floor standing bucket sink

to specify/order:

Please use the product reference shown below.

bucket sink

648 x 508 x 890mm floor standing bucket sink, splash back, hinged grating, flushgrated waste, legset & complete with integral wall brackets

PS4044SS

taps & mixers




Refer to taps & mixers

material

Stainless steel type 304 to EN 1 4401 or SS2333, AFNOR Z 6 CN 18-09, BS 304S31. 1.5mm (Top) 0.9mm (Bowl) steel thickness.

colour

Stainless steel.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial

Twyford

Geberit Group

268

wall-hung bucket sink

ideal for where there is a need to dispose of waste water



Wall-hung bucket sink

to specify/order:

Please use the product reference shown below.

sink

500 x 400 x 460mm wall-hung bucket sink,
splashback, hinged grating
and waste

PS5044SS

taps & mixers



Refer to taps & mixers

material

Stainless steel type 304 to EN 1 4401
or SS2333, AFNOR Z 6 CN 18-09, BS 304S31.
Steel thickness 1.2mm (splashback)
0.9mm (bowl).

colour

Stainless steel.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial

Twyford

Geberit Group


269

single hospital sink

radiused easy clean internal surfaces
underside sound deadened



Hospital sink with single bowl, no tap holes



to specify/order:

Please use the product reference shown below.

hospital sink

600 x 600 x 254mm, includes waste,
satin polish finish:

Single bowl, no tapholes SK 1

PS9023SS

Single bowl, two tapholes SK 1

PS9223SS

fixings

Cantilever brackets (pair)

PS9018SS

Leg & bearer brackets (pair)

PS9019SS

taps & mixers

Refer to taps & mixers

approvals

HBN 00-10 C, code SK 1

material

Stainless steel type 304 to EN 1 4401 or
SS2333, AFNOR Z 6 CN 18-09, BS 304S31.
1.2mm (top) 0.9mm (bowl) steel thickness.

colour

Stainless steel.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Healthcare



Commercial

Twyford

Geberit Group


270

double hospital sinks

radiused easy clean internal surfaces
underside sound deadened



Hospital sink with double bowl, no tap holes, cantilever bracket & legs



to specify/order:

Please use the product reference shown below.

hospital sink

1200 x 600 x 254mm, includes waste,
satin polish finish:

Double bowl, no tapholes SK 2

PS9024SS

Double bowl, two tapholes SK 2

PS9424SS

fixings

Cantilever brackets (pair)

PS9018SS

Leg & bearer brackets (pair)

PS9019SS

taps & mixers

Refer to taps & mixers

approvals

HBN 00-10 C, code SK 2

material

Stainless steel type 304 to EN 1 4401
or SS2333, AFNOR Z 6 CN 18-09, BS 304S31.
1.2mm (top) 0.9mm (bowl) steel thickness.

colour

Stainless steel.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Healthcare



Commercial

Twyford

Geberit Group



271

plaster sink

designed for use where casting materials are prepared and soaked



Plaster sink and worktop (left hand drainer illustrated)



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

plaster sink and worktop

1200 x 600 x 418mm, satin polish finish,
no tap holes, complete with basket lid
and grated outlet waste:

Left hand drainer, right hand sink PS **HP59115SS**

Right hand drainer, left hand sink PS **HP59215SS**

fixings

Cantilever brackets (pair)

PS9018SS

Leg & bearer brackets (pair)

PS9019SS

taps & mixers

Refer to taps & mixers

approvals

HBN 00-10 C, code PS H

material

Stainless steel type 304 to EN 1 4401 or SS2333,
AFNOR Z 6 CN 18-09, BS 304S31.

1.2mm (top) 0.9mm (bowl) steel thickness.

colour

Stainless steel.



Healthcare



Commercial

Twyford




Geberit Group

scrub-up troughs

easy clean fully radiused internal corners



Scrub-up trough 800mm (RH outlet illustrated)



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

scrub-up trough

800 x 400 x 427.5mm, trap shroud,
fixing bracket, bottom outlet for waste,
satin polish finish:

RH outlet, SU H 1

PS9120SS

LH outlet, SU H 1

PS9220SS

1600 x 400 x 427.5mm, waste, trap shroud,
fixing bracket, satin polish finish,
bottom outlet for waste:

Right hand outlet, SU H 2

PS9121SS

Left hand outlet, SU H 2

PS9221SS

2400 x 400 x 427.5mm, waste, trap shroud,
fixing bracket, satin polish finish,
bottom outlet for waste:

Right hand outlet, SU H 3

PS9122SS

Left hand outlet, SU H 3

PS9222SS

taps & mixers

Refer to taps & mixers

approvals

HBN 00-10 C, code SU H1/2/3

material

Stainless steel type 304 to EN 1 4401
or SS2333, AFNOR Z 6 CN 18-09, BS 304S31.
1.5mm steel thickness.

colour

Stainless steel.

fixings

Wall mounted with joggle strip brackets
(supplied). Earthing terminal fitted.



Healthcare



Commercial

Twyford

Geberit Group


273

sink(s) & drainer(s)

smooth radiused corners for easy cleaning
left or right hand sink/drainer



1200mm sink and drainer (no tap, left hand drainer illustrated)



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

sink and drainer

1200 x 600 x 220mm

Single sink & single drainer, satin polish finish, waste:

2 tap RH drainer, LH sink

PS4050SS

No tap RH drainer, LH sink ST A

PS4150SS

2 tap LH drainer, RH sink

PS4051SS

No tap LH drainer, RH sink ST A

PS4151SS

1800 x 600 x 220mm

Single sink & 2 drainers, satin polish finish, waste:

2 tap central sink, LH & RH drainer

PS4052SS

No tap central sink, LH & RH drainer ST B

PS4152SS

1800 x 600 x 220mm

Double sink & single drainer, satin polish finish, waste:

2 tap RH drainer, LH sinks

PS4053SS

No tap RH drainer, LH sinks ST C

PS4153SS

2 tap LH drainer, RH sinks

PS4054SS

No tap LH drainer, RH sinks ST C

PS4154SS

fixings

Cantilever bracket, stainless steel:

Pair for 1200 & 1800 (single sink)

PS9018SS

Leg supports, stainless steel:

Pair for 1200 & 1800 (single sink)

PS9019SS

Legs set (3 off) for 1800 (double sink)

PS4063SS

taps & mixers

Refer to taps & mixers

approvals

HBN 00-10 C, code ST A/B/C (no tap).

material

Stainless steel type 304 to EN 1 4401 or SS2333,
AFNOR Z 6 CN 18-09, BS 304S31.

1.2mm (top) 0.9mm (bowl) steel thickness.

colour

Stainless steel.



Healthcare



Commercial

Twyford

Geberit Group


274

inset sinks

rimmed edge profile, suitable for standard sized worktops



Inset sink and drainer, no overflow (right hand drainer illustrated)



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

inset sink and drainer

1028 x 500 x 182mm, incl. waste, satin polish finish, no overflow:

RH drainer, LH sink, 2 tap holes 5050 **PS8601SS**

LH drainer, RH sink, 2 tap holes 5050 **PS8602SS**

1028 x 500 x 182mm, incl. waste, satin polish finish, with overflow:

RH drainer, LH sink, 0 tap holes 5050 **PS8603SS**

LH drainer, RH sink, 0 tap holes 5050 **PS8604SS**

1028 x 500 x 182mm, incl. waste, satin polish finish, with overflow:

RH drainer, LH sink, 2 tap holes 5050 **PS8611SS**

LH drainer, RH sink, 2 tap holes 5050 **PS8612SS**

taps & mixers

Refer to taps & mixers

material

Stainless steel type 304 to EN 1 4401
or SS2333, AFNOR Z 6 CN 18-09, BS 304S31.
0.9mm steel thickness.

colour

Stainless steel.

fixings

Fixing clips (supplied).



Hotels



Healthcare



Education



Commercial



Residential


Twyford

Geberit Group


275

disposal hopper

ducted or exposed cistern
solid and liquid waste disposal unit *DU-H with continuous flushing rim and drainer



Disposal hopper with worktop BI (LH drainer illustrated)



All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

hopper and worktop (left hand drainer, right hand hopper)

1000 x 600mm, hopper 110mm diam. outlet,
flushpipe connectors, satin polish finish:

Top inlet **PS8101SS**
*Back inlet DU H **PS8102SS**

hopper and worktop (right hand drainer, left hand hopper)

Top inlet **PS8103SS**
*Back inlet DU H **PS8104SS**

removable outlet grating

Removable outlet grating **PS9017SS**

fixings

Cantilever brackets (pair) **PS9018SS**
Leg & bearer brackets (pair) **PS9019SS**

back inlet hopper

Concealed cistern, complete with fittings,
including chrome plated lever
and flushbend, SSIO 6 litre
High level adaptor kit
Plastic flushpipe

CX9560XX
CF3067CP
CF6217WH

top inlet hopper

Vitreous china high level 6 litres cistern,
complete with valveless fittings and
reversible chain pull
Cistern supporting brackets
Plastic flushpipe

CX7630WH
SR1300XX
CF6410WH

approvals

*HBN 00-10 C, code DU H

material

Stainless steel type 304 to EN 1 4401 or SS2333,
AFNOR Z 6 CN 18-09, BS 304S31.
1.5mm steel thickness.

colour

Stainless steel.



Healthcare



Commercial




Twyford
Geberit Group

combined disposal hopper

ducted or exposed cistern
hospital pattern combined slop hopper, sink and drainer



Disposal hopper, sink and worktop BI (LH drainer illustrated)



to specify/order:

Please use the product reference shown below.

hopper, sink and worktop (left hand drainer, right hand hopper)

1600 x 600mm, hopper 110mm diam. outlet,
flushpipe connectors, waste, satin polish finish:

Top inlet **PS8105SS**
*Back inlet DU HS **PS8106SS**

hopper, sink and worktop (right hand drainer, left hand hopper)

Top inlet **PS8107SS**
*Back inlet DU HS **PS8108SS**

removable outlet grating

Removable outlet grating **PS9017SS**

fixings

Cantilever brackets (pair) **PS9018SS**
Leg & bearer brackets (pair) **PS9019SS**

back inlet hopper

Concealed cistern, complete with fittings,
including chrome plated lever
and flushbend, SSIO 6 litre **CX9560XX**
High level adaptor kit **CF3067CP**
Plastic flushpipe **CF6217WH**

top inlet hopper

Vitreous china high level 6 litres cistern,
complete with valveless fittings
and chain pull **CX7630WH**
Cistern supporting brackets **SR1300XX**
Plastic flushpipe **CF6410WH**

taps & mixers

Refer to taps & mixers

approvals

*HBN 00-10 C, code DU HS

material

Stainless steel type 304 to EN 1 4401 or SS2333,
AFNOR Z 6 CN 18-09, BS 304S31.
1.5mm steel thickness.

colour

Stainless steel.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Healthcare




Commercial


Twyford
Geberit Group

wall mounted disposal hopper

solid and liquid waste disposal unit with continuous flushing rim and hinged bucket grating
radiused easy clean internal surfaces



Wall mounted disposal hopper, with grating
(back inlet illustrated)



to specify/order:

Please use the product reference shown below.

wall mounted disposal hopper

With grating, flushpipe connectors,
satin polish finish:

600 x 600 x 300mm, top inlet **PS8109SS**

With grating, flushpipe connectors,
satin polish finish:

600 x 600 x 300mm, back inlet **PS8110SS**

*Without grating, flushpipe connectors,
satin polish finish:

600 x 600 x 300mm, back inlet **PS8112SS**

removable outlet grating

Removable outlet grating **PS9017SS**

fixings

Cantilever brackets (pair) **PS9018SS**

back inlet hopper

Concealed cistern, complete with fittings,
including chrome plated lever
and flushbend, SSIO 6 litre
Plastic flushpipe

CX9560XX
CF6217WH

top inlet hopper

Vitreous china high level 6 litres cistern,
complete with valveless fittings and
reversible chain pull
Cistern supporting brackets
Plastic flushpipe

CX7630WH
SR1300XX
CF6410WH

approvals

*HBN 00-10 C, code DU

material

Stainless steel type 304 to EN 1 4401 or SS2333,
AFNOR Z 6 CN 18-09, BS 304S31.
1.5mm steel thickness.

colour

Stainless steel.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Healthcare



Commercial

Twyford
Geberit Group

floor standing btw wc 500

back-to-wall WC pan, with anti vandal shroud
duct installation only



400mm floor standing WC (Inset - with seat & cover)

to specify/order:

Please use the product reference shown below.

btw wc pan, floor standing

360 x 580 x 400mm, HO
satin polish finish

PS8301SS

360 x 580 x 400mm, HO, with seat and cover
satin polish finish,

PS8302SS

Concealed cistern, complete with fittings,
including chrome plated lever and flushbend
SSIO 6 litre **CX9560XX**
BSIO 6 litre **CX9561XX**

wc outlet connector

P trap outlet connector
S or turned P trap connector

WF1240WH


WF1241WH

material

Stainless steel type 304 to EN 1 4401 or SS2333,
AFNOR Z 6 CN 18-09, BS 304S31.
2.0mm steel thickness.

colour

Stainless steel.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Healthcare



Education



Commercial

Twyford

Geberit Group

279

janitorial unit

free standing combination of washbasin and bucket sink
hinged grid over the sink to support the bucket



Janitorial unit

to specify/order:

Please use the product reference shown below.

janitorial unit

500 x 500 x 880mm Janitorial unit,
complete with basin, wastes (1.25" & 1.5"),
monobloc mixer tap, leg set (4 supplied),
joggle strip and grid

PS8801SS

approvals

HBN 00-10 C, code JU
WRAS Approved

material




Stainless steel type 304 to EN 1 4401
or SS2333, AFNOR Z 6 CN 18-09, BS 304S31.
Steel thickness 1.5mm (shrouds) 0.9mm
(bowls).

colour

Stainless steel.

fixings

Unit can either be wall mounted or
floor mounted using 2 or 4 legs.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial


Twyford

Geberit Group




280

drinking fountain

ideal for schools and colleges
complete with push button water bubbler tap with protected nozzle,
to minimise direct contact



Drinking fountain - wall-hung



to specify/order:

Please use the product reference shown below.

drinking fountain

257 x 350 x 125mm, drinking fountain
complete with:

Water bubbler tap, waste, joggle strip
and earthing lug, satin polish finish **PS8001SS**

approvals

WRAS Approved.

material

Stainless steel type 304 to EN 1 4401 or SS2333,
AFNOR Z 6 CN 18-09, BS 304S31.
1.5mm steel thickness.

colour

Stainless steel.

fixings

Mounted to wall with joggle strip (supplied).



PS8001SS, PS8002SS & PS8003SS operating pressures			
Jet position (bar)	1	2	3
All open (l/min)	1.8	3.5	4.8
Half open (l/min)	1.2	2.6	3.4

Operating pressure between 0.2 to 3 bar.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial

Twyford

Geberit Group


281

drinking fountain

ideal for schools and colleges
pedestal mounted, complete with push button water bubbler tap with protected nozzle,
to minimise direct contact



Drinking fountain - floor mounted
(junior illustrated)



to specify/order:

Please use the product reference shown below.

drinking fountain

Drinking fountain complete with
Water bubbler tap, shroud,
waste, joggle strip and earthing lug,
satin polish finish:

257 x 350 x 575mm, - junior

PS8002SS

257 x 350 x 775mm, - adult

PS8003SS

approvals

WRAS Approved.

material

Stainless steel type 304 to EN 1 4401
or SS2333, AFNOR Z 6 CN 18-09, BS 304S31.
1.5mm steel thickness.

colour

Stainless steel.

fixings

Mounted to wall with joggle strip (supplied).



PS8001SS, PS8002SS & PS8003SS operating pressures

Jet position (bar)	1	2	3
All open (l/min)	1.8	3.5	4.8
Half open (l/min)	1.2	2.6	3.4

Operating pressure between 0.2 to 3 bar.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial

Twyford

Geberit Group



282

circular washstation

4 to 6 person circular washstation, with radiused outer edge mounted on pedestal base with access panel



Circular washstation



to specify/order:

Please use the product reference shown below.

circular washstation

Circular washstation, complete with:
Sensor taps, 1.5" waste outlet, satin polish finish.
(Centre column contains plumbing to sensor
taps, soap tank with valves):

911 dia x 1217mm

PS8004SS

approvals

WRAS Approved.

material

Stainless steel type 304 to EN 1 4401 or SS2333,
AFNOR Z 6 CN 18-09, BS 304S31.
1.5mm steel thickness.

colour

Stainless steel.

fixings

Floor mounted with fixings (not supplied).

note

Operating pressure 0.5 to 10 bar.



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial

Twyford


Geberit Group

283

stainless steel fittings

to specify/order:

Please use the product reference shown below.



removable outlet grating



Removable outlet grating

PS9017SS

material

Stainless steel type 304 to EN 1 4401
or SS2333, AFNOR Z 6 CN 18-09, BS 304S31.
1.5mm steel thickness.

Removable outlet grating



cantilever bracket


Cantilever brackets (pair)

PS9018SS

material

Stainless steel type 304 to EN 1 4401
or SS2333, AFNOR Z 6 CN 18-09, BS 304S31.
1.5mm steel thickness.

Cantilever brackets (pair)



leg & bearer bracket

Leg & bearer brackets (pair)

PS9019SS

material

Stainless steel type 304 to EN 1 4401
or SS2333, AFNOR Z 6 CN 18-09, BS 304S31.
3mm steel thickness.

Leg & bearer brackets (pair)

All measurements shown are in millimetres.
Drawing sizes are not to scale.

For sector applications please refer to individual product page.

Twyford

Geberit Group

284

Less Able



doc.m rimless super pack

modern rimless design
4 litre flush



Doc.M rimless super pack with white grab rails & seat.
Right hand installation shown.



Doc.M rimless super pack with blue grab rails & seat.



Doc.M rimless super pack with grey grab rails & seat.

to specify/order:

Please use the product reference shown below.

Doc.M rimless super pack

Left hand with white grab rails & seat

PK8246WH

Right hand with white grab rails & seat

PK8346WH

Left hand with blue grab rails & seat

PK8246BE

Right hand with blue grab rails & seat

PK8346BE

Left hand with grey grab rails & seat

PK8246GY

Right hand with grey grab rails & seat

PK8346GY

comprising components

Avalon Rimless HO pan and fixings

Avalon Rimless cistern, fittings and spatula lever
- 4 or 6 litre flush

Avalon seat ring, stainless steel bar hinge, top fix
and stability buffers

Hand rinse - 1 tap hole medical basin

Thermostatic mixing tap TMV3 (SF1138CP)

5 Avalon support rails with concealed fixings

Avalon hinged support rail and toilet roll holder

Wall bolts (pair)

Grid waste

Cistern cover clips

note

Please note basin traps to be ordered separately.

The products included in the set and the layout details
are in accordance with those laid down in the building
regulations 2003 approved Doc.M effective from
1st May 2004.

wc outlet connector

P trap outlet connector

WF1240WH

S or turned P trap connector

WF1241WH

approvals

LABC certificate, ref: 427-5-20

WRAS Approved

TMV3

material

Vitreous china.

Grab rails in polyester coated aluminium.

colours

Vitreous china in white only.

Rails and seat in white, blue or grey.

White WH

(White RAL 9003, Luminance Values 76)

Blue BE

(Blue RAL 5011, Luminance Values 6)

Grey GY

(Grey RAL 7005, Luminance Values 20)



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Less Able

Twyford

Geberit Group

286

doc.m rimless value pack

modern rimless design
4 litre flush



Doc.M rimless value pack with white grab rails & seat



Doc.M rimless value pack with blue grab rails & seat



Doc.M rimless value pack with grey grab rails & seat

All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

Doc.M rimless value pack

With white grab rails and seat

With blue grab rails and seat

With grey grab rails and seat

PK8145WH

PK8145BE

PK8145GY

comprising components

Avalon Rimless HO pan and fixings

Avalon Rimless cistern, fittings and spatula lever
- 4 or 6 litre flush

Avalon seat ring, stainless steel bar hinge, top fix
and stability buffers

Hand rinse 1 centre tap hole

Level action mixer tap

Mixing valve - thermostatic TMV3 (SF1037XX)

5 Doc.M support rails

Doc.M hinged support rail and toilet roll holder

Wall bolts (pair)

Grid waste

Cistern cover clips

note

Please note basin traps to be ordered separately.

The products included in the set and the layout details
are in accordance with those laid down in the building
regulations 2003 approved Document M effective from
1st May 2004.

wc outlet connector

P trap outlet connector

S or turned P trap connector

WF1240WH

WF1241WH

approvals

LABC certificate, ref: 426-5-20

WRAS Approved

TMV3



material

Vitreous china.

Grab rails in powder coated steel.

colours

Vitreous china in white only.

Rails and seat in white, blue or grey.

White WH (White RAL 9003, Luminance Values 76)

Blue BE (Blue RAL 5011, Luminance Values 6)

Grey GY (Grey RAL 7005, Luminance Values 20)



Hotels



Healthcare



Education



Commercial



Less Able

Twyford

Geberit Group

287

doc.m rimless btw pack

modern rimless design
4 litre flush



Doc.M rimless back-to-wall pack with white rails & seat
Right hand installation shown.



Doc.M rimless back-to-wall pack with blue rails & seat



Doc.M rimless back-to-wall pack with grey rails & seat

All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

Doc.M rimless back-to-wall pack

Left hand with white rails & seat
Right hand with white rails & seat

PK8250WH
PK8350WH

Left hand with blue rails & seat
Right hand with blue rails & seat

PK8250BE
PK8350BE

Left hand with grey rails & seat
Right hand with grey rails & seat

PK8250GY
PK8350GY

comprising components

Avalon 700mm projection BTW Rimfree pan
Concealed cistern, single flush lever, 4 litre flush
Avalon 50mm extension for WC
Avalon seat ring, stainless steel bar hinge, top fix
and stability buffers
Doc.M back support with cushion
Hand rinse - 1 tap hole medical basin, no overflow
Sola thermostatic monobloc mixer, lever tap (SF1138CP)
Grid waste
Wall bolts (pair)
5 Doc.M support rails
Doc.M hinged support rail and toilet roll holder

note

Please note basin traps to be ordered separately.

The contents of this pack, when fixed in accordance with the instructions, will contribute to achieving compliance with Part M requirements of Building Regulations for wheelchair accessible toilets.

wc outlet connector

P trap outlet connector
S or turned P trap connector

WF1240WH
WF1241WH

approvals

LABC certificate, ref: EWS631A
WRAS Approved
TMV3



material

Vitreous china.
Grab rails in powder coated steel.

colours

Vitreous china in white only.
Rails and seat in white, blue or grey.

White WH	(White RAL 9003, Luminance Values 76)
Blue BE	(Blue RAL 5011, Luminance Values 6)
Grey GY	(Grey RAL 7005, Luminance Values 20)



Hotels



Healthcare



Education



Commercial



Less Able

Twyford

Geberit Group

288

doc.m rimless wall-hung pack

modern rimless design
4/2.6 litre water saving dual flush



Doc.M rimless wall-hung pack with white rails & seat
Right hand installation shown.



Doc.M rimless wall-hung pack with blue rails & seat



Doc.M rimless wall-hung pack with grey rails & seat

All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

Doc.M rimless wall-hung pack

Left hand with white rails & seat
Right hand with white rails & seat

PK8251WH
PK8351WH

Left hand with blue rails & seat
Right hand with blue rails & seat

PK8251BE
PK8351BE

Left hand with grey rails & seat
Right hand with grey rails & seat

PK8251GY
PK8351GY

comprising components

E100 700mm projection wall-hung Rimfree pan
Concealed cistern 4/2.6 litre dual flush
Air button, dual flush, large plate 150x230mm, chrome plated
E100 50mm extension for WC
E100 seat ring with metal top fix bar hinge
Wall-hung pan fixing kit
Doc.M back support with cushion
Hand rinse - 1 tap hole medical basin, no overflow
Sola thermostatic monobloc mixer, lever tap (SF1138CP)
Grid waste
Wall bolts (pair)
5 Doc.M support rails
Doc.M hinged support rail and toilet roll holder

note

Please note basin traps to be ordered separately.

The contents of this pack, when fixed in accordance with the instructions, will contribute to achieving compliance with Part M requirements of Building Regulations for wheelchair accessible toilets.

wc outlet connector

P trap outlet connector
S or turned P trap connector

WF1240WH
WF1241WH

approvals

LABC certificate, ref: EWS631B
WRAS Approved
TMV3



material

Vitreous china.
Grab rails in powder coated steel.

colours

Vitreous china in white only.
Rails and seat in white, blue or grey.

White WH	(White RAL 9003, Luminance Values 76)
Blue BE	(Blue RAL 5011, Luminance Values 6)
Grey GY	(Grey RAL 7005, Luminance Values 20)



Hotels



Healthcare



Education



Commercial



Less Able

Twyford

Geberit Group

289

doc.m rimless ambulant btw pack


modern rimless design
4 litre flush



Doc.M rimless ambulant btw pack with white rails & seat



Doc.M rimless ambulant btw pack with blue rails & seat



Doc.M rimless ambulant btw pack with grey rails & seat

All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

Doc.M rimless ambulant btw pack

With white grab rails & seat

PK8148WH

With blue grab rails & seat

PK8148BE

With grey grab rails & seat

PK8148GY

comprising components

Avalon Rimless HO pan and fixings

Concealed cistern and standard lever, 4 or 6 litre flush

Avalon seat ring, stainless steel bar hinge, top fix and stability buffers

3 Doc.M 600mm grab rails

Avalon 450mm grab rail

note

The products included in the set and the layout details are in accordance with those laid down in the building regulations 2003 approved Document M effective from 1st May 2004.

wc outlet connector

P trap outlet connector

WF1240WH

S or turned P trap connector

WF1241WH

approvals

LABC certificate, ref: 429-5-20

material

Vitreous china.

Grab rails in powder coated steel.

colours

Vitreous china in white only.

Rails and seat in white, blue or grey.

White WH

(White RAL 9003, Luminance Values 76)

Blue BE

(Blue RAL 5011, Luminance Values 6)

Grey GY

(Grey RAL 7005, Luminance Values 20)



Hotels



Healthcare



Education



Commercial



Less Able

Twyford

Geberit Group

290

doc.m value pack

complete unit complies with Building Regulations Document M dimensions



Doc.M value pack with white grab rails & seat



Doc.M value pack with blue grab rails & seat



Doc.M value pack with grey grab rails & seat

All measurements shown are in millimetres.
Drawing sizes are not to scale.

to specify/order:

Please use the product reference shown below.

Doc.M value pack

With white grab rails and seat

PK8184WH

With blue grab rails and seat

PK8184BE

With grey grab rails and seat

PK8184GY

comprising components

Avalon HO pan

Doc.M value cistern, fittings & standard lever - 6 litre flush

Doc.M seat ring, stainless steel hinge

Doc.M 360 Handrinse basin, 2 tap including fixings

Tap hole stopper for handrinse basin

Lever action mixer tap

Mixing valve - thermostatic TMV3 (SF1037XX)

5 Doc.M support rails

Doc.M hinged support rail and toilet roll holder

Pan fixings

Cistern cover clips

note

Please note basin traps to be ordered separately.

The products included in the set and the layout details are in accordance with those laid down in the Building Regulations Approved Document M (2004 edition) published 3rd May 2006.

wc outlet connector

P trap outlet connector

WF1240WH

S or turned P trap connector

WF1241WH

approvals

LABC certificate, ref: 469-5-20

WRAS Approved

TMV3



material

Vitreous china.

Grab rails in powder coated steel.

colours

Vitreous china in white only.

Rails and seat in white, blue or grey.

White WH

(White RAL 9003, Luminance Values 76)

Blue BE

(Blue RAL 5011, Luminance Values 6)

Grey GY

(Grey RAL 7005, Luminance Values 20)



Hotels



Healthcare



Education



Commercial




Less Able

Twyford


Geberit Group

291

Standard Doc.M layout




Alarm pull cord with red bangles, one at 100, the other at 800 to 1000 above the floor




All measurements shown are in millimetres.
Drawing sizes are not to scale.

Wall-hung Doc.M layout



Note
Layout for Right-Hand Transfer to WC Shown
(Left Hand is Mirror Image)


Flushing Mechanism to be Positioned on Open or Transfer side of the Space, Irrespective of Handing




* Height Subject To Manufacturing Tolerance of WC Pan

All measurements shown are in millimetres.
Drawing sizes are not to scale.

BTW Doc.M layout




Note
Layout for Right-Hand Transfer to WC Shown
Left Hand is Mirror Image



All measurements shown are in millimetres.
Drawing sizes are not to scale.

Ambulant Doc.M layout



All measurements shown are in millimetres.
Drawing sizes are not to scale.

doc.m shower pack

TMV3 approved thermostatic shower valve
fixed and moveable shower head



Doc.M shower packs white, blue or grey rails & seat

to specify/order:

Please use the product reference shown below.

Doc.M shower pack

With white grab rails and seat
With blue grab rails and seat
With grey grab rails and seat

PK7005WH

PK7005BE

PK7005GY

comprising components

Shower rail 1200 x 1200mm
Shower curtain 1800 x 2000mm x 2
Concealed shower valve with elbow (SF1555CP)
Shower rail, hose and head
Shower vandal resistant fixed head
Shower diverter
Avalon 600mm support rail x 3
Avalon hinged support rail x 2
Avalon folding shower seat and back support

note

The products included in the set and the layout details are in accordance with those laid down in the building regulations 2003 approved Doc.M effective from 1st May 2004.



approvals

LABC certificate, ref: 398-5-20
WRAS Approved
TMV3

installation

Minimum operating pressure 0.2 bar
Maximum operating pressure 10 bar


material

Grab rails in polyester coated aluminium.

colours

Grab rails and seat in white, blue or grey.
Shower rail and curtain white only.

White WH (White RAL 9003, Luminance Values 76)
Blue BE (Blue RAL 5011, Luminance Values 6)
Grey GY (Grey RAL 7005, Luminance Values 20)



Typical Doc.M shower room layout

All measurements shown are in millimetres.
Drawing sizes are not to scale.

Solo TMV3 Shower Valve, Concealed - SF1555CP					
Pressure	0.5 Bar	1 Bar	2 Bar	3 Bar	4 Bar
Flow Rate (Litres per minute)	8.6	10.5	15.2	18.8	22.6
					24.5



Hotels



Healthcare



Education



Commercial



Less Able

Twyford

Geberit Group

296

support items

smart and practical rails in
stainless steel available in 3 sizes



grab rail

Grab rail 355mm long

Grab rail 620mm long

Grab rail 900mm long

SR6935SS

SR6962SS

SR6990SS



material

Stainless steel.

fixings

Secure rail to wall using suitable fixings for wall structure. Concealed fittings.

Grab rails 355, 620 & 900mm



All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential



Less Able


Twyford

Geberit Group

avalon shower support items

to specify/order:

Please use the product reference shown below.



folding shower seat

folding shower seat

AV8800..

note

Folding shower seat with back support, for Doc.M compliant showering.

material


Polyester coated aluminium frame with vinyl seat.

colours

White WH, blue BE or grey GY.
(Blue RAL 5011, Luminance Values 6)
(Grey RAL 7005, Luminance Values 20)
(White RAL 9016, Luminance Values 90)

fixings

This seat must be securely fixed to a solid wall using appropriate fixings (not supplied). Fixing into unstable or soft block walls is not recommended. The wall must be flat.



shower
rail

curtain

shower curtain rail

1200 x 1200mm

AV6814WH

note

Suitable for Doc.M compliant shower rooms.

material


Polyester coated aluminium.

colours

White WH.
(White RAL 9016, Luminance Values 90)

fixings

This rail must be securely fixed to a solid wall using appropriate fixings (not supplied). Fixing into unstable or soft block walls is not recommended. The wall must be flat.



shower curtain

shower curtain

1800 x 2000mm

AV6817WH

note

Suitable for use with Avalon shower curtain rail in Doc.M compliant shower rooms.

material

Polyester.

colours

White WH.

fixings

Secure to Avalon shower curtain rail using rings supplied with rail.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford


Geberit Group

298

avalon support items

to specify/order:

Please use the product reference shown below.



Grab rails

grab rail


Grab rail 450mm long
Grab rail 600mm long

AV4901..
AV4902..

material - Polyester coated aluminium.

colours - White WH, blue BE or grey GY.
(Blue RAL 5011, Luminance Values 6)
(Grey RAL 7005, Luminance Values 20)
(White RAL 9016, Luminance Values 90)

fixings Secure rail to wall using suitable fixings for wall structure. Concealed fittings.



Hinged support rails

hinged support rail

With toilet roll holder
without toilet roll holder


AV4910..
AV4911..

material - Polyester coated aluminium.

colours - White WH, blue BE or grey GY.
(Blue RAL 5011, Luminance Values 6)
(Grey RAL 7005, Luminance Values 20)
(White RAL 9016, Luminance Values 90)

fixings This fixture must be securely fixed to a solid wall. For all other wall types the rail must be secured to a suitable structural member using appropriate wall fixings. Full instructions are included in each pack. (Fixings not supplied).

note This item folds up against the wall to provide wheelchair access (as required by building regulations M3).



Support toilet roll holders RH and LH

support toilet roll holder

Right hand vertical
Left hand vertical

AV5908WH
AV5909WH

material - Polyester coated aluminium.

colours - White WH.
(White RAL 9016, Luminance Values 90)

fixings Secure rail to wall using suitable fixings for wall structure. Concealed fittings.

note It is recommended that the toilet roll holder is positioned on the side wall approx 100mm in front of the WC and 200mm above the seat. The vertical bar should be nearest the WC with the horizontal pointing away from the WC.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford


Geberit Group

299

avalon support items

to specify/order:

Please use the product reference shown below.



Shower seat

shower seat

AV7800..

material


Polyester coated aluminium frame
with plastic slatted seat.

colours

White WH, blue BE or grey GY.
(Blue RAL 5011, Luminance Values 6)
(Grey RAL 7005, Luminance Values 20)
(White RAL 9016, Luminance Values 90)

fixings

This seat must be securely fixed to a solid wall
using appropriate fixings (not supplied).
The wall must be flat.



Back rest

back support with cushion

AV4912..

material

Polyester coated aluminium.

colours

White WH, blue BE or grey GY.
(Blue RAL 5011, Luminance Values 6)
(Grey RAL 7005, Luminance Values 20)
(White RAL 9016, Luminance Values 90)

fixings

Secure rail to wall using suitable fixings
for wall structure. Concealed fittings.

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford

Geberit Group

300

avalon 50mm extension

to specify/order:

Please use the product reference shown below.



Avalon 50mm extension

avalon 50mm extension

Avalon 50mm extension

(for use with AV1498WH)

AV6900WH

note


To extend WC from wall to dimensions required under building regs Part M.

material

Resin stone.

colour

White.



All measurements shown are in millimetres.
Drawing sizes are not to scale.

For sector applications please refer to individual product page.

E100 50mm extension

to specify/order:

Please use the product reference shown below.



E100 50mm extension

E100 50mm extension

E100 50mm extension
(for use with E11706WH &
E11906WH)

E16900WH

note


To extend WC from wall to dimensions required
under building regs Part M.

material

Resin stone.

colour

White.



All measurements shown are in millimetres.
Drawing sizes are not to scale.

For sector applications please refer to individual product page.

doc.m support items

to specify/order:

Please use the product reference shown below.



grab rail 600mm long

SR5902..

material


Powder coated steel.

colours

White WH	(White RAL 9003, Luminance Values 76)
Blue BE	(Blue RAL 5011, Luminance Values 6)
Grey GY	(Grey RAL 7005, Luminance Values 20)

fixings

Secure rail to wall using suitable fixings for wall structure. Exposed fittings.



hinged support rail with toilet roll holder

SR5810..

material


Powder coated steel.

colours

White WH	(White RAL 9003, Luminance Values 76)
Blue BE	(Blue RAL 5011, Luminance Values 6)
Grey GY	(Grey RAL 7005, Luminance Values 20)

fixings

Secure rail to wall using suitable fixings for wall structure. Exposed fittings.



Hinged support rail with toilet roll holder



back support with cushion

SR4922..

material


Powder coated steel.

colours

White WH	(White RAL 9003, Luminance Values 76)
Blue BE	(Blue RAL 5011, Luminance Values 6)
Grey GY	(Grey RAL 7005, Luminance Values 20)

fixings

Secure rail to wall using suitable fixings for wall structure. Exposed fittings.



Back support with cushion

All measurements shown are in millimetres.
Drawing sizes are not to scale.



Hotels



Healthcare



Education



Commercial



Residential



Less Able

Twyford

Geberit Group

303

Visit **www.twyfordbathrooms.com**



Registered office: Geberit Sales Ltd, Geberit House,
Edgehill Drive, Warwick, Warwickshire CV34 6NH
T: 01926 516800 F: 01926 400101
www.twyfordbathrooms.com Email: enquiries@geberit.co.uk

Technical helpline: T: 01926 516800 F: 01926 400101
Email: technical@geberit.co.uk

Part of the Geberit Group
Ref: TWYSM/02/20

Whilst every care has been taken to ensure that the information included in this document was accurate at the time of printing, we reserve the right to change product specifications at any time without prior notice. The photographs reproduced in this publication are within the constraints of the printing process and are not to be used for matching purposes. All photographs are used for approximate representation only and may not show the actual products on offer. E&OE.