


■ GEBERIT

# EVOLUTION OF THE BATHROOM



# CONTENTS

GEBERIT VALUES	3
EVOLUTION TIMELINE	4
GEBERIT SELNOVA	6
GEBERIT SMYLE	8
GEBERIT AQUACLEAN TUMA	10
GEBERIT WALL-HUNG	12
GEBERIT DUOFIX	14
GEBERIT FLUSH PLATES	16
WALL-HUNG INSTALLTION STEPS	18
GEBERIT DUOFIX – KNOW-HOW TIPS	19

## GEBERIT VALUES. OUR COMMITMENT TO YOU.



### KNOW-HOW

We bring almost 150 years of Know-How to every new bathroom, with every feature carefully crafted and designed to optimise buyer appeal.



### INNOVATION

With unrivalled behind the wall technology and inspirational new ceramics, we offer the complete bathroom solution - the perfect balance of elegant design and outstanding function.



### PARTNERSHIP

We work closely with you to add value to every development, with industry-leading logistical support, training, product availability and delivery.



### RELIABILITY

Our total focus on performance means our products combine safety and durability with ease of installation.



### QUALITY OF LIFE

From Rimfree® technology and stylish flush plates to exceptional water economy, we make life easier, more comfortable and more liveable.


# EVOLUTION TIMELINE

**Do you remember when it was normal to flush the chain?  
Now we are more likely to pull a lever, press a button or even  
wave our hand over a sensor?**

Do you remember when our TVs were large, chunky and placed on a stand or cabinet. Now it's more likely to see them hung on a wall as they're so thin and the viewing quality is so much better!

Soon we'll look at our bathrooms and will feel old fashioned if we don't have our frames neatly concealed behind the wall.

Things are evolving constantly, not only technology but products within the home. The latest must have for the bathroom is a wall-hung toilet which transforms a room into a spacious and contemporary bathroom.



# GEBERIT SELNOVA



With its classic lines, the **Geberit Selnova** bathroom series can be incorporated into any bathroom. Geberit has selected a simple and discreet design and brought the functionality to the fore. Geberit Selnova sets itself apart with its outstanding value for money, and the uncompromisingly high quality that has become synonymous with the Geberit brand. Classically timeless, for every bathroom.

The Selnova series features a comprehensive range of toilets, including close coupled, back-to-wall, wall-hung and Rimfree®.

## SELNOVA ROUND



## SELNOVA SQUARE



---

## SELNOVA COMPACT

Space saving short projection wall-hung toilets.



# GEBERIT SMYLE



**GEBERIT SMYLE** brings harmony into the family bathroom along with a relaxing and positive ambience. A clear sense of order and efficient use of space makes Smyle the convenient choice for any bathroom design.

**CLOSE-COUPLED TOILET**



**BACK TO WALL TOILET**



**WALL-HUNG TOILET**



# GEBERIT AQUACLEAN TUMA

KeraTect®



With the Geberit AquaClean Tuma you can choose the features you want in your shower toilet: from the simple, basic functions of the Classic model to the additional convenience functions of the Comfort version. The AquaClean Tuma is available as a complete toilet solution with a perfectly fitting Rimfree® ceramic pan and hidden connections for electricity and water, or as a toilet enhancement solution. It can also be combined with a variety of previously installed ceramic pans.


## EQUIPMENT OF AQUACLEAN TUMA COMFORT AND CLASSIC

-  WhirlSpray shower technology with five adjustable shower pressure settings
-  Rimfree® toilet ceramic pan
-  Individually adjustable spray arm position
-  Adjustable water spray temperature
-  Oscillating spray
-  Descaling function
-  Soft closing
-  Quick release function for the toilet lid
-  Energy-saving function
-  Geberit App

## ADDITIONAL COMFORT FUNCTIONS OF AQUACLEAN TUMA COMFORT

-  Intuitive and clearly laid-out remote control
-  Gently cleaning lady wash
-  Toilet seat heating
-  Dryer
-  Odour extraction
-  User detection

## AQUACLEAN TUMA COMFORT IS AVAILABLE IN FOUR DESIGN COVERS:



Geberit AquaClean Tuma toilet enhancement solution with standard toilet ceramic appliance.

## WHY WALL-HUNG?

**Wall-hung toilets are an ingenious space saver; out of sight but very much front of mind for trend conscious homeowners.**

Freed from the bulky constraints of having a visible cistern sitting on the pan, they take up significantly less space, enabling them to be fitted closer to furniture, shower enclosures or other ceramics.

Where space is at a premium, the use of a wall-hung option can liberate planning. With the cistern and frame cleverly concealed behind a stud wall and complemented by compact design choices, wall-hung toilets can optimise smaller spaces. By eliminating the clutter of conventional toilets which take up floor area, they create the illusion of a more spacious bathroom.

## WALL-HUNG MYTH BUSTERS



***"I've seen those in service stations, they fall off the wall."***

- Both the ceramic and the frame have been tested to a static load capacity of 400Kg / 63 Stone
- Designed to take a 25 stone person falling onto the WC

***"Yeah but, I have to take the tiles off to service it."***

- No! A full service can be carried out from the flush plate, or access panel
- This can even be done without tools

***"Are they reliable?"***

- All of our cisterns have been designed to be behind the wall for at least 25 years

***"They are really difficult to fit."***

- They are no more difficult to fit than a close coupled toilet
- We provide free training to 1000's of installers every year



## FIVE REASONS TO CHOOSE WALL-HUNG



### **SIMPLE TO INSTALL**

Fits perfectly with a Geberit Duofix frame.



### **EASY TO MAINTAIN**

Remove the flush plate for access to all working parts, for tool free service and maintenance.




### **STRONG**

Strength-tested to bear a weight of up to 63 stone/400kg.



### **HYGIENIC**

No ceramic on the floor and no cistern in front of the wall means no exposed pipework for dirt and bacteria to hide.



### **SPACE SAVING**

Various frame options mean the design works well for any given installation including small spaces.



GEBERIT DUOFIX

# A SOLUTION FOR EVERY SPACE



**KNOW  
HOW  
INSTALLED**

## Geberit Duofix

The smart way to install sleek modern looking wall-hung toilets is with Geberit Duofix frame systems. Neatly concealed behind the wall, they're the perfect solution for every style, shape and space - from standard installations to under a window or sloping ceiling.

Strong, secure and flexible, our frame systems sit within pre or dry wall installations bolted to the floor, supporting the sanitaryware and keeping it firmly in place. With Geberit Duofix it's easy to create a great contemporary look in any bathroom or cloakroom.



- Frames available in a wide range of heights, depths and functionalities
- Easily installed with only four fixing points
- Adjustable drainage bend positioning
- Pre-wall fixing brackets and 90° drainage bend included
- Tested to withstand 400kg of weight
- 25 years spare parts availability guaranteed

# GEBERIT FLUSH PLATES

Geberit flush plates are the defining luxury finishing touch for any bathroom. Combining visual elegance with innovative functions, and a range of sumptuous finishes, they are an essential reflection of individual style.


Geberit flush plates are available in a range of beautiful styles, colours and material finishes.

It's not just any bathroom, it's your bathroom.

**DELTA ROUND**  
Geberit Delta11



**DELTA RECTANGULAR**  
Geberit Delta51




**KAPPA ROUND**  
Geberit Kappa21



**KAPPA RECTANGULAR**  
Geberit Kappa50



**SIGMA ROUND**  
Geberit Sigma01



**SIGMA RECTANGULAR**  
Geberit Sigma50



View the full Geberit flush plate collection at [geberit.co.uk](https://www.geberit.co.uk)

# INSTALLATION STEPS

## GEBERIT DUOFIX



### STEP 1: MOUNT DUOFIX WC FRAME TO THE WALL

There are four fixing points - two to the wall and two into the floor.



### STEP 2: LEVEL AND SECURE

Once fixed, ensure that the frame is level. Check that all elements in the cistern are securely in position.



### STEP 3: CONNECT

Connect the isolation valve to the water supply and connect the drainage.



### STEP 4: PROTECTION

Once the frame is in position and the supply and drainage are connected, ensure that you protect the flush pipe, drainage connection and metal rods with the covers provided. This will stop debris building up during the plastering and tiling phase.



### STEP 5: PLASTER AND TILE YOUR INSTALLATION

You are now ready to plaster and tile your installation. When you've completed that, you can cut down the protection housing flush with your tiles and remove the protection covers ready to fix the WC.




### STEP 6: FIX WC AND FLUSH PLATE

Using the WC fixings provided by Geberit or your WC ceramic manufacturer push the WC onto the metal rods and fasten the pan. Turn on the isolation valve and fit the flush plate for that finishing touch.

# DUOFIX TOILET FRAME – KNOW-HOW TIPS

1. Every blow moulded cistern is factory-made leak tested, therefore there are no unnecessary sealings or leakage of the cistern for maximum operational reliability
2. Fast, tool free, protection housing for Sigma cisterns is snapped onto the base frame for optimum sealing against building dust and cement water for greater functional reliability
3. The twist locked angle stop valve with hand wheel means that the sealing shaft can be replaced without damaging the water supply line
4. The Duofix WC frame can support up to 400kg (63 stone) – testing is actually in excess of this weight
5. The flush volume can be reduced manually on the flush valve from the factory set 6L and 3L to 4.5L and 3L
6. The Sigma cisterns are completely tool free allowing for easy and fast maintenance to the cistern internals
7. With every Geberit concealed cistern, you will find the product number located on the back wall inside the cistern
8. Geberit system rail can be used to attach the Duofix frames quickly and easily to a solid wall. Perfect for a run of cubicles or similar
9. All Geberit Duofix frames have self-impeding feet making changing the height of the frame a one-man job
10. The drainage bend features tool-free, sound-absorbing fastening, adjustable in depth with 8 positions and an adjustable range of 45mm.



Geberit Duofix is tested for strength and durability. Six metal plates weighing in excess of 400kg (63 stone) are loaded on to a support acting as the toilet.

**Geberit Sales Ltd**  
**Geberit House**  
**Edgehill Drive**  
**Warwick**  
**CV34 6NH**

**T 01926 516800**

**F 01926 400101**

**E [enquiries@geberit.co.uk](mailto:enquiries@geberit.co.uk)**

**W [www.geberit.co.uk](http://www.geberit.co.uk)**

**Literature 0800 007 5133**